INDEX

For Volume 57

INDEX FOR VOLUME 57

AUTHOR AND SUBJECT INDEX. Junior authorship is indicated by page numbers in parentheses. Page numbers of illustrations are in boldface. Page numbers of errata are in brackets. A special listing is made of "new diseases, species, and varieties."

Abdel-Raheem, A., 457
Abies concolor, decay of, 1312
Acer spp. (see also **maple**)
  platanoides, rhizosphere fungi from, antagonistic to Verticillium dahliae, 363
  pseudoplatanus, effect of enzymes on cell wall polysaccharides, 625
  saccharum
    Meloidogyne ovalis, on, 104, **105, 106**
    sunscald canker of, 817
Aceria tulipae (see also **wheat curl mite**)
  wheat streak mosaic virus vector, 188
Acetomonas melanogenus, pink disease of pineapple, 806, [43]
actinomycetes, suppression of by PCNB in culture media, 811
actinomycin D, tobacco mosaic virus, effect on, 345
Adair, C. R., (297)
Adams, P. B., 602, 644, 801
Aerobacter spp., onion, associated with decay of, 341
aerobiology
  Fomes annosus, seasonal fluctuations in, 340
  fungi, technique for growth studies, 1266
  spore sampler for use in aircraft, 434
Afanasiev, M. M., 97
aflatoxin
  environment, relation to production of, 458
  peanuts
    in, 1270
    influence of
      CO_2, O_2, and N_2, 1086
      drying and harvesting, 462
  storage fungi, production related to moisture and temperature, 816
Agaricus bisporus (see **mushrooms**)
Ageratum conyzoides, Pseudomonas solanacearum on, 97
Agnihotri, V. P., 1116
Agrios, G. N., (159), 801
Agrobacterium spp., physical and physiological methods for differentiating between spp., 922
  tumefaciens
    aromatic hydrocarbon effect on tomato gall cells, 823
    teratoma induction in Datura spp. by, 820
Agrostis palustris
  Pythium aphanidermatum on, infection by zoospores, 86, **87, 88, 89**
  Ustilago striiformis on, control with two derivatives of 1,4-oxathiin, 242
Aichele, M. F., (1004)
air pollution
  effect on
    tomato vein enation and leaf drop, 823
    white pine, disease susceptibility, 807, 810
  exposure chamber for forestry studies, 804
  fluoride, effect on tobacco mosaic virus lesions, 756
  fumigation chamber, 806
  ozone
    amino acid changes in bean leaves, 972
    effect on
      plants, 834
      ponderosa pine, 822
      white pine, 807
  sulfhydryl reagents, effect on plants, 834
Aist, J. R., (43), (769), 801, (837)
Aist, Sheila, 801
Albersheim, P., (625)
Albugo candida, ultrastructure of Brassica juncea chloroplasts in "green islands" caused by, 814
Alconero, R., 1394
alfalfa
  cellulase activity of Xanthomonas alfalfae, 827
  inhibition of cyanogenesis in snow mold of, 863
  phytoalexins, production in response to nonpathogens and pathogens, 340
  potassium chloride effect, on interrelationship of fungi and a root nematode, 646
  Pratylenchus penetrans, movement toward roots infected with Fusarium oxysporum, 468
  saponins from, effect on Phytophthora cinnamomi, 1278
  volatile substances from, on soil respiration and survival of soil fungi, 812
alfalfa mosaic virus
  bean, reduction of number and size of lesions by interaction with yellow mosaic virus, 1274
  tobacco, found in, 460
Allan, R. E., (324)
Allen, Barbara, (497)
Allen, P. J., (656), (855)
Allen, R. M., (100)
Allen, T. C., Jr., 97
almond calico, purification and electron microscopy of particles associated with, 100
Alternaria
  citri, combined action of diphenyl and radiation on, 696
  cucumerina, asexual nuclear division in, 43
  japonica, lignin formation, 1339
  porri, Olea welwitschii on, 448
  solani, oxathiin toxicity to, 1256
  tenuis
    diurnal periodicity in airborne spores, 830
    factors affecting amount and pattern of chlorosis caused by metabolite from, 516
    toxin from, causing chlorosis, 833
  tenuissima, Olea welwitschii on, 448
Altman, J., 801
Amburgey, T. L., 486
American Phytopathological Society
  annual meeting abstracts, 801
  annual report, 1
  division reports and abstracts
    Caribbean, 7
    Northeastern, 338
    Pacific, 97, 1004
    Potomac, 644
    Southern, 457
  fellows, 332
  Ruth Allen award, 337
amino acid(s)
  in Ceratocystis ulmi, effects of inoculations on concentration in elm xylem sap, 831
  chlorogenic acid adducts of, 492
  in crown rust urediospores, germinating, sequence of release, 832
  in Heterodera glycines larvae, 801
  in resistant and susceptible cowpea, changes in virus-infected leaves, 472
2-aminobutane, fungistatic properties of, 98
ammonia
  Pratylenchus penetrans, effect on, 345
  Sclerotium rolfsii, inhibition of, 425
ammonium humate, effect on soil fungicides, 572
Amos, R. E., 32, 1012
anastomosis, in Rhizoctonia solani, 598, 830
anatomy
  Citrus spp., leaf enations, infected with vein enation virus, 1006
  pear, tissues sensitive to pear decline virus, 102
Anderson, A. L., (816)
Anderson, E. J., (814)
Anderson, J. L., (102)
Anderson, N. A., (835)
anoxia, Rhizopus stolonifer, response to, 806
antagonism
  Bacillus cereus to Helminthosporium spp., 462
  Botrytis convoluta to saprophytic fungi, 1145
  fungi from Acer platanoides rhizosphere, to Verticillium dahliae, 363
  fungi in buried wheat straw, 1006

anthracnose
cucumber, induced resistance to, 1028
oak, characteristics of causal agent, 1230, **1235**
tomato, spore concentration related to resistance, 802
Anthurium andraeanum
Rhadopholus similis, control in, 1006
virus disease of, 8
antibiotics
desert plants, in rhizosphere of, by Streptomyces spp., 347
Erwinia amylovora, β-glucosidase in relation to activity of, 826
Glomerella cingulata, production of spores for bioassay of, 447
nystatin, relationship with sterols, 246
phytoactin, mechanism of action in Saccharomyces pastorianus, 367
Pseudomonas syringae, role in bacterial canker of Prunus persicae, 102
Antirrhinum majus, changes in response to Pythium ultimum, 1007
antisporulants, powdery mildew, control with, 342
Aphanomyces euteiches
accumulation of chlorinated hydrocarbons in, 817
effect of cropping practices on, 667
pathogenic variability in, 57
pea, increased susceptibility to in virus-infected plants, 804
relation to Pythium, 1394
Aphelenchoides sp.
growth, effect on a mycorrhizal and a pseudomycorrhizal fungus, 541
bicaudatus, parasite on fungus, 1392
Aphelenchus avenae, penetration of organic-halide nematocides, 820
aphid(s) (see also **insects as vectors** and **transmission**)
barley yellow dwarf transmission by five spp. of, 713
bean common mosaic virus, ability of different spp. to transmit, 398
bean yellows mosaic virus, natural spread, red clover to bean, 476
cucumber mosaic virus, transmission
affected by inoculation time, 824
affected by temperature and light, 1072
of, 1074
Erwinia amylovora, factors influencing transmission of, 1060
maize dwarf mosaic virus, transmission of, 450, 956
Myzus persicae, warning system for spraying, 1006
peanut stunt virus transmission by, 461
sorghum, transmission of a mosaic disease, 464
sugar beet, feeding inhibitors in, 1237
tobacco mosaic virus, acquisition and release of, 463
apple
blossom freezing, prevention by two fatty acids, 341
Botryosphaeria ribis
canker development, 645
resistance to, 38
chlorotic leaf spot virus, seed transmission of, 924
Erwinia amylovora
factors influencing infection, 1060
protection against, 22
latent virus 2, identical to sowbane mosaic virus, 639
Penicillium expansum, avirulence of a methionine-sensitive leucine mutant, 803
powdery mildew, chemical control of, 833
properties of leaf proteins from virus tolerant and susceptible varieties, 853
stem pitting, a sap-transmissible virus, 819
tobacco mosaic virus in, seed transmission of, 214
Venturia inaequalis, inheritance of pathogenicity, 802
apple mosaic virus, serology of, 811
apple scab, dodine for control of, 341
apricot ring pox virus, apricot, in, 1268
Arachis hypogaea, Cylindrocladium spp. on, pathogenicity of, 464
Arceuthobium spp. (see **dwarf mistletoe**)
Aretan, disinfestant for Trichodorus christiei, 1216
Armillaria mellea
CO_2 effect on growth of, 101
ethanol suppression of glucose uptake, 812
pathogenic variability in, 73
rhizomorph stimulation in, by culture extracts, 1008
variation in pathogenicity and virulence, 826
Arneson, P. A., 1358
Asada, Y., 1339
Asai, G. N., 237
ascorbate, Pinto bean, changes in tobacco mosaic virus lesion formation, 343
ascorbic acid, tetrazolium salts, role in staining sporangia of Synchytrium endobioticum, 965
ascospores, Guignardia citricarpa, germination and infection of citrus, 743, **745**
Ashrafuzzaman, M. H., 457
aspen (see also **Populus**)
water stress in relation to Hypoxylon canker, 802
Aspergillus spp., on peanut, effect of moisture and time, 464
candidus, relation of moisture content and temperature to invasion of corn by, 588
flavus
aflatoxin, relation of environment to production of, 458
effect of CO_2, O_2, and N_2 on aflatoxin production, 1085
effect on axenic peanut plants, 644
fatty acid production, 1086
growth and aflatoxin production related to moisture and temperature, 816
peanut, aflatoxin, influence of drying and harvesting, 462
peanuts, development in, 1270
relation of moisture content and temperature to invasion of corn by, 588
selective media for isolating from peanuts and soil, 939
fumigatus, Verticillium dahliae, antagonistic to, 363
niger, on peanuts, crop rotation, 461
terreus, sensitivity of spores to soil fungistasis, 833
wentii, chrysanthemum, yellow strapleaf, production of with culture filtrates, 463
aster, Rhizoctonia spp., occurrence in seeds, 808
aster ringspot virus
electron microscopy of, 198, **200**
serological relationship with tobacco rattle virus, 198
tobacco rattle virus, as strain of, 198, **200**
aster yellows virus
distribution in vector and sequence of infection sites, 831
effects of strains on vascular structure and function in tobacco, 833
gel filtration of, 832
strain interactions, 1016
Atkin, J. D., (144)
Atkins, J. G., 297
Atkinson, T. G., 188, (863)
auxin, alteration in resistant and susceptible hosts, induced by curly top virus, 832
Averre, C. W., III, 7
avocado
Phytophthora cinnamomi, production of oospores and chlamydospores in roots and soil, 100
root rot, effect of saponins from alfalfa, 1278
Aycock, R., (8)

Bacillus cereus, antagonistic to Helminthosporium spp., 462
bacteria
antagonism to Helminthosporium spp., 462
biochemical basis for hypersensitive reaction to, 812
on carnation, unidentified, 339
on cucumber
epiphytic, 527
multiplication in water drops on leaves of, 527
culture media, suppression of actinomycetes by PCNB, 811

detection, Pseudomonas solanacearum in artificially infested soils, 25
environmental factors favoring survival of bean pathogens, 830
medium for, 447
methods for differentiating between spp. of Agrobacterium, 922
onion decay, associated with, 341
pathogenicity of, host and nonhost plants for, 815
on pineapple, causing pink disease of, 806, [43]
responses following use of pesticides, 801
stimulation of chlamydospore formation in Fusarium solani phaseoli, 811
teratoma induction in Datura spp. by Agrobacterium tumefaciens, 820
thermophilic-, isolated from tobacco, 458
on tomato, possible cause of graywall, 1276
tomatoes, stem end rot in greenhouses, 902
bacterial blight, cotton, of, immunity, stability under different diurnal temperatures, 47, **49, 50**
Bagga, D. K., 802
Bagga, H. S., 802, 1398
Bagnall, R. H., 533
Bailey, W. K., (1280)
Bain, D. C., (459)
Baker, K. F., 591, (598), (1363)
Baker, R., 662, 802, (1262)
Bald, J. G., 1004
Ball, E. M., 802
banana
Sigatoka leaf spot, resistance to, 9
wilt, vascular gel, caused by, 11, **12, 13**
Bancroft, J. B., 639, (819)
Banfield, W. M., 338
Banttari, E. E., 802
Barkai-Golan, Rivka, 696
Barker, K. R., (723)
Barksdale, T. H., 802, 1173
barley
effect of enzymes on composition of cell wall polysaccharides, 625
inheritance of reaction to Puccinia hordei, 66
oat blue dwarf virus, leafhopper transmission, 802
phytotoxins from, 834
Puccinia hordei, differential varieties for, 66
Puccinia striiformis, influence of light intensity on reaction, 615
Pyrenophora teres, variability and genetics of, 747
Rhizoctonia spp., occurrence in seed, 808
survival of Typhula idahoensis sclerotia in rhizosphere of, 815
barley stripe mosaic virus
cytology of infected tissues at different stages of maturity, 811, 1315, **1317, 1319-1324**
seed transmission of, 1375
barley yellow dwarf virus
isolates, from Manitoba, 713
temperature, alteration of vector specificity, 344
transmission by five aphid spp., 713
Barnett, H. L., 803
Barron, G. L., (1256)
Barry, B. D., (986)
Bartos, P., (803)
basidiospore, Polyporus dryophilus, germination of, 823
Bassett, C., 1045
Basu, P. K., 803
Bateman, D. F., (121), 127, (132), (342), (344), 803, (821), 1004, (1154)
Batten, C. K., (826)
Bauch test, Ustilago hordei, differential media for, 818
Baur, J. R., 457
Bauske, R. J., 924
bean (see also **Phaseolus spp.**)
amino acids, changes caused by ozone, 972, [43]
bean common mosaic virus, ability of different aphid spp. to transmit, 398
chemical control of rust, 646
Corynebacterium flaccumfaciens violaceum, causing purple-seed and leaf hypertrophy in, 1064, **1065**
curly top virus, alteration in auxin levels, 832
effect of ozone and sulfhydryl reagents on, 834
environmental conditions favoring survival of bacterial pathogens, 830
fusaria on, comparative ability of spp. to colonize primary lesions, 293
growth under gnotobiotic conditions, 960
Macrophoma phaseoli microsclerotia populations in relation to stem blight of, 1010
mung-, effect of seed exudates on growth and pathogenicity of Pythium aphanidermatum, 866
peanut stunt virus, found in, 461, 837
phytoalexin, induction and distribution of, 1154
Pinto-, ascorbate, changes during tobacco mosaic virus lesion formation, 343
principal diseases of, in Costa Rica, 7
Pseudomonas phaseolicola, survival overwinter, 343
red kidney-
phytoalexins, induction and distribution, 344
Thielaviopsis basicola, phosphatidases associated with root rot of, 342
Rhizoctonia spp., occurrence in seed, 808
Rhizoctonia solani
distribution of cellulase and endopolygalacturonase in infected hypocotyl tissues, 121, **123**
oxidase activity in relation to lesion maturation, 132
relation of respiratory pattern to lesion maturation, 127
root rot, interaction of major factors influencing severity of, 802
rust
chemical therapeutants for control of, 103
cytokinin activity affected by, 93
starch depletion in different reaction types, 829
sucrose-enhanced local infection by viruses, 808
systemic action against powdery mildew, 810
tobacco mosaic lesions stimulated by fluoride, 745
Uromyces phaseoli
ribonucleic acid synthesis in germinating urediospores, 826
typica, effect of gravity on, 1025
viruses on, spread from red clover, 476
Bean, G. A., 644
bean yellows mosaic virus
interaction with alfalfa mosaic in bean, 1274
red clover resistance to, 457
on vetch, identification of, 463
Beckman, C. H., 11, 699
beet yellow virus, homogenization and preparation for electron microscopy, influence on morphology and infectivity, 102
Bell, A. A., 759, (932), 1111
Bell, D. K., 939
Belonolaimus longicaudatus, nematocide, control of, on turf, 9
Bennett, C. W., (95), 207
Benson, A. P., 803, (831)
bentgrass (see **Agrostis palustris**)
benzoic acid, phytotoxin from decomposing barley, 834
Beraha, L., 803
Bergman, E. L., (354)
Bermuda grass
Hypsoperine graminis, pathogenicity of, 460
spring dead spot, soil organisms associated with, 462
Berry, C. R., 804
Beta vulgaris, curly top virus, alteration in auxin levels, 832
Beute, M. K., (57), 804, (1149)
Biehn, W. L., 804
biological control
avocado root rot, of, 1278
cross-protection in Fusarium wilt diseases, 311
mathematical models for soil-borne plant pathogens, 662
mechanism for, reduction of Fusarium wilt by a Cephalosporium sp., 916
rust, natural enemies of, in the Tropics, 645

biological specialization, Calonectria rigidiuscula, 710
biomathematics, models for ecology of plant pathogens in soil, 662
biotin
effect on mycoparasitism, 803
requirements of Helminthosporium atrovirens, 831
Bipolaris sorokinianum, toxicity of oxathiins to, 1256
birch, cyst nematode from, 827
Birchfield, W., 804, (1327)
Bird, A. F., (559)
Bird, G. W., 338, 804, 1368
Bird, L. S., (457)
birdsfoot-trefoil
Rhizoctonia spp., occurrence in seed, 808
Stemphylium loti, cyanogenesis in relation to infection, 343
blackberry mosaic virus, on blackberries, 459
Blodgett, E. C., (1004)
Blomquist, Margaret C., (648)
Bloom, J. R., (346)
Bloss, H. E., (228), 380, (833), (1004)
blueberry, Exobasidium vaccinii, inhibition of growth by nickel salts and oxathiin compounds, 340, 341
blue dwarf virus, leafhopper transmission of, on oats or barley, 802
bluegrass, Puccinia striiformis f. spp. on, comparison of, 418
bluestem grass (see **Dichanthium annulatum**)
Bollenbacher, Katharina, (516)
Bond, W. P., 804
Boone, D. M., (801), (802)
Boosalis, M. G., 990
borax, inhibition of cyanogenesis in snow mold of alfalfa, 863
Borum, D. E., 805
Botran, medium for isolating Aspergillus flavus from peanuts and soil, 939
Botryodiplodia theobromae, causing disease in Russian-olive, 825
Botryosphaeria ribis
on apple, resistance to, 38
canker development on apple wood, 645
effect of N sources on growth of, 645
Botrytis spp., selective media to distinguish between spp., 795
cinerea
drying of germinated spores, 719
effect of temperature and SO_2 on decay in storage, 950
radiation and heat treatment, inactivation of, 428
on strawberry, postharvest radiation-heat treatment interaction, 832
convoluta, on iris, factors affecting infection, 1145
Bourret, J. A., (710)
Bowman, T., (835)
boxwood, Colletotrichum on, pathogenicity of, 461
Boyle, Alice M., (347), (1004), (1008)
Boyle, J. S., (339), 354
Bozarth, R. F., 338
Bozicevich, J., (61)
Brakke, M. K., (802), 905
Brandt, W. H., 1004
Brannaman, B. L., (632)
Brassica
juncea, ultrastructure of chloroplasts in Albugo- and kinetin-induced "green islands," 814
oleracea, Peronospora parasitica, resistance to, 144
Braverman, S. W., 338, 805
Breeneman, J. A., 805
Bretz, T. W., (340)
Brinkerhoff, L. A., 47, 805
Briones, M. L., (986)
Bromfield, K. R., 644, 1133
Brotzman, H. G., 338
Brown, G. E., 805
Brown, I. F., Jr., 805
Brücher, H., 7
Bruehl, G. W., 308, (1006)
Brushaber, J. A., 43
Buchholtz, W. F., 159, (924)
Buckley, Patricia M., (428), 806, (832)
Buddenhagen, I. W., 97, 806, [43]
Bugbee, W. M., 1264
Burk, L. G., (460)
Burleigh, J. R., 434
Burrell, R. G., (32)
Bush, L., 785
Butler, E. E., (52), (101), (510)

cabbage
clubroot resistance, inheritance of, 330
cross-protection in Fusarium wilt, 311
enzyme synthesis and degradation of starch and lipid during clubroot development, 816
Fusarium oxysporum, determination of fusaric acid in, 339
resistance to Fusarium wilt, 1005
ultrastructure, relation with Plasmodiophora brassicae, 682, **683, 684, 685, 686**
cacao
Colletotrichum, Fusarium, Diplodia, and Pestalotia, in, 7
Colletotrichum and Phytophthora, fungicidal control of, 9
Fusarium rigidiuscula, control of, 8
Fusarium roseum, pod rot caused by, 10
calcium
Fusarium roseum, influence on mycelial growth and sporulation, 644
oats, suppression of victorin-induced symptoms, 458
Phytophthora sp., sterol interaction, 461
calcium chloride, toxicity to Norway maple, 835
calcium hypochlorite, improves fungicide effectiveness, 824
Calderone, R. A., 806
Caldwell, R. M., (812)
Callistemon spp., Cylindrocladium spp., pathogenicity of, 464, 832
Calonectria rigidiuscula theobromae, nova forma specialis, biological specialization in relation to green point gall of cocoa, 710
Calpouzos, L., 679, 799, (807)
Campana, R. J., 338
Campbell, R. N., 502
Campbell, W. A., 457
canarygrass, biology of Hypsoperine ottersoni, 723, 726
Cannon, O. S., (1005), (1007)
cantaloupe, chemical control of powdery mildew on, 833
Cantwell, A. M., 806
Capnodium sp., pecan, control of, 458
Capsella bursa-pastoris, curly top virus, as source of, 207
Capsicum annuum (see **pepper**)
carbohydrate
effect on Penicillium digitatum conidia, 1004
source, effect on Sclerotinia sclerotiorum growth, 1010
carbon-14
protein removal from tobacco mosaic virus after inoculation of tobacco, 830
Saccharomyces pastorianus, metabolism of, 831
carbon dioxide
Armillaria mellea, effect on growth of, 101
effect of fungicides on exchange in elm, 827
effect on aflatoxin production, 1086
Pratylenchus penetrans, effect on movement, 468
carbon source, effect on growth of Helminthosporium atrovirens, 803
carbotoxinine, Helminthosporium carbonum, isolated from, 1169
Carley, H. E., 401
Carlson, C. E., (1010)
carnation
bacteria, unidentified, isolation from, 339
cross-protection in Fusarium wilt, 311
Erwinia chrysanthemi, pathogenicity and symptoms, 343

Fusarium oxysporum, determination of fusaric acid in, 339
Pseudomonas caryophylli on, 1353
Carne, I. C., (929)
Carnegiea gigantea, rhizosphere, antibiotic production in, by Streptomyces spp., 347
Carns, H. R., (101)
carotenes, of Puccinia graminis tritici, 785
Carsner, E., 95
Carthamus tinctorius (see **safflower**)
Castro, C. E., (820)
Catani, S. C., 363
cauliflower mosaic virus, intercellular inclusions, **1130, 1131**
celery western mosaic virus, 1104, **1107, 1109**
serological detection, 1136
cellulase (see **enzymes,** specific)
cell wall, differential resistance of, to polysaccharide-degrading enzymes, 625
Cephalosporium sp., on tomato, biological control of Fusarium wilt by, 916
gramineum
in buried wheat straw, antagonism with other fungi, 1006
wheat, effect of soil moisture, 1008
gregatum
on red clover, 810
soybeans, brown stem rot of, control with rotation, 114
Ceratobasidium spp.
Rhizoctonia solani and Thanatephorus cucumeris, similarity to, 218
serology for differentiation of spp., 647
Ceratocystis spp.
disc electrophoresis of mycelial proteins, 833
effect of pine resin and turpentine constituents on, 806
adiposa, detection of, by serology, 32
coerulescens, asexual nuclear division in, 43
fagacearum
asexual nuclear division in, 43
detection of, by serology, 32
epidemics on oak in W. Va. and Pa., 1206, [43]
formation of pressure cushions in vitro, 822
motility of nuclei, **769, 770**
multiple role of centrioles, 837
oak, longevity in roots of girdled trees, 1012
penetration and degradation of oak cell walls, 827
red oak, survival in roots of, 345
stimulating germination of Polyporus dryophilus basidiospores, 823
tyloses development, 823
fimbriata
sexual development, inhibition of, 344
sweetpotato, enzymatic changes in resistance to, 421
ips, pilifera, pluriannulata, and radicicola, detection by serology, 32
ulmi
detection by serology, 32
effects of early and late inoculations on nitrogenous substances in xylem sap, 831
elm, resistance to, 1247
germination under various laboratory conditions, 338
inoculum concentration, effect of, 1269
translocation patterns in xylem, 641
variospora, detection by serology, 32
Cercidium microphyllum, rhizosphere, antibiotic production in, by Streptomyces spp., 347
Cercospora spp., false rust of Cordyline terminalis, 97
beticola
effect of light on sporulation, 679
release and dispersal of conidia, 889
symptoms of, on sugar beets influenced by light intensity, 799, **800**
fusca, pecan, control of, 458, 460
Cercosporella spp., wheat, foot rot of, interaction of crop rotation and date of seeding, 99
Chaetomium sp., tomato, effect on, under gnotobiotic conditions, 1262
Chakravarti, B. P., 688
Chamberlain, D. W., (352)
Chancey, E. L., (832)
Chang, Chen-Hong T., 644
Chapman, R. A., (834)
Chavez, H. B., 1004
chemotherapy
bean rust, chemical therapeutants for, 103
Cytospora cincta canker in peach, 442
peach, reaction of viruses to dimethyl sulfoxide, 671
Ustilago striiformis, control with two derivatives of 1,4-oxathiin, 242
Chen, T. A., (646), (1216)
Chen, P. K., (820)
Cheney, P. W., 1004
Cheng, C. P., 644
Chenopodium
amaranticolor, nutrition affects cucumber mosaic virus infection, 838, **839**
murale, curly top virus, appearance of yellow vein form after passage through, 99
quinoa, indicator for pollen- and seed-borne viruses of raspberry, 97
cherry necrotic ringspot virus
serology of, 811
in sour cherry and serological relationships of virus isolates, 339
cherry rasp leaf virus, retention in soil, 103
cherry rugose mosaic, purification and electron microscopy of particles associated with, 100
cherry spur virus, 1004
Chessin, M., 452
chestnut blight, analysis of epidemics, 822
Chet, I., (425)
Chidester, J. L., (97)
Chinn, S. H. F., 224, 580
chitin, Heterodera tabacum, function of, 836
Chiykowski, L. N., (831)
chlamydospores
Fusarium solani, bacterial stimulation of formation, 811
Fusarium solani phaseoli, germination in amended soil, 801
Fusarium solani pisi, germination in soil, 178
Phytophthora cinnamomi
concentration by soil sieving, 1134
germination of, 100
Thielaviopsis basicola
effect of soil moisture on germination, 729
survival in soil, 821
Tilletia foetida, isolation of nucleotides from, 827
Chlorella pyrenoidosa, sensitivity to fomannosin, 1046
chloropicrin-methylbromide, cotton, causing zinc deficiency in, 103
chloroplasts, comparison of, in healthy and maize dwarf mosaic-infected plants, 834
chlorotic leaf spot virus, apple, no seed transmission, 924
Chow, C. C., (338)
Chow, H. S., 806
Christensen, C. M., (588), 622, (822)
Christias, C., 1364
chromatography, Botran, detection of, 462
Chrysanthemum morifolium, Erwinia chrysanthemi, pathogenicity and symptom expression, 343
chrysanthemum yellow strapleaf, production of, by culture filtrates of Aspergillus wentii, 463
Chung, Chuen-Shang, 315
Ciccarone, A., (8)
cinephotomicrography, life process of seven plant pathogenic fungi, 98
Circulifer tenellus, curly top virus, strains in, 207
Citrus spp. (see also **lemon** and **orange**)
Guignardia citricarpa, infection by, 743, **745**
tristeza strain comparisons, 807

aurantifolia and jambhiri, vein enation virus, anatomy of leaf enations, 1006
limon
citrus variegation virus, purification of, 137, **141**
Tylenchulus semipenetrans and Fusarium spp., interactions of, 414
sinensis and safargali (stubborn) disease, tumor-inducing agent associated with, 108, **111**
citrus exocortis virus, nematodes, failure to transmit, 100
citrus variegation virus
electron microscopy and purification of, 137, **141**
phytoferritin, in preparation of, 137
psorosis virus, failure of protection between, 151
citrus vein enation virus, anatomy of infected leaves, 1006
citrus viruses, introduced in budwood, 101
citrus woody gall virus, 1388
Cladosporium
cucumerinum
on cucumber, reduction by crop rotation, 645
sensitivity of spores to soil fungistasis, 833
herbarum, radiation and heat treatment, inactivation of, 428
Clare, B., (421)
Clason, G. W., (824)
clinostat, effect on bean rust development, 1025
clover
crop residues toxic to, 401
survival of Typhula idahoensis sclerotia in rhizosphere of, 815
clubroot (see **Plasmodiophora brassicae**)
Cobb, F. W., Jr., 806, 998, 1312
Cochliobolus
carbonum
mating capacities and sterol synthesis among isolates of, 824
sexual differentiation in, 344, 1081
toxin production, inheritance of, 1288
miyabeanus, on rice, increased susceptibility of virus-infected leaves, 227
sativus (see also **Helminthosporium** sativum)
influence of substances and soil treatments on germination of spores, 580
victoriae, toxin production, inheritance of, 1288
Cochran, G. W., 97
cocoa, biologic specialization in Calonectria rigidiuscula in relation to green point gall, 710
coconut, mechanical transmission of lethal yellowing in, 826
Cohen, M., 807
cold, Rhizopus stolonifer, response to, 806
Coleman, O. H., (464)
Colletotrichum spp.
on boxwood, pathogenicity of, 461
on cacao
fungicidal control of, 9
Fusarium roseum associated with, 10
incidence of, 7
preservation of, 816
coccodes, light-induced sporulation, 1173
gloeosporioides, combined action of diphenyl and gamma radiation on, 696
gossypii, asexual nuclear division in, 43
lagenarium
on cucumber, control with digitonin, a sterol complexing agent, 818
germination, influence of epiphytic bacteria, 527
nystatin, effect on, 246
lindemuthianum, enzymes, degradation of polysaccharides by, 625
phomoides, alfalfa, production of phytoalexin in response to, 340
Collier, J., (925)
Collins, T. I., (434)
Colt, W. M., (502)
Cones, W. L., 645
conidia
Cercospora beticola, release and dispersal of, 889
Erysiphe cichoracearum, morphology of, 821
Fomes annosus, formation of, 1176
Helminthosporium turcicum, overwintering of, 990, **994**
Penicillium digitatum, carbohydrates in, 1004
Peronospora tabacina, cryogenic storage of, 644, 1133
technique for studying germination of Sclerotinia laxa, 997
conidiosporangia, Sclerospora sorghi, found in, 459
Coniothyrium concentricum, Leptosphaeria obtusispora, perfect stage on Yucca spp., 234, **235**
Connor, S. R., 645
control
bean rust, chemical, 646
chemotherapy, Cytospora cincta canker of peach, 442
cucumber anthracnose with digitonin a sterol complexing chemical, 818
Dithistroma pini, on Pinus spp., 437
hot water, of Penicillium digitatum, on lemon, 99
prescribed fire for Fomes annosus, 811
controlled environment, leaf discs, system for maintenance and direct microscopic examination in, 342
Converse, R. H., 97, 173, (816)
Cook, A. A., 385, 457, 807, (832)
Cook, R. J., (102), 178, 732
Cooper, R. L., (35)
Cooper, W. E., (464), (1332)
Coprinus
comatus, filtrate from enhancing germination of Ceratocystis ulmi, 338
lagopus, complementation in dikaryons and diploids, 808
Corbett, M. K., 137, 151, 164, 198
Corbin, J. B., 807, (824)
Cordyline terminalis, Cercospora sp., causing false rust of, 95
Corke, C., (810)
corn
aphid transmission of dwarf mosaic virus, 956
Cochliobolus carbonum, sexual differentiation in, influence of sterols, 1081
comparison of chloroplasts in healthy and maize dwarf-infected plants, 834
corn borer, susceptibility to, 1031
corn stunt virus, transmission by three leafhoppers, 340
corn stunt and corn stripe viruses, in Americas, 9
Diabrotica longicornis, a vector for Fusarium moniliforme, 825
effect of enzymes on composition of cell wall polysaccharides, 625
fungi associated with rhizosphere of, 869, [43]
growth under gnotobiotic conditions, 960
Helminthosporium turcicum on, overwintering of conidia, 990
inheritance of
mature plant resistance to rust, 815
physiological leaf spotting, 1282
invasion of, by storage fungi, 588
kernel red streak, relation of wheat curl mite, 986, **987**
maize dwarf mosaic virus
effect on photosynthesis and respiration, 459
host range of, 450
occurrence and distribution, strains, 820
mosaic virus from, 836
Phymatotrichum omnivorum on
influence of root age on infection, 100
resistance to, 380
physiological spotting in, 1282, **1283**
Pratylenchus brachyurus and P. zeae, increase on, 118
Puccinia sorghi, resistance to, 828, 1372
Pythium spp., isolation from soil using, 813
root rot caused by Helminthosporium pedicellatum, 52, **53**
root rot, fungi associated with rhizosphere, 76
Sclerophthora rayssiae zeae, downy mildew of, 394

seedling blight, relationship of Fusarium moniliforme and Pratylenchus scribneri, 825
soybean, Cephalosporium gregatum, control by rotation with, 114
stalk rot
cell death, 1031
effect of mulching and N, 1031
toxins isolated from Helminthosporium carbonum, 1169
ultrastructure comparison of maize dwarf- and sugarcane virus-infected leaves, 817
corn root worm (see **Diabrotica longicornis**)
Coronilla varia (see **crownvetch**)
Cory, L., (235)
Corynebacterium
flaccumfaciens, environmental conditions favoring survival, 830
flaccumfaciens violaceum, bean and other legumes, causing purple seed of, 1064, **1065**
insidiosum, phytotoxin of, 1008
michiganense
importance of foliar trichomes as infection sites in tomato, 981, **983**
phytotoxin of, 1008
survival of, 1067
tomato, evaluation for resistance to, 1009
sepedonicum, phytotoxin of, 1008
Costa Rica, principal diseases in bean, in, 7
Costonis, A. C., 339, 807
cotton
boll rot
control by bract modification, 463
pathogenicity method, 1398, **1399**
effect of Thielaviopsis basicola on incidence and severity of Verticillium wilt in cotton, 604
fungi associated with root necrosis, 827
Fusarium oxysporum vasinfectum, effect of nutrition on resistance, 457
Fusarium wilt, histology of early stages of penetration, 99
gossypol formation in infected or chemically irritated tissue, 759
identification of
phytotoxins in, 834
toxin from Alternaria tenuis causing chlorosis in, 833
nature of resistance to Verticillium albo-atrum, 885
Phomopsis gossypii, 462
Phymatotrichum omnivorum
influence of root age on infection, 100
pathogenesis of, 380
Pythium spp. on, 1332, **1333, 1336**
resistance to root knot and wilt, 1327, **1330**
Rhizoctonia spp., occurrence in seed of, 808
seed exudate in relation to temperature and damping-off, 814
Streptomyces spp., influence on Rhizoctonia damping-off, 1008
systemic activity of Vitavax against Rhizoctonia solani, 805
Verticillium albo-atrum
effect of nutrition on resistance and susceptibility, 457
internal inoculum potential, determination of, 101
role of sorghum, 14
technique for evaluating resistance, 1264
Verticillium resistant, 836
Verticillium wilt
effect of barley rotation on, 1250
reactions affected by postinoculation temperatures, 805
zinc deficiency, after fumigation with chloropicrin-methylbromide, 103
cottonwood (see also **Populus** deltoides)
Phomopsis macrospora, causing cankers of, 458
coumarin, accumulation of scopolin and scopoletin in bacterium-infected tobacco, 830
Cowling, E. B., (818)
cowpea
cucumber mosaic virus
delayed acquisition of infectivity, 837
peroxidase isozymes in, 824
disease resistance of, 460
Erysiphe polygoni, heat-induced hypersensitivity to, 148
metabolite changes in virus-infected and resistant leaves, 472
Nicotiana megalosiphon, host for, strain of tobacco mosaic virus, 464
peanut stunt virus on, symptoms, 461, 837
phytotoxins in, identification, 834
sucrose-enhanced local infection by viruses, 808
tobacco ringspot virus, peroxidase isozymes in, 824
cowpea chlorotic mottle virus, effect of source host on infectivity, 459
cranberries
decay after bruising, 497
injury and temperature, relation to pathogenesis, 98
Crandall, B. S., (1003)
Crane, G. L., 807
Crawford, J. L., (939)
Criconemoides sp.
on maple, associated with decline of, 340
on turf, hot-water treatment for control of, 460
crimson clover, host for peanut stunt virus, 837
Crittenden, H. W., (646), (649)
Cronartium
quercuum, shortleaf pine, gall histology of, 545, **546, 548, 549**
ribicola
axenic culture of explants, 1005
histochemical analysis of, 820
mode and time of infection of cankers by Tuberculina maxima, 1010
spore release and dispersion, 1221
white pine, effect of Ribes eradication on, 1010
crop residues
corn, overwintering of Helminthosporium turcicum conidia, 990
effect on wheat mosaic virus, 905
phytotoxicity of, 505
phytotoxins in, 401, 834
phytotoxins in, predisposing cotton to root rot, 819
Pratylenchus penetrans, survival in amended soils, 346
root rot, influence on, 505
Verticillium dahliae, effect on growth and survival, 703
wheat straw, buried, antagonism among fungi, 1006
crop rotation
Cephalosporium gregatum, brown stem rot of soybean, control with, 114
foot rot of wheat, interaction with date of seeding, 99
peanuts
effect of sorghum on plots infested with Meloidogyne arenaria, 464
relationship with disease, 461
peas, effect on root rot, 667
reduction of cucumber scab by, 645
residues, phytotoxins in, 401
Crosier, D. C., (808)
Crosier, W. F., 339, 808
Crossan, D. F., 645
cross-protection
aster yellows virus, between strains, 1016
Circulifer tenellus, lack of, between curly top virus strains in, 207
soybeans, Phytophthora cactorum vs. P. megasperma sojae, 352
crosswort, Rhizoctonia spp., occurrence in seed of, 808
crown gall (see **Agrobacterium** tumefaciens)
crown rot, tomato, Phytophthora capsici and P. parasitica, caused by, 101
crownvetch, natural occurrence of cucumber mosaic virus in, 648

cryogenics, storage of Peronospora tabacina conidia, 644, 1133
cucumber
Alternaria tenuis, metabolite from, toxic to, 516, **517**
angular leaf spot of, 1378, **1380-1382**
anthracnose, radioautographic evidence for induced resistance in, 1028
chemical control of powdery mildew, 833
control of anthracnose with digitonin, a sterol complexing chemical, 818
cucurbit scab reduction by crop rotation, 645
Fusarium solani cucurbitae, in rootstock of Cucurbita ficifolia, 328
identification of toxin from Alternaria tenuis causing chlorosis in, 833
Pseudomonas lachrymans
histochemistry of, 254, **255**
relation of protease to pathogenicity, 263, **269**
relation of water congestion to, 1378
cucumber mosaic virus
aphid transmission of, 1074
influence of temperature and light, 1072
time after inoculation, a factor, 824
Chenopodium amaranticolor nutrition affects infection, 838, **839**
cowpea
metabolite changes in infected plants, 472
peroxidase isozymes in, 824
delayed acquisition of infectivity, 837
natural occurrence in crownvetch, 648
sucrose-enhanced local infection, 808
in sugar beet, 1077, [43]
sugar beet extracts, inactivation and inhibition of, 1077, [43]
Cucumis melo, Verticillium spp., pathogenicity of, 1009
Cucumis sativus (see **cucumber**)
cucurbit latent virus, watermelon mosaic virus, close association with, 100
Curl, E. A., 7, (463), (827), (911)
curly top virus
alterations in auxin levels of resistant and susceptible hosts, 832
changes in metabolism of infected tomato plants, 825
Circulifer tenellus, strains in, 207
yellow vein form, appearance of after passage through Chenopodium murale, 99
Curtis, C. R., 1025
Curvularia sp., on Bermuda grass, spring dead spot, association with, 462
geniculata, oxathiins, toxicity to, 1256
robusta, leaf spot of bluestem grasses, sporulation, cardinal temperatures, and susceptible hosts, 975
Cyamopsis tetragonoloba (see **guar**)
cyanide, formation in a psychrophilic basidiomycete, 1009
cyanogenesis
birdsfoot-trefoil, relation to infection by Stemphylium loti, 343
inhibition of, in snow mold of alfalfa with borax, 863
cycloheximide, Cytospora cincta, for control of, 442
Cylindrocladium
floridanum sp. n.
C. ilicicola, and C. crotalariae, morphological comparisons with, 389
host range of, 389
morphology and pathogenicity of, 832
peach decline, associated with, 389, **390, 391, 392**
macrosporum, pteridis, and scoparium, morphology and pathogenicity of, 464
Cylindrosporium sesami, sesame, importance on, 8
Cymbidium mosaic virus, orchid, separation from tobacco mosaic virus, orchid strain, 164
Cystotheca lanestris (see **Sphaerotheca** lanestris)
cytochrom, Pseudomonas syringae, autoxidizable, 828
cytokinin
activity in rust-infected bean and broad bean leaves, 93
increased victorin absorption, 820
cytology
of barley stripe mosaic-infected tissues at different stages of maturity, 811
Phytophthora capsici, nuclear, 1011
potato viruses X and Y, mixed infection in tobacco leaves, 816
Sclerotium rolfsii and S. coffeicola, vegetative hyphae, characteristics of, 8
Cytospora spp.
Italian prune, chemotherapy of, 99
white spruce, analysis of epidemics, 822
cincta
chemotherapy of, 442
fungicides, effectiveness in preventing spread of, in peach, 645
resistance to, in prune, induced and translocated, 1094
leucostoma, fungicides, effectiveness in preventing spread of, in peach, 645
Cytosporina acharii, relation to nematode, 1392, **1392**

Dactylis glomerata, control of Ustilago striiformis with two derivatives of 1,4-oxathiin, 242
Daft, G. C., (527)
dahlia, Armillaria mellea
pathogenic variability in, 73
variation in pathogenicity and virulence, 826
Daines, R. H., 1344
Dalbulus spp., corn stunt virus, transmission by, 340
Dally, Merriel, (806)
Daly, J. M., (127), (1211)
Datura spp., teratoma induction in, by crown gall bacterium, 820
Daubeny, H. A., (929)
Davis, D., 311, 339, 808
Davis, N. D., (458), (1086)
Davis, R. E., (648), (808)
Day, P. R., 808
Deahl, K. L., 808
Dean, G., (756)
n-decenylsuccinic acid, use to prevent apple blossom freezing, 341
Dekhuijzen, H. M., 808
Dell, T. R., (811)
Demski, J. W., 339
Denis, S. J., 808
Desjardins, P. R., 809
DeVay, J. E., (102), 809, (813), (1004)
dew, influence on rice infection by Piricularia oryzae, 237
Dhaliwal, A. S., (97)
Diabrotica longicornis, vector for Fusarium moniliforme, 825
Diachun, S., 457, 809
Diaporthe phaseolorum sojae, penetration and colonization of resistant and susceptible soybean pods, 649
Díaz, F., 7, (9)
Dichanthium annulatum, Curvularia leaf spot of, 975, **976, 977**
Dickey, R. S., 339, (344), 1353
Dickson, D. W., 458
Dickson, M. H., (144)
Diener, T. O., (809), (829)
Diener, U. L., 458, (1086)
dimethyl sulfoxide
absorption, translocation, and persistence of radiolabeled foliar spray on peach, 646
reaction of peach trees and peach tree viruses to treatment with, 671
tobacco mosaic virus, action on, 97
Dimock, A. W., (342)
Dimond, A. E., (69), (492), (825)
diphenyl, combined with gamma radiation, effect on pathogenic fungi, 696
Diplodia spp.
on cacao, 7
effect of C and N sources on growth, pycnidial formation and taxonomy, 828

gossypina, pathogenicity, 1398, **1399**
natalensis
combined action of diphenyl and gamma radiation on, 696
entry into oranges, 805
DiSanzo, C. P., 340
Dishon, Irene, (795)
Ditylenchus
dipsaci
grown on tissue culture, feasibility for screening nematocides, 820
plant cellular responses to extracts from, 815
myceliophagus, fecundity of flatworms reared on, 828
diurnal, periodicity in airborne spores, 830
DMSO (see **dimethyl sulfoxide**)
Dochinger, L. S., 809
dodine, for apple scab, apparent control with, 341
Dongo, S. L., 7
dormancy, susceptibility of peach to Pseudomonas syringae, 809
Dothistroma pini, epidemiology and control, 437
Douglas, D. R., 809
Douglas fir
dwarf mistletoe
seed density as a klendusic factor, 1164
target area as a klendusic factor, 1161
Rhizoctonia spp., occurrence in seed of, 808
Verticicladiella wagnerii on, 998, **999**
Doupnik, B., Jr., 458
Dowler, W. M., 809
downy mildew, Brassica oleracea, inheritance of resistance, 144
Doyle, Anna F., (1004)
Doyle, J., (1008)
Drake, C. R., 645
Drake, R. J., (101)
Drechslera spp., toxicity of oxathiins to, 1256
Dropkin, V. H., 584
Drummond, D. B., 340, 810
Dryas spp., Phytophthora fragariae on, 782
Duchesnea indica, immunity to Phytophthora fragariae, 782
Duffus, J. E., 1237
Dukes, P. D., (25), (464)
Dull, G. G., (806), [43]
Duncan, Catherine G., 1121
Dunleavy, J. M., 114, (810)
Durbin, R. D., (922), 1000, (1358)
Dutch elm disease
analysis of some epidemics, 822
Ceratocystis ulmi
germinability of, 338
host reaction to, 641
restricted development in small stems, 338
dwarf bunt (see **Tilletia** controversa)
wheat, effect of stage of development on infection, 410
dwarf mistletoe
Douglas fir, target area as a klendusic factor, 1161
infection intensity, 1164
Ponderosa pine, resistance to, 1008
Dwinell, L. D., 810

Easton, G. D., 1004
Eboh, D. O., (1009)
Echandi, E., 7
Echinochloa crus-galli, infected by Helminthosporium pedicellatum, 52
Echinodontium tinctorium, on fir, 1312
Eckert, J. W., 98, 1004
ecology
fungi associated with rhizosphere of corn, 869
Fusarium oxysporum inhibition of by forest soils, 1265
mathematical models of soil-borne plant pathogens, 662
microbial responses following use of pesticides, 801
relationship of Fusarium moniliforme to Pratylenchus scribneri in seedling blight of corn, 825
Edgington, L. V., 810, 1256
Edmunds, J. E., 468
Edwards, D. I., (1392)
Ehrlich, H. G., (810)
Ehrlich, Mary A., 810
Elaeagnus angustifolia (see **Russian-olive**)
elderberry
crown rot, cause of, 1005
virus found in, 813
electron microscopy (see also **ultrastructure**)
astor ringspot and tobacco rattle viruses, 198, **200**
barley stripe mosaic virus, cytology of infected tissues at different stages of maturity, 811, 1315
beet yellows virus, influence of homogenization and preparation on morphology and infectivity, 102
cauliflower mosaic virus, intercellular inclusions, **1130, 1131**
cherry rugose mosaic and almond calico, particles associated with, 100
citrus variegation virus, 137, **141**
clubroot of cabbage, 682, **683-686**
Pratylenchus penetrans, 646
rose mosaic virus, 1197, **1199**
serology, virus antigen:antibody reactions, 802
sugar beet mosaic virus, inclusions associated with infection, 210, **211, 212**
tobacco mosaic virus and orchid strain, 164, **168, 170**
western celery mosaic virus, 1104, **1107, 1109**
Wisconsin pea streak virus, 551, **555**
electrophoresis (see also **techniques**)
apparatus with interchangeable encapsulated liquid gradient columns, 648
of Ceratocystis spp., mycelial proteins, 833
for differentiating between Agrobacterium spp., 922
differentiation of Phytophthora spp. by, 812
properties of leaf proteins from virus tolerant and susceptible apple varieties, 853
protein profiles, Meloidogyne and Heterodera spp., comparison of, 458
Wisconsin pea streak virus, 551
Elgersma, D. M., 641
El Hammady, M., (93)
Ellingboe, A. H., (823), (831)
Elliot, A. M., (14)
Elliott, E. S., (808)
elm
American-, effect of nutrition and inoculum potential of Verticillium dahliae on populations of Pratylenchus penetrans in roots of, 810
Ceratocystis ulmi on,
effect of inoculum concentration, 1269
effect of time of inoculations on nitrogenous substances in xylem sap, 831
effect of
captan and cycloheximide on growth and CO_2 exchange, 827
Ceratocystis ulmi infection on xylem vessels, 641
Fusarium wolani causing soft rot of cuttings, 920, **921**
Meloidogyne ovalis, on, 104
resistance to Ceratocystis ulmi and Verticillium albo-atrum, 1247
elm phloem necrosis, analysis of epidemics, 822
Elsinoe randii, on pecan, control of, 458
El-Tobshy, A. M., 458
El-Zayat, M. M., 810
Emmatty, D. A., 810
Endo, B. Y., 118, 576
Endo, R. M., (86), (272), (1007)
endoconidia, Thielaviopsis basicola, survival in soil, 821
endopolygalacturonase (see **enzymes,** specific)
Englander, L., (821)
English, W. H., (809)
Enns, W. R., (1060)
environment
aflatoxin, relation to production of, 458
conditions favoring survival of bacterial bean diseases, 830
effect on, white pine blister rust spore dispersal, 1221

measurement of water emanation from underground plant parts, 829
rice, factors influencing infection by Piricularia oryzae, 237
enzymes (general) (see also **enzymes,** specific)
activity to measure fungal growth in soil, 827
cellulolytic-, Rhizopus stolonifer, production in low O_2 atmosphere, 1010
dehydrogenases of Erwinia carotovora, 737
differential resistance of cell wall to polysaccharide degrading, 625
effect of toxin from Helminthosporium on secretion of, from oat seeds, 828
hydrolytic-, cucumber angular leaf spot, relation to, 263
intracellular and extracellular enzymes from Phytophthora cinnamomi, 813
pectic-
Pseudomonas fluorescens, produced by, 340
Rhizopus stolonifer, production in low O_2 atmosphere, 1010
pectinolytic-, produced by Erwinia carotovora, 737
synthesis and degradation of starch and lipid in clubroot of cabbage, 816
enzymes (specific) (see also **enzymes,** general)
acid phosphatase
Erysiphe polygoni, in resistant and susceptible clones of red clover, 482
in sweetpotato, 421
arabanase, sunflower hypocotyls infected with Sclerotinia sclerotiorum, 203
cellulase
cucumber angular leaf spot related to, 263
Lenzites trabea, monokaryon vs. dikaryon, 486
Rhizoctonia solani, distribution of in infected bean tissues, 121
Sclerotium rolfsii, characteristics of, 803
Xanthomonas alfalfae, activity of, 827
chitinase, effect on Thielaviopsis, 1363
cytochrome oxidase, indirect role in loss of infectivity of prune dwarf virus, 797
endopolygalacturonase, distribution in Rhizoctonia-infected bean hypocotyls, 121
esterase, phosphate and carbamate inhibition of in nematodes, 832
glucose-6-phosphate dehydrogenase, Erysiphe polygoni, in resistant clones of red clover, 482
glucosidase, inhibition of, with borax, in alfalfa, 863
β-glucosidase, relation to antibiotic activity in pear against Erwinia amylovora, 826
isoperoxidase, in tobacco infected with tobacco etch virus, 463
malate dehydrogenase, Erysiphe polygoni, in resistant and susceptible clones of red clover, 482
peroxidase
activity and resistance to Phytophthora infestans, 69
Erysiphe polygoni, in resistant and susceptible clones of red clover, 482
isozymes in virus-infected tobacco and cowpea, 824
in sweetpotato, 421
tobacco, role in resistance to Pseudomonas tabaci, 819
phenolase, Nicotiana glutinosa infected with tobacco mosaic virus, activity in, 154
phosphatidases, associated with Thielaviopsis root rot of red kidney bean, 342
polygalacturonase
effect of sugars and sugar alcohols on production in Fusarium oxysporum lycopersici, 825
induction and repression of synthesis in Verticillium albo-atrum, 825
Verticillium albo-atrum, inhibition by phenols, 492
protease, in Pseudomonas lachrymans
characterization of, 257
involvement in pathogenicity, 254
relation to cucumber angular leaf spot, 263
ribonuclease, effect on infection of flax to rust, 1005
uronic acid dehydrogenase, assay for monogalacturonate and monogluronate, 1004
Xylanase, sunflower hypocotyls infected with Sclerotinia sclerotiorum, 203
epidemiology
Agaricus bisporus, virus disease of, 519
analysis of, in forest tree diseases, 822
bean stem blight, microsclerotia populations of Macrophoma in relation to, 1010
citrus, greening disease of, 829
Dothistroma pini, on Pinus spp., 437
dwarf mistletoe, seed density, 1164
effects of drying on germinated spores, 719
Monilinia laxa, fluctuations in number of spores in an apricot orchard, 807
oak wilt, 1206, [43]
oak wilt, analysis of, 343
onion white rot, effect of soil temperature on, 99
peanut stunt virus, 461
Puccinia striiformis, of, 102
rice blast, influence of certain environmental factors on, 237
spore sampler for use in aircraft, 434
stem rust of wheat, time of appearance in relation to, 609
Erwin, D. C., (86), 98, (374), (866)
Erwinia spp., media for studying survival time in soil, 1008
amylovora
on apple
number cells for infection, 1060
protection against, 22
pear blossom tissues, β-glucosidase in relation to antibiotic activity against, 825
tobacco, hypersensitive reaction induced by, 322
carotovora
association with tomato stem rot, 902
biochemical characteristics of, 902
potato, related to host resistance, 737
chrysanthemi, pathogenicity and symptom expression, 343
nigrifluens, comparison with Erwinia rhapontici, 618
quercina, on oak, causing drippy nut disease, 250, **251**
rubrifaciens sp. n., on Persian walnut, causing bacterial phloem canker of, 618, **619**
Erysiphe
cichoracearum
chemical control of, 833
control of with antisporulants, 342
morphology of conidia of, 821
graminis tritici
effect of genes for resistance in wheat on development of, 831
effect of ultraviolet radiation on early development, 823
mature-plant resistance in wheat, 812
polygoni
bean, control with antisporulants, 342
control with Folpet, 876
cowpea, heat-induced hypersensitivity, 148
fungicidal control of, 805
systemic action of 2-chloro-4-diisobutyl-6-nitrophenol against, 810
Trifolium pratense
electrophoretic studies, nature of resistance to, 482
genetics of resistance, 193
trina, on oak, 1009
Escobar, C., 1149
Estes, Alice P., (905)
ethanol
effect of fixation on potato virus X particles, 815
suppression of glucose uptake in Armillaria mellea, 812
etiology
Agaricus bisporus, virus in, 519

grapevine yellow vein virus, 236
maple decline
role of ions in, 342
significance of water deficiency in, 338
Ettinger, G., 340, (341)
Eucalyptus spp., Cylindrocladium spp. on, pathogenicity of, 464, 832
Evans, G., 1250
Everett, T. R., (227)
Exobasidium vaccinii, on blueberries, eradication of by nickel salts and oxathiin compounds, 340, 341

false rust, Cordyline terminalis, caused by Cercospora sp., 97
Farley, J. D., 811
fatty acids
effect on rice, 841
soybeans, influenced by storage fungi, 622
Fehrmann, H., 69
Fernow, K. H., 1347
Filer, T. H., Jr., 458, 978, 1284
Finch, H. C., 1005
fine structure (see **electron microscopy** and **ultrastructure**)
fire blight (see also **Erwinia** amylovora)
apple, factors influencing infection, 1060
flag smut (see **Urocystis** agropyri)
flax
cross-protection in Fusarium wilt, 311
Fusarium oxysporum, determination of fusaric acid in, 339
Melampsora lini
effect of ribonuclease on, 1005
preservation to urediospores, 320
resistance to rust, by previous inoculation, 819
Rhizoctonia spp., occurrence in seed of, 808
Fleischmann, G., (803), 811
Flentje, N. T., (178), (598)
Fletcher, J. T., 458
Flor, H. H., 320
fluoride, bean, stimulation of tobacco mosaic virus lesions by, 756
fomannosin
Fomes annosus and Fomitopsis insularis, production of, 1046
Pinus taeda, effect on, 1046, **1049**
Fomes
annosus
on Abies and Pinus, 1312
airborne inoculum, seasonal fluctuations of, 340
asexual nuclear division in, 43
conidium formation in, 1176
effect of pine resin and turpentine constituents on, 806
motility of nuclei, 769, **770**
multiple role of centrioles, 837
nuclei, asexual behavior of, 1176
Pinus taeda, resistance of sapwood to infection and decay, 1034, **1038**
prescribed fire for control of, 811
production and activity of fomannosin, 1046
rimosus, microclimate, relationship to spore release, 345
Fomitopsis insularis, fomannosin production, 1046
foot rot, wheat, interaction with crop rotation and seeding date, 99
Forbes, I., Jr., (1309)
Ford, D. H., (833)
Ford, E. J., 710, 811
Ford, R. E., 450, (817), (834), 1274
Fordyce, C., (644)
Forghani, B., (97)
Fortlage, R. J., (428), (832)
Foster, H. H., 459
Foster, R. E., 98, 838
four o'clock, Rhizoctonia spp., occurrence in seed of, 808
Fowlks, E. R., 246
Fragaria ananassa, Phytophthora fragariae, physiologic races, 173
Fragaria chiloensis (see also **strawberry**)
Phytophthora fragariae, physiologic races, 173
Francki, R. I. B., 329
Fraxinus americana, Meloidogyne ovalis, on, 104
Frederiksen, R. A., (457), (460), (925)
Fredrickson, D. L., (618)
Freedman, Lesly J., (38)
Freeman, T. E., 811, (820)
Freitag, J. H., 1016
French, D. W., (823)
French, E. R., (7)
Fridlund, P. R., 230, 1296
Froelich, R. C., 811
fruit rot
peach, Botran for control of, 459
peanuts, crop rotation, 461
Fujisawa, I., 210, 1130
Fulger, Sharon, (1005)
Fulton, J. P., 535
Fulton, N. D., (516)
Fulton, R. W., 811, 1197
fumigation
activity, in relation to growth and control of decline and canker in peach, 809
chamber, illuminated temperature, humidity, and pollutant-controlled, 806
Corynebacterium michiganense, control in soil, 1067
effect on colonization of spermosphere, 835
microbial ecological responses following use of, 801
Funderburk, H. H., Jr., (7), (463), (911)
fungi
accumulation of chlorinated hydrocarbons in, 817
anastomosis, relation to morphology and physiology of Rhizoctonia solani, 830
asexual nuclear division in, 43
associated with
rhizosphere of corn, 76, 869
roots of girdled oak wilt trees, 1012
basidiomycete, psychrophilic, cyanide formation in, 1009
buried filter for studying behavior of, in soil, 644
combined action of diphenyl and gamma radiation on, 696
conidiosporangia, Sclerospora sorghi, found in, 459
cotton root necrosis, associated with, 827
diurnal periodicity in airborne spores, 830
effect of soil fumigation on colonization of spermosphere, 835
enzyme activity to measure growth in soil, 827
germination, Cochliobolus sativus, effect of soil treatment on, 580
herbicides, effect on growth of Sclerotium rolfsii, 911
high temperature to confirm identification of Verticillium albo-atrum and V. dahliae, 821
influence of volatile substances from alfalfa on survival, 812
light, effect on wood decay, 1121
media for isolation of Fusarium spp. from soil, 848
medium for, 447
method for studying in soil, 602
motility of nuclei, 769, **770**
multiple role of centrioles, 837
mushrooms, Pseudomonas spp., causing mummy disease, 829
nutrition of spore related to soil fungistasis, 894
origin of colonies on soil-dilution plates, 836
peanut kernels, effect of moisture and time, 464
on Pinus radiata, causing damping-off in South Australian nurseries, 765
rust
natural enemies of, in the Tropics, 645
physical and chemical factors controlling development of infection structures, 855
saprophytic in cankers of Botryosphaeria ribis, 645
soil fungistasis, sensitivity of spores to, 833
soil-inhabiting-, effects on axenic peanut plants, 644
spermosphere, seasonal variation in inoculum potential, 103

spore collector, 455
stimulating germination of Polyporus dryophilus basidiospores, 823
storage-
growth and aflatoxin production related to moisture and temperature, 816
influence of temperature and moisture content on invasion by, 622
strip bait for isolation from soil and air, 1266
thermophilic-, isolated from tobacco, 458
toxicity of oxathiins, 1256
fungicides (general) (see also **fungicides**, specific)
arsenic tolerance to Lenzites trabea, 486
bean rust, for control of, 646
biological decomposition of an oxathiin compound, 810
cacao, Colletotrichum and Phytophthora, control of, 9
calcium hypochlorite improves effectiveness, 824
chemical constitution and toxicity of imides and imide-$SCCl_3$ compounds, 876
control of, Fusarium rigidiuscula on cacao, 8
effectiveness in preventing spread of Cytospora canker of peach, 645
mercurials, tulip, Fusarium basal rot, fungicidal and phytotoxic effects, 1202, **1204**
mercuric, Narcissus, activity and phytotoxicity of, used to control Fusarium basal rot, 777
methylisothiocyanate, release from, in soil, 574
organic and inorganic mercury, comparative fungitoxicity of, 644
peach canker, affected by nutrition, 1344
pecan, disease control, 458, 460
pyridine alkane and carbinol, structure-activity relationships, 805
rice blast, evaluation for control of, 806
soil-, clay and ammonium humate, effect of, 572
systemic-, for Cytospora canker of peach, 442
systemic oxathiin for control of loose smut in wheat, 814
fungicides (specific) (see also **fungicides,** general)
bis(p-chlorophenyl)-3-pyridinemethanol for control of powdery mildew, 833
Bordeaux and other copper, for control of Dithistroma pini on Pinus spp., 437
Botran
calcium hypochlorite improves effectiveness, 824
detection of, 462
peach, control of fruit rot, 459
tissue cultures to assay toxicity to higher plants, 819
captan
calcium hypochlorite improves effectiveness, 824
detoxification of, by Erysiphe polygoni, 376
2-chloro-4-diisobutyl-6-nitrophenol, systemic action against powdery mildew of snapbean, 810
2-chloroethyl-trimethylammonium chloride, reduction of Tilletia foetida in wheat, 339
cycloheximide
effect on growth and CO_2 exchange in elm, 827
factors regulating fungitoxicity of derivatives, 648
factors regulating toxicity, 1191
α-cyclohexyl-α-phenyl-3-pyridinemethanol for control of turf grasses, 836
2,6-dichloro-4-nitroaniline, Rhizopus stolonifer, occurrence and behavior of variants tolerant to, 835
Folpet, control of Erysiphe polygoni, 876
Lanstan, onion smut control with, 342
methylmercuric dicyandiamide, activity related to time, concentration and Penicillium population, 823
oxathiin, specificity of action, 1256
1,4-oxathiin, for control of Ustilago striiformis, 242
Panogen, for Sclerotium rolfsii control in wheat, 538
pentachloronitrobenzene, release of, from granular carriers in Rhizoctonia solani control, 942
phaltan, Saccharomyces pastorianus, metabolism of C^{14} and S^{35} labeled, 831
thiram
Glomerella cingulata, bimodal dosage response to, 232
persistence in soil to control damping-off, 969
Vitavax, systemic activity against Rhizoctonia solani in cotton, 805
wettable sulfur, calcium hypochlorite improves effectiveness, 824
fungistasis
Cochliobolus sativus
differences in Saskatchewan soils, 224
effect of soil treatments on, 580
Pythium ultimum, factors affecting, 1116
relation to spore nutrition, 894
sensitivity of fungus spores to, 833
fungistatic, 2-aminobutane, properties of, 98
fungitoxin, Phaseolus lunatus, formation in wound sap, 1111
fusaric acid, role in pathogenicity of Fusarium oxysporum, 808
Fusarium spp.
Bermuda grass, spring dead spot associated with, 462
in cacao, 7
cotton root necrosis, associated with, 827
cotton, seed protection against, 7
decline of red clover plants infected with, and vein mosaic virus, 808
effect of fumigation on colonization of spermosphere, 835
evaluation of media and antimicrobial agents for isolation of, 848
onions, on, 505
peanut, from, effect of moisture and time, 464
Tylenchulus semipenetrans and Fusarium spp., interactions of, 414
culmorum, in buried wheat straw, antagonism with other fungi, 1006
episphaeria, on rice, populations in field soil, 1152
graminearum, biosynthesis of an estrogenic metabolite, 822
lateritium, Sophora japonica, factors affecting canker development in, caused by, 342
moniliforme
Diabrotica longicornis vector of, 825
relationship of Pratylenchus scribneri to, 825
rice, populations in field soil, 1152
soybean, pathogenicity of, 462
nivale, resistance to, in wheat, 308
oxysporum
alfalfa, Pratylenchus penetrans, movement to infected roots, 468
asexual nuclear division in, 43
cross-protection in wilt diseases, 311
decline of, in forest soils, 1265
motility of nuclei, 769, **770**
rice, populations in field soil, 1152
role of fusaric acid in pathogenicity of, 808
sequential determination of fusaric acid, 339
Streptomyces spp. antagonistic to, 347
oxysporum batatas
ability to colonize primary lesions, 293
influence of potassium chloride on relationship with alfalfa root nematode, 646
oxysporum conglutinans
cabbage, resistance to, 1005
respiratory response of radish to infection by, 699
oxysporum cubense
ability to colonize primary lesions, 293
on banana, vascular gel caused by, 11, **12, 13**
oxysporum lycopersici
biological control by Cephalosporium sp., 916
effect of sugars and sugar alcohols on polygalacturonase production in, 825
manganese nutrition and wilt development, 814
relationship of root knot nematodes to pathogenic variability in, 812
tomato, resistance to, 1005

oxysporum melonis, muskmelon, effect of inoculum potential on response to, 809
oxysporum narcissi, fungicidal activity of mercurials, 777
oxysporum nicotianae, tobacco, influence of Meloidogyne sp. on wilt development, 282, 286
oxysporum niveum, ability to colonize primary lesions, 293
oxysporum tracheiphilum, cowpea, resistant to, 460
oxysporum tulipae, control with mercurials, 1202
oxysporum vasinfectum
ability to colonize secondary lesions, 293
atrazine, effect on growth, 463
cotton
effect of nutrition on resistance, 457
histology of early stages of penetration, 99
resistance to, 1327
rigidiusculum
biological specialization in relation to greenpoint gall of cacao, 710
control of, on cacao, 8
rigidiusculum theobromae, perfect stage in Calonectria rigidiuscula theobromae, 710
roseum
cacao, pod rot caused by, 10
Ca and S, influence on mycelial growth and sporulation, 644
effect of low soil temperature on macroconidium germination and survival, 825
influence of potassium chloride on relationship with alfalfa root nematode, 646
phytoactin, for detection in field soil, 102
rice, populations in field soil, 1152
wheat, seedling disease, importance in, 538
roseum cerealis
Gibberella avenacea sp. n., perfect stage of, 732, **733**
tomato, effect on, grown under gnotobiotic conditions, 1262
solani
accumulation of chlorinated hydrocarbons, 817
buried filter for studying behavior of, in soil, 644
chlamydospore development in soil, 602
maple canker, association with certain dipterous cambium miners, 340
rice, populations in field soil, 1152
soft rot of elm cuttings caused by, 920, **921**
survival in soil, 1242
solani cucurbitae
ability to colonize secondary lesions, 293
on Cucurbita ficifolia, in rootstock, 328
mating type and sex of, 328
pectic breakdown at pH values found in infected squash hypocotyls, 813
solani phaseoli
ability to colonize primary lesions, 293
assay method for observing and enumerating propagules of, 648
bacterial stimulation of chlamydospore formation, 811
chlamydospore germination in amended soil, 801
interaction of major factors influencing severity of bean root rot caused by, 802
life processes of, shown by cinephotomicrography, 98
solani pisi
assay method for observing and enumerating propagules of, 648
pea, increased susceptibility in virus-infected plants, 804
soil water and pea seed exudation, effect on survival, 178
Fusicladium effusum
on pecan
aerial fungicide application, 460
control of, 458
Fusicoccum amygdali, on peach, 1344
Futrell, M. C., 459, (925)

galactitol, effect on production of polygalacturonase in Fusarium oxysporum lycopersici, 825
galactose, glucose, counteracting inhibition of root elongation caused by, 272
Galindo A., J., 1300
Gallegly, M. E., (646), (805), (818)
galls
shortleaf pine, caused by Cronartium quercuum, histology of, 545, **546, 548, 549**
tomato, effect of aromatic hydrocarbons on, 823
Gambrell, C., (459)
gamma irradiation (see **radiation,** gamma-)
Garber, E. D., (803)
Garber, R. H., (604), 885
Gardenia jasminoides, nematode control with nematocides, 9
Gardner, D. E., 1005
Gardner, W. S., 811, 1315
Garraway, M. O., 812
Garren, K. H., 459
Garrett, F. E., (458)
Garza, J. L. de la, 459
gas chromatography, use in studying sugar composition of cell wall after treatment with polysaccharide-degrading enzymes, 625
Gates, D. W., 459
Gay, J. D., 459
gel filtration, of aster yellows virus, 832
genetics (see also **resistance**)
barley, of leaf rust reactions, 66
Cochliobolus carbonum, mating capacities among isolates, 824
Cochliobolus victoriae, toxin production, 1288
complementation in dikaryons and diploids, 808
multiple role of fungal centrioles, 837
Penicillium expansum, avirulence of a methionine-sensitive leucine mutant, 803
Phytophthora drechsleri, 1300
Pleurotus ostreatus, mating type factors in a limited geographic area, 835
Puccinia graminis tritici, mutation rates, 1091
safflower, reactions to lettuce mosaic virus, 789
Ustilago maydis, mating between strains, 827
variability of tobacco response to Pratylenchus brachyurus, 18
genetics of microorganisms
Lenzites trabea, decay ability of monokaryon, 486
motility of fungal nuclei, 769, **770**
Pyrenophora teres, cultural variability, 747
George, A., (103)
Geotrichum candidum
chicken embryo, susceptibility to, 458
spores of, respiration inhibited by antibiotic from Pseudomonas syringae, 102
germfree (see **environment** and **gnotobiotics**)
germination
Ceratocystis ulmi, under laboratory conditions, 338
Colletotrichum lagenarium, epiphytic bacteria, influence on, 527
Fusarium roseum, effect of low soil temperature on macroconidia, 825
Fusarium solani phaseoli, chlamydospores in amended soils, 801
inhibitors, found in rust and smut spores, 932
method for measuring in soil, 602
oats, effect of toxin from Helminthosporium on, 828
Phymatotrichum omnivorum spores, 833
Phytophthora cactorum, oospores, factors affecting, 454
Phytophthora capsici, oospores of, 101
Phytophthora cinnamomi, chlamydospores of, 100
Polyporous dryophilus basidiospores, 823
Puccinia coronata urediospores, sequence of amino acid release, 832
Puccinia graminis tritici, effect of treatments on, 1211
Puccinia sorghi, properties of a germination inhibitor from urediospores of, 648
Pythium spp., effect of, 821

Pythium ultimum, sporangia in soil, 1116
Rhizopus spp., effect of chilling, 881
Sclerotinia laxa, technique for studying, 997
Sclerotium rolfsii, ammonia and pH, effect on, 425
sensitivity of fungal spores to soil fungistasis, 833
Thielaviopsis basicola chlamydospores and endoconidia, 729, 1363
Urocystis colchici teliospores on agar, 818
Uromyces phaseoli, ribonucleic acid synthesis in uredospores, 826
Verticillium albo-atrum microsclerotia in soil, 810
Geum spp., Phytophthora fragariae on, 782
Ghemawat, M. S., 812
Giatgong, P., 460
Gibberella avenacea sp. n., perfect stage of Fusarium roseum cerealis 'Avenaceum,' 732, **733**
Gilbert, R. G., 812
Gill, C. C., 302, 713
Gill, H. S., 812
Gilmer, R. M., 214
Ginzel, J., (38)
Gleason, F. H., (828)
Gliocladium spp.
Bermuda grass, spring dead spot, association with, 462
effect of fumigation on colonization of spermosphere, 835
roseum, Verticillium dahliae, antagonistic to, 363
Gloeosporium spp., Fusarium roseum, in association with, on cacao, 10
quercinum, characteristics and nomenclature, 1230, **1235**
Glomerella
cingulata
2-aminobutane, fungistatic properties of, 98
antibiotics, production of spores for bioassay of, 447
temperature effect on pathogenicity, 1309
thiram, bimodal dosage response to, 232
cingulata orbiculare, cucumber, induced resistance to, 1028
glucosamine, glucose, counteracting inhibition of root elongation caused by, 272
glucose
2-deoxy-d-glucose, effect on production of polygalacturonase in Fusarium lycopersici, 825
ethanol suppression of uptake in Armillaria mellea, 812
root elongation, counteraction of inhibition by galactose, mannose, and glucosamine, 272
Glycine
javanica, Heterodera glycines, development on, 645
max (see **soybean**)
Gnomonia
platani
comparison with G. quercina, 1230
sycamore, pressure cushion formed on, 824
quercina, characteristics and nomenclature, 1230, **1235**
gnotobiotics
growth of plants under gnotobiotic conditions, 960
tomatoes, effects of fungi on, 1262
Gold, A. H., (101), (825), (833), (1237)
Gomphrena globosa
red clover mosaic virus on, 1292
tobacco mosaic virus and potato virus X, effect of light intensity on local lesion formation, 329
Gonatobotryum fuscum, effects of biotin and pyridoxine on mycoparasitism, 803
Gonsalves, D., (9)
Good, H. M., 719
Goode, M. J., 812, 1028
Gooding, G. V., Jr., 236, 460, 1285
Goodman, R. N., 22, (322), 812, (1060), 1216
Gordon, D. T., (836)
gossypol, formation in infected or chemically irritated cotton tissue, 759
Goth, R. W., (837)
Goto, K., 297
Gould, C. J., (777), (1202)
Grable, C. I., (516), (833)
grafts, Prunus ringspot virus, effect of time and temperature on transmission, 230
Graham, D. A., (1010)
Graham, S. O., 98, (99), 497
Graham, T. W., 460
Gramineae, maize dwarf mosaic virus, perennial grasses susceptible to, 450
Graminella nigrifrons, corn stunt virus transmission by, 340
Granados, R. R., 340
Granger, C. A., 340
Grant, M. N., (188)
Grant, T. J., (137)
grape
chemical control of powdery mildew, 833
decay and bleaching, effect of storage temperature and sulfur dioxide concentration, 100
grapevine fanleaf virus, transmission to Chenopodium amaranticolor, 8
grapevine yellow vein, etiology of, 236
storage, effect of, SO_2 concentration and temperature on control of decay, 950
grapefruit (see **Citrus spp.**)
grapevine fanleaf virus, Chenopodium amaranticolor, transmission to, 8
grapevine yellow vein virus, etiology of, 236
grasses, stripe smut control with two derivatives of 1,4-oxathiin, 242
Graves, C. H., Jr., 460
gravity, effect on bean rust development, 1025
Gray, Griscelda, 645
graywall, in tomato, effect of extracts on, 1276
Green, G. J., (803)
Green, R. J., Jr., (810)
greenhouse, effect of characteristics on soil temperature and disease development, 824
Greer, F. C., Jr., (1388)
Griebel, G. E., (703), (812)
Gries, G. A., (100), (228), (380), (833), (1004)
Griffin, B. R., 1176
Griffin, G. J., (825)
Grogan, R. J., 28, (377), (1104), (1136)
Gross, H. L., 340
Groth, R. W., 813
growth
Botryosphaeria ribis, effect of various N sources, 645
Diplodia spp., effect of N source on, 828
effect of
herbicides on Sclerotium rolfsii, 911
mung bean seed exudates on Pythium, 866
effect on, Armillaria mellea, CO_2 on, 101
elm, effect of fungicides on, 827
Exobasidium vaccinii, inhibition of by nickel salts and oxathiin compounds, 340
fungi in soil, enzyme activity to measure, 827
Fusarium roseum, influence of Ca and S on, 644
Helminthosporium atrovirens, effect of C and N sources, 803
of plants under gnotobiotic conditions, 960
Pythium spp., effect of N source, buffer, and pH on, 374
Rhizopus stolonifer in low O_2, 1010
in soil, enzyme activity to measure, 827
guar
peanut stunt virus, symptoms, 461
reaction to strains of tobacco ringspot virus, 791
Gudauskas, R. T., (459), (463)
Guignardia citricarpa, infection of citrus, 743, **745**
Guthrie, J. W., 813
Guttman, Shelley-Marie, (461)

Haasie, F. A., (344)
Hadwiger, L. A., 813, 1005, 1258
Hagedorn, D. J., (551), (667), (1394)
Hall, C. B., (1276)

Hall, D. H., (52)
Hall, G., (1004)
Hall, H. R., (833)
Hall, R., 813
Halliwell, R. S., (457), (464), (902)
Halpin, J. E., (1386)
Hamblen, M. L., (827)
Hamilton, Laura M., 609
Hamilton, P. B., (1046)
Hampton, R. E., (463), (815), (824)
Hampton, R. O., 98, 476
Hancock, J. G., 203, 813
Hansen, A. J., 813
Hansing, E. D., 814, (827)
Hanson, E. W., (193), (482)
Harding, H., 814
Hardison, J. R., 242
Hare, W. W., 460
Hariharasubramanian, V., 814
Harman, G. E., 1138
Harner, F. M., (756)
Harris, J. H., (832)
Harris, R. G., 98
Harrison, M. B., 650
Hart, J. H., 814
Harvey, A. E., 99, 1005
Harvey, J. M., 643
Hayman, D. S., 814
Heald, C. M., 460
heat treatment
market disease fungi of stone fruits, inactivation of, 428
potato virus X eradication, 674
Rhizopus stolonifer, response to, 806
rose mosaic, 1010
russet crack virus, 183
soil, selective against antagonists of Rhizoctonia solani, 591
strawberries, interaction with radiation, 832
sugarcane susceptibility to sugarcane mosaic virus, 83
Hebert, T. T., 461, (1285), (1400)
Hehn, E. R., (1009)
Helfenberger, A., 8
Helicocephalum sp., on Bermuda grass, associated with spring dead spot, 462
Helicotylenchus dihystera
reproductive cycle on sugarcane, 1005
soybeans, effect on yield, 463
Helminthosporium spp.
on Bermuda grass, associated with spring dead spot, 462
Cochliobolus sativus, fungistasis, differences in Saskatchewan soils, 224
fungicidal control of leaf spot, 805
atrovirens
effect of C and N sources on growth of, 803
vitamin requirements of, 831
carbonum
effects of toxins on susceptible tissue compared with H. victoriae, 817
potato, post-infection metabolism, 1272
soybean, increase in phenols after inoculation with, 804
toxin from, 1169
dictyoides, effect of temperature and light on sporulation of, 834
pedicellatum, on corn and grasses, causing root rot of, 52, **53**
sativum (see also **Cochliobolus** sativus)
assay method for observing and enumerating propagules of, 648
diurnal periodicity in airborne spores, 830
quantitative propagule assay for, 1242
wheat, seedling disease, importance in, 538
setariae, effect of temperature on pathogenicity, 1002
sorokinianum and speciferum, Bacillus cereus, antagonism, 461
stenospilum, effect of light on sporulation, 811
tritici repentis, diurnal periodicity in airborne spores, 830
turcicum
alfalfa, response of phytoalexin in response to, 340
overwintering of conidia, 990, **994**
vagans, effect of visible and near-visible radiation on sporulation of, 808
victoriae
effect of toxin from, on oat seed germination, enzyme secretion, and P-uptake, 828
effects of toxins on susceptible tissue compared with H. carbonum, 817
mild disease in, separation of, 819
sensitivity of spores to soil fungistasis, 833
victorin activity, relationship with molecular structure of cytokinin, 820
Helton, A. W., 99, 442, (1094)
hemicellulose
banana, wilt, caused by vascular gel, 11, **12, 13**
sunflower, degradation by Sclerotinia sclerotiorum, 203
Hemicycliophora sp., on maple, associated with decline of, 340
hemlock, eastern, Phacidiopycnis pseudotsugae, associated with bleeding cankers of, 340
Hendrix, F. F., Jr., (457), (462), (827)
Hendrix, J. W., 461, 814, (1007)
Henis, Y., 425
Henry, A. W., 1005
Henson, L., (457)
Hepton, A., 814
herbicides
atrazine, Fusarium oxysporum vasinfectum, effect on growth, 463
effect of, dipyridyl and toluidine, on Sclerotium rolfsii, 7
paraquat, effect on growth of Sclerotium rolfsii in culture and soil, 911
Herold, F., 8, (8)
Heskett, M. G., (1011)
Heterodera spp., electrophoretic protein profiles, comparison of, 458
glycines
amino acids from larvae, 801
soybeans and other legumes, comparison of pathogenicity and development of the Va. 2 isolate, 647
tabacum
function of lipids and chitin, 836
susceptibility to subfreezing temperatures, 822
trifolii
forage legumes, cyst production, 1305
red clover, on, development related to growth, inhibitor treatments, 576
heterokaryosis, Rhizoctonia solani, relation to survival in soil, 598
heterothallism, Phytophthora citrophthora, in, 646
Hewitt, W. B., (236), (828)
Hibiscus spp., Verticillium wilt, indicator of, 7
Hickey, K. D., 645
Higaki, T., (1006)
Higgins, Verna J., 340, (343)
Hilborn, M. T., 341
Hildebrand, D. C., 250, 815, (826), 1260
Hildebrand, E. M., 183
Hildebrandt, A. C., (855)
Himelick, E. B., (1230)
Hirai, T., (91)
Hirschmann, H., (463)
Hiruki, C., 815
Hirumi, H., 646
histidine, tobacco mosaic virus, in new strain of, 452
histochemistry
analysis of Cronartium ribicola, 820
Pseudomonas lachrymans in cucumber, 254
histology
Cronartium quercuum galls on shortleaf pine, 545, **546, 548, 549**

Fusarium wilt, of cotton, early stages of penetration, 99
microtome for sectioning fresh plant tissue, 1126
Pinus taeda, infected with Fomes annosus, 1034
tobacco, Fusarium wilt-root knot complex, 286, **289, 290, 291**
Hoch, H., (801)
Hocking, D., 448
Hoffmann, J. A., 279, 410
Holcomb, G. E., 461
Holder, Elizabeth, (342)
Hollis, J. P., 461, (816), 841
Holmes, F. W., 1247
Holtzmann, O. V., 1005, 1006, (1134)
Hooker, A. L., 815, (828), 1372
Hooker, W. J., 815, (816), 1126
Hooper, G. R., 1006
Hopkins, D. L., 815
Hoplolaimus coronatus, nematocide for control of, on turf, 9
Hordeum (see **barley**)
Hornby, D., 76, 869
Horne, C. W., (902)
Horner, C. E., (1007)
Horsfall, J. G., (342), (810), (876)
host nutrition, virus infection, effect on, 98
host-parasite interaction, crop residues, influenced by, 505
host-parasite relationship(s)
bean rust, effect of gravity on development, 1025
clover and clover cyst nematode, growth inhibitor study, 576
Hypsoperine ottersoni on canarygrass and barley, 723, **726**
Pinus taeda and Fomes annosus, 1034
sorghum, host specific toxins from Periconia circinata, 530
tomato and Fusarium oxysporum lycopersici, effect of Cephalosporium sp. on, 916
ultrastructure, clubroot of cabbage, 682, **683-686**
Verticicladiella wagenerii root disease of pine, 935, **937**
Verticillium albo-atrum, inducing gossypol formation in cotton, 759
host reaction
elm to Ceratocystis ulmi, 641
tomato, root knot and lesion nematodes, 344
hot-water treatment
nematodes, in turf, 460
Radopholus similis in anthurium, 1006
Houck, L. G., 99
Houston, B. R., (885)
Howell, R. K., 815
Hsi, D. C. H., 4[illegible]
Huber, D. M., 99, 815, 1006
Hubert, J. J., 1094
Huether, J. P., 341
Hughes, A. B., (902)
Huguelet, J. E., (830)
Huisingh, D., (344), (458), (824), 922, (1081)
Hull, R., 1006
humidity, fumigation chamber, controlled, 806
humus, origin of fungal colonies on soil-dilution plates, 836
Hunter, J. H., 816
Hurlimann, J. H., (1008)
Hussey, R. S., (815)
Hutchins, L. M., (8)
Hwang, Shuh-wei, 816
hydrogen cyanide, inhibition of, with borax in snow mold of alfalfa, 863
hypersensitivity
heat-induced, cowpea to Erysiphe polygoni, 148
red clover, resistance to bean yellow mosaic virus, 457
Hypomyces solani cucurbitae
mating type and sex studies, 328
perithecium formation, 1138
perithecium formation, influence of flavins, 1140
physiology of sexual reproduction, 1138, 1140
Hypoxylon pruinatum, aspen, water stress in relation to initiation and development of canker, 802
Hyre, R. A., 341
Hypsoperine sp., turf, hot-water treatment for control of, 460
graminis, Bermuda grass, pathogenicity of, 460
ottersoni, biology of, 723, **726**

Ibrahim, I. K. A., 462, 816
Icochea, Teresa, 8
identification, oak wilt, by serology, 32
immunoradioautography, synthesis of tobacco mosaic virus antigen in nucleus, evidence for, 818
inclusion bodies, electron microscopy of sugar beet mosaic virus, 210, **211, 212**
indoleacetic acid, synthesis of, cell-free system from Pseudomonas solanacearum, 1182
indolelactic acid, Phytophthora spp., synthesis from L-tryptophan, 818
infection
apple, fireblight in, factors affecting, 1060
bentgrass root hair cells by zoospores of Pythium aphanidermatum, 86, **87, 88, 89**
Pinus taeda, by Fomes annosus, 1034
prune, induced resistance to secondary, by Cytospora, 1094
infection court, Colletotrichum lagenarium, epiphytic bacteria in, 527
infection cushion, Rhizoctonia solani, stimulation of, in soil, 342
inhabitant concept, soil, 591
injury, cranberries, relation to pathogenesis, 98
inoculum
Dutch elm disease, effect of concentration on foliar symptoms, 1269
Rhizoctonia solani, virulence influenced by nutritional status of the, 835
inoculum density, bean, influencing severity of root rot, 802
inoculum potential
Aphanomyces euteiches, effect of cropping practices, 667
Fusarium oxysporum melonis, effect on muskmelon varieties, 809
Macrophoma phaseoli, microsclerotial populations in relation to bean stem blight, 1010
mathematical models for studying ecology of soil-borne plant pathogens, 662
spermosphere, seasonal variation in, 103
Verticillium
albo-atrum on cotton
determination of, 101
propagule no. vs. disease severity, 1250
role of sorghum, 14
dahliae
effect on nematode populations in elm and maple roots, 810
in strawberry, 345
insects
maple-, association of dipterous cambium miners with canker incidence, 340
natural enemies of rust fungi in Tropics, 645
thrips, cultivation of pure lines, 1005
insects as vectors (see also **aphid(s)** and **transmission**)
blue dwarf virus by leafhopper, from extracts, 802
common bean mosaic virus, by aphids, 398
corn stunt virus, by leafhoppers, 340
fireblight of apple, by aphids, factors affecting, 1060
Fusarium moniliforme by corn root worm, 825
maize dwarf mosaic virus, by aphids, 450
tomato spotted wilt by thrips, to papaya, 9
internal browning, Italian prune, chemotherapy of, 99
ions
maple decline, role in etiology of, 342

sweetpotato, effect on macerating action of extracts from Rhizopus-infected tissues, 648
Ipomoea
alba, indicator for sweetpotato viruses, 183
batatas (see **sweetpotato**)
setosa, indicator for sweetpotato viruses, 183
iris, Botrytis convoluta, effect of temperature and saprophytic fungi on infection and pathogenesis, 1145
Italian prune, Cytospora spp. and internal browning, chemotherapy of, 99
Ivey, J. L., 462

Jackson, A. O., 793
Jackson, C. R., 462, 1270
Jatala, Parviz, 816
Jenkins, S. F., Jr., 25, (464)
Jewell, F. F., 545
Jhooty, J. S., 148
John, V. T., 154
Johnson, F., 331
Johnson grass
chloroplasts in healthy vs. maize dwarf-infected plants, 834
occurrence and distribution of maize dwarf mosaic virus in Pa., 820
Johnson, L. B., 632, 1006
Jones, B. M., 341
Jones, J. E., 1327
Jones, J. P., (832)
Jones, Marian W., (237)
Juo, Pei-Show, (345)

Kahan, R. S., (696)
Kahn, R. P., 61
Kantzes, J. G., 646
Kauffman, H. E., 816
Kawamoto, S. O., 341
Keen, N. T., (254), 257, 263, 816, (1378)
Keil, H. L., 646
Kendrick, E. L., (279)
Kennedy, B. W., 35, (801), (831)
Kentucky bluegrass (see **Poa pratensis**)
Kepler, J. A., (1046)
kernel red streak of corn, relation to wheat curl mite, 986, **987**
Kessler, K. J., Jr., 817
Keswani, C. L., 462, 817
Ketcham, D. E., (1010)
Khadr, A. S., 99
Kilpatrick, R. A., 538, 975
Kim, S. H., 817
Kimble, K. A., (28), (377)
Kimmey, J. W., (1010)
King, Flora D., (809)
Kingsland, G. C., 462
Kingsolver, C. H., (647), (819)
Király, Z., 93
Klarman, W. L., (645)
Klement, Z., 322
Klisiewicz, J. M., 789, (1006)
Knauss, J. F., 1178
Ko, W., 817, 894
Kochan, W. J., (99)
Kolbezen, M. J., (98)
Kommedahl, T., (825)
Kosuge, T., (1004)
Kotheimer, J. B., 342
Kozaka, T., (297)
Kozelnicky, G. M., 462
Kraft, J. M., 86, (98), 374, 866
Kramer, C. L., (434)
Krass, C. J., 817, (934)
Krstic, M., (806)
Krusberg, L. R., 653
Kuć, J., 38, (804), (1272)
Kuhl, Joy L., (326)
Kuhn, C. W., (459)
Kuntz, J. E., (104), (823), (828)
Kuo, M. S., 817
Kushner, V. D., 646

Lackey, C. F., 99
Lacy, M. L., 818
Lade, D. H., 818
Lai, P., 1006
Lambert mottle virus, Prunus ringspot virus, separation from, 97
Lamborn, C. R., (97)
Lamey, H. A., 227
Landers, K. E., 1086
Langenberg, W. G., 818
Langley, B. C., (464)
Langston, R., (457)
Latham, A. J., 505
Laviola, C., 646
Layne, R. E. C., 981
leafhopper (see also **Macrosteles fascifrons**)
blue dwarf virus, transmission from oat and barley extracts, 802
corn stunt virus, transmission by three spp., 340
leaf spot, Sigatoka-, on Musa acuminata, resistance to, 9
Leal, J. A., 646, 818
Leathers, C. R., (414)
Lebeau, J. B., 863
Leben, C., (246), 527, 818, (829), (916)
Ledingham, R. J., (580)
legumes, hosts of peanut stunt virus, 837
Lembright, H., (809)
lemon (see also **Citrus spp.**)
Penicillium digitatum, hot-water control of, 99
Lentinus lepideus, effect of light on wood decay by, 1121
Lenzites
saepiaria, asexual nuclear division in, 43
trabea
effect of light on wood decay by, 1121
genetics of, 486
oak, variation in sapwood decay with season of cutting, 818
sexual development, inhibition of, 344
Leptographium sp., root decline of eastern white pine, 809
Leptosphaeria obtusispora, perfect stage of Coniothyrium concentricum, 234, **235**
Leptosphaerulina australis, sporulation of, 1386, **1386**
LeTourneau, D., (1010)
letter to the editor, American Type Culture Collection, maintaining plant rust fungus collection, 456
lettuce
Rhizoctonia spp., occurrence in seed of, 808
Trichodorus christiei, influence on population density of, 338
lettuce mosaic virus, inheritance of reactions in safflower to, 789
Levi, M. P., 818
Lewis, J., 819
Lewis, J. A., (801)
light, effect on
disease reaction
Bermuda grass to rust, 405
safflower to Phytophthora drechsleri, 1006
wheat to mildew, 823
wheat and barley to stripe rust, 615, **616**
germination of
Phytophthora cactorum oospores, 454
Puccinia cynodontis urediospores, 405
Puccinia graminis tritici urediospores, 1211
local lesion formation, Gomphrena to potato virus X and tobacco mosaic virus, 329
sclerotium production in Phymatotrichum omnivorum, 1004
sporulation of
Cercospora beticola, 679
Colletotrichum coccodes, 1173
Helminthosporium dictyoides, 834

Helminthosporium stenospilum, 811
Helminthosporium vagans, 808
Phymatotrichum omnivorum, 228
symptomatology of
Cercospora leaf spot of sugar beets, 799, **800**
halo blight of oats, **1000**
transmission of cucumber mosaic virus by aphids, 1072
wood decay fungi, 1121
Lilly, V. G., (646), (818)
Lim, G., 1152
lima bean (see also **Phaseolus spp.**)
cucumber mosaic virus, factors affecting, 1072, 1074
fungitoxin formation in wound sap, 1111
Phytophthora phaseoli
resistance to, 648
sporulation of, 341
Rhizoctonia solani, inheritance of resistance to stem rot, caused by, 102
Lindberg, G. D., 819
Linderman, R. G., 729, 819, (834), 1007
Lindsey, D. L., 960, 1262
Line, R. F., 647, 819
lipids, Heterodera tabacum, function of, 836
Lippincott, Barbara B., (1142)
Lippincott, J. A., 1142
Liquidambar styraciflua, Pythium damping-off in seedlings below 20°C, 1284
Liriodendron tulipifera, pathogenicity of Cylindrocladium spp., 832
Lister, R. M., 819
Littlefield, L. J., 819, 1053
Littrell, R. H., 463, (821)
Lloyd, E. H., Jr., 1007
loblolly pine (see **Pinus** taeda)
Locci, R., 1272
Locke, S. B., 99
Lockwood, J. L., (57), (804), (833), (894), (1149)
Long, Margaret R., (272)
loose smut, systemic oxathiin for control of in wheat, 814
Loparco, D. P., (342)
López, L. C., 588
Lophodermium pinastri, effects on healthy and ozone-injured needles of Pinus strobus, 807
Lorbeer, J. W., (341), 342
Lotus corniculatus (see **birdsfoot-trefoil**)
Lovrekovich, H., (737), (819)
Lovrekovich, L., 737, 819
Lowe, S. K., 100
Lownsbery, B. F., (809)
Lucas, G. B., (458)
Luig, N. H., 1091
Luke, H. H., (811), 820
Luke, W. J., 463
Lukens, R. J., 342, (810), 876
Lumsden, R. D., 342
Lupinus spp., Cylindrocladium spp. on, pathogenicity of, 464, 832
angustifolius, Glomerella cingulata on, 1309
Luttrell, E. S., 1266
Lychnis alba, tobacco mosaic virus, new strain from, 452
Lynch, J. P., 367
lysis, Pythium ultimum, germlings in soil, 1116

MacDonald, D., (825)
MacKenzie, D. R., (346), 820
Macko, V., (455)
Maclean, D. J., (326)
Maconkin, M. A., (38)
Macrophoma phaseoli, populations of microsclerotia in relation to bean stem blight, 1010
Macrosiphum avenae, temperature, alteration of barley yellow dwarf vector specificity, 344
Macrosteles fascifrons (see also **leafhopper**)
aster yellows virus
distribution in vector, 831
strain interactions in, 1016
MacWithey, H. S., 1145
Maheshwari, R., 855
Mai, W. F., (468), 820, (1368)
Maier, C. R., 942
Maier, J. T., 820
maize (see **corn**)
maize dwarf mosaic virus
aphid transmission of, 450
comparison of chloroplasts in healthy and infected plants, 834
effect on photosynthesis and respiration, 459
host range of, 450
infected corn leaves, ultrastructure comparison with sugarcane mosaic virus, 817
occurrence and distribution in Americas, 9
perennial grasses susceptible to, 450
resistance and susceptibility, field observations on, 346
strains of, in Pa., 820
maize mosaic virus, morphology of, 8
Malaguti, G., 8
Malca, I., 272
maltose, Ceratocystis ulmi, effect on spore germination, 338
Malus atrosanguinea (see **apple**)
manganese, effect on Fusarium wilt development, 814
Manning, W. J., 647
mannose
effect on virus infection, 1292
glucose, counteracting inhibition of root elongation caused by, 272
maple (see also **Acer spp.**)
canker, association with certain dipterous cambium miners, 340
decline
associated with nematodes, 340
role of ions in etiology of, 342
significance of water deficiency, 338
effect of nutrition and inoculum potential of Verticillium dahliae on nematode populations in roots of, 810
maple blight, Meloidogyne ovalis, associated with, 104, **105, 106**
Maramorosch, K., (340), (646)
Marcley, M., (9)
Marks, C. F., 820
Martelli, G. P., (8)
Martin, J. P., (572)
Martin, N. E., 820
Martin, W. J., (804)
Martinez, A. P., (826)
Martinson, C. A., 342, 821
Masri, S. S., 997
Massie, L. B., 342
Matayoshi, S., (1006)
Mathre, D. E., 604
Matsui, C., (210), (1130)
Matsumoto, I., (1339)
Matsumoto, S., (297)
Matsumoto, T. T., (806), 881
Mauer, C. L., (662), (802)
Maurer, R. A., (662)
Mavrodineanu, S., (345)
Maxfield, J. E., 342
Maxie, E. C., (428)
Maxwell, D. P., (121), 132, 821
McCain, A. H., (97), 100, 1007, 1134
McCall, S. R., (832)
McCarter, S. M., 691, 821
McCord, R. W., 463
McDonald, W. C., 747
McFadden, L. A., 343
McGuire, J. M., (812)
McHenry, J., (1009)
McIntyre, G. A., (341), (344)
McKeen, W. E., 821
McKenzie, R. I. H., (811)
McNab, J. M., 625
McNabola, Sharon S., (814)

McOnie, K. C., 743
mechanical transmission (see **transmission,** mechanical-)
media
diet-food, for culture of fungi and bacteria, 447
Fusarium spp., for isolation from soil, 848
selective media to distinguish between Botrytis spp., 785
Medicago sativa (see **alfalfa**)
Megahed, El-Sayed, 821
Mehta, B. K., 925
Melaleuca leucadendra, pathogenicity of Cylindrocladium spp., 832
Melampsora
lini
effect of ribonuclease, 1005
resistance by previous inoculation, 819
urediospores, preservation of, 320
medusae, on cottonwood, 1361
Melching, J. S., 647
Melendéz, P. L., 286
Melilotus arabica and hispida, Heterodera glycines, development on, 647
Mellano, H. M., 1007
Mellor, F. C., 674, (1009)
Meloidogyne spp.
electrophoretic protein profiles, comparison of, 458
nematocide, control of, 9
arenaria
cowpea, resistant to, 460
sorghum, effect of rotation on peanut yield, 464
tobacco, influence on Fusarium wilt development, 282
hapla
intestine, ultrastructure of, 462
resistance of tomato seedlings to, 584
ultraviolet radiation, effect on hatching, 346
incognita
cotton, resistance to, 1327
fecundity of flatworms reared on, 828
influence on Rhizoctonia root rot of tobacco, 826
relationship to pathogenic variability in Fusarium oxysporum lycopersici, 812
temperature, effect on development in sweetpotato, 816
tobacco
influence on Fusarium wilt development, 282
interaction with Fusarium wilt, 286
incognita acrita
cowpea, resistant to, 460
influence of potassium chloride on relationship with fungi in alfalfa roots, 646
resistance of tomato seedlings to, 584
tomato, host reaction, 344
javanica
aging and starvation, effect on pathogenicity of, 559, **564**
cowpea, resistant to, 460
tobacco, influence on Fusarium wilt development, 282
ovalis, on American elm, sugar maple, and white ash, 104, **105, 106**
Melouk, H., 1007
Mentha piperita, Verticillium spp., pathogenicity of, 1009
Menzies, J. D., 703, (812)
Meredith, D. S., 889
Merkle, O. G., (538)
Merrill, W., 343, 822, 1206, [43]
Mesner, W. L., 822
Messieha, Mimi, 956
metabolism
amino acids, changes caused by ozone, 972
cowpea, resistant and susceptible, changes in virus-infected leaves, 472
ethanol suppression of glucose uptake in Armillaria mellea, 812
phytoalexin, changes in, associated with pisatin production, 813, 1258
potato, postinfection, 1272
Saccharomyces pastorianus, fate of C^{14}- and S^{35}-labeled phaltan, 831
tomato, aberrations induced by curly top infection, 825
metabolite, Alternaria tenuis, toxic to cucumber, 516, **517**
methyl bromide, Corynebacterium michiganense, for control of, 1067
methylisothiocyanate, release from fungicides in soil, 572
Metzger, R. J., (279)
Meyer, W. L., (833)
Miah, M. A. J., 822, 1396
Mickail, K. Y., 969
microclimate
Cronartium ribicola, spore release and dispersion, 1221
Fomes rimosus, relationship to spore release, 345
microsclerotia, Verticillium albo-atrum, germination in soil, 810
Microsphaera alni, varieties on oak, 1009
microtome, plant tissue, fresh sections of, 1126
Milbrath, G. M., 100
Milbrath, J. A., (98)
Milbrath, Mary L., 100
Millar, R. L., (340), 343
Miller, G. W., (472)
Miller, H. N., (9)
Miller, J. R., (836)
Miller, L. I., 647
Miller, P. M., 822, (836)
Miller, P. R., 822
Miller, T. D., 1007
Miller, V. L., 777, 1202
Millett, A. H., (377)
Millikan, D. F., (837)
Mills, J. T., 8
Milo, G. E., Jr., 343
mineral oil, symptom suppression of virus yellows on sugar beets through use of, 807
Mink, G. I., 797, 1400
Mircetich, S. M., 100
Mirocha, C. J., 822, (829)
Mitchell, F. G., (832)
Mitchell, J. E., 823
Mitchell, N., (821)
mites
effect on release and dispersal of Cercospora beticola conidia, 889
wheat curl, relation to kernel red streak of corn, 986, **987**
mitosis, Phytophthora capsici, apparatus in, 1011
Mobley, Carole L., (975)
moisture
bark, Populus deltoides, relative turgidity related to infection by Cytospora, Phomopsis, and Hypomyces, 978
effect of
on epidemic of cottonwood canker, 978
peanut kernels, fungi isolated from, 464
Phymatotrichum omnivorum, affecting sclerotia production, 1004
soil-, effect on Phytophthora parasitica and Pythium aphanidermatum, 9
storage fungi, growth and aflatoxin production related to, 816
stress in relation to initiation and development of Hypoxylon canker of aspen, 802
moisture content
corn in storage, relation of to invasion by fungi, 588
soybeans, influence on invasion by storage fungi, 622
Monilinia fructicola
2-aminobutane, fungistatic properties of, 98
changes in metabolism associated with phytoalexin production, 813
drying of germinated spores, 719
radiation and heat treatment, inactivation of, 428

soybean, phytoalexin production in two varieties differing by a single gene, 645
monogalacturonic acid, effect on production of polygalacturonase in Fusarium lycopersici and Verticillium albo-atrum, 825
Monterey pine (see **Pinus** radiata)
Moore, B., (572)
Moore, B. J., (823)
Moore, Cecilia J., (835)
Moore, J. D., (821), 823
Moore, L. D., (645), 647
Moore, L. W., 823
morphology
apple cell wall, resistance to Botryosphaeria ribis, 38
Cylindrocladium spp., 464, 832
Erysiphe cichoracearum conidium, 821
maize mosaic virus, 8
Morrison, L. S., (816)
Morton, D. J., (25), 647, (806), (817)
Morton, H. L., 823
Mount, M. S., 823
Mukhopadhyay, S., 853
mulch, corn, effect on susceptibility to corn borer and stalk rot, 1031
Munnecke, D. E., 572, 823, 969, (1007)
Munz, K., (8)
Murakishi, H. H., (837)
Murray, J. C., (805)
Musa (see **banana**)
mushrooms
etiology of mummy disease, 829
etiology, symptomatology, and epidemiology of a virus disease of, 519, **522, 523, 524, 526**
muskmelon, effect of inoculum potential on response to Fusarium oxysporum melonis, 809
mustard, ultrastructure, relation with Plasmodiophora brassicae, 682, **683-686**
Mycelium radicis atrovirens, nematodes affect growth of, 541
mycoparasitism, Gonatobotryum fascum, effects of biotin and pyridoxine on, 803
mycorrhizae, Aphelenchoides sp., effect on growth of Suillus granulatus and Mycelium radicis atrovirens, 541
mycotoxin, Fusarium graminearum, biosynthesis of an estrogenic metabolite, 822

Nair, V. M. G., 823, (827)
Narcissus pseudonarcissus, fungicidal activity and phytotoxicity of certain mercurials used to control Fusarium basal rot of, 777
Nash, Shirley M., 293
nasturtium, Rhizoctonia spp., occurrence in seed of, 808
Natti, J. J., 144, 343, (808)
Nauer, E. M., (101)
Nault, L. R., 986
Necrospilum ipomoeae (see **russet crack virus**)
necrotic ringspot virus
Prunus spp., mechanical transmission from seeds of, 821
reaction to dimethyl sulfoxide, 671
sour cherry, found in and serological relationships of virus isolates, 339
Neely, D., 824, 1230
Nelson, G. A., 965
Nelson, G. H., (822)
Nelson, K. E., 100, 950
Nelson, M. R., 100
Nelson, P. E., (339), 343, (1353)
Nelson, R. R., 344, 824, 1081, (1288)
nematocide(s)
carbamates and phosphates, esterase inhibition in Panagrellus, 832
feasibility of using nematodes from tissue culture for screening, 820
nematode populations affected by, 650
new compounds, 9
organic halide penetration of nematode, 820
nematodes (see also under genera of)
aging and starvation, effect on pathogenicity, 559, **564**
amino acids from larvae of Heterodera, 801
biology of Hypsoperine ottersoni, 723, **726**
chitin and lipids in, function of, 836
citrus exocortis virus, failure to transmit by, 100
cyst, found in birch, 827
electron microscopy in Pratylenchus penetrans, 646
emergence from roots related to sample size, 834
growth
effect on a mycorrhizal and a pseudomycorrhizal fungus, 541
inhibitors, effect on development in red clover, 576
maple, associated with decline of, 340
movement to alfalfa roots, 468
nematocide screening, feasibility of using from tissue culture, 820
orientation mechanisms, 816
phosphate and carbamate inhibition of esterases in, 832
plant cellular responses to extracts from, 815
populations affected by
host physiology, 653
inoculum potential of Verticillium dahliae, 810
nematocides, 650
nutrition, 810
radiation, ultraviolet-, effect on hatching in Meloidogyne hapla, 346
relationship of
Pratylenchus scribneri to Fusarium moniliforme, 825
Tylenchulus semipenetrans to Fusarium spp., 414
reproductive cycles of, on sugarcane, 1005
Rhizopus root rot of tobacco related to, 826
soil fumigation activity in relation to control of, in peach, 809
surface disinfestation in Trichodorus christiei, 1216
survival in air-dried soil, 804
susceptibility to subfreezing temperatures, 822
taxonomy, numerical analysis in Trichodorus, 804
turf-, hot-water treatment, 460
Neocosmospora vasinfectans, sexual development, inhibition of, 344
Netzer, D., 795
Neurospora crassa
cycloheximide, toxicity of, 1191
motility of nuclei, 769, **770**
Nevins, D. J., (625)
new diseases, species, and varieties
bacterial phloem canker, Persian walnut trees, 618, **619**
birch, cyst nematode found in, 827
blackberry, mosaic virus, 459
Calonectria rigidiuscula theobromae, 710
cherry spur virus, 1004
corn
mosaic virus from, 836
physiological leaf spot of, 1282, **1283**
Corynebacterium flaccumfaciens violaceum, causing purple seed of legumes, 1064, **1065**
cotton, Phomopsis gossypii, 462
Curvularia robusta, leaf spot of bluestem grasses caused by, 975, **976, 977**
elderberry, virus found in, 813
Erwinia quercina, causing drippy nut disease of live oaks, 250, **251**
false rust of Cordyline terminalis, caused by Cercospora sp., 97
Fusarium rigidiusculum theobromae, 710
Fusarium solani causing soft rot of elm cuttings, 920, **921**
Gibberella avenacea sp. n., perfect stage of Fusarium roseum cerealis, 732, **733**
Helminthosporium victoriae, mild disease in, 819
Leptographium root decline of eastern white pine, 809
maple, sunscald canker, 817
mushroom mummy disease caused by Pseudomonas spp., 829

oat necrotic mottle virus, 302, **304**
Olea welwitschii, Alternaria porri and A. tenuissima found on, 448
peach, Cylindrocladium floridanum sp. n., associated with decline of, 389, **390**, **391**, **392**, 832
peppermint, disease caused by Phoma menthae, 1007
Philodendron oxycardium infection by Xanthomonas sp., 343
pineapple, interfruitlet corking caused by Penicillium funiculosum, 814
pink disease of pineapple, 806
Pythium sylvaticum, causing damping-off of sweetgum seedlings, 1284
raspberry, Pseudomonas blight of, 929, **930**
red clover infected with Cephalosporium gregatum, 810
Rhizoctonia blight of safflower, 946, **948**
Russian-olive, Botryodiplodia disease of, 825
Sclerophthora rayssiae zeae, downy mildew of maize, 394
tobacco mosaic virus
defective strain of, 814
new strain of, 452
Verticicladiella wagenerii on Douglas fir, 998, **999**
Newhall, A. G., 9
Nicholson, R. L., 344
Nicotiana (see also **tobacco**)
glutinosa, phenolase activity in tobacco mosaic virus-infected plants, 154
megalosiphon, tobacco mosaic virus, host for cowpea strain, 464
rustica
aster yellows virus, effects of strains on vascular structure and function in, 833
infectivity dilution curve of potato yellow dwarf virus, 836
Nigh, E. L., Jr., 100
nitrogen (see also **nutrition**)
aflatoxin production affected by, 1086
alteration of, in soybean infected by Pseudomonas glycinea, 831
ammonia-
effect on Pratylenchus penetrans, 345
inhibition of Sclerotium rolfsii, 425
antibiotic production affected by, 347
Ceratocystis ulmi, effects of early and late inoculations on substances in xylem sap, 831
corn borer and stalk rot affected by, 1031
cotton, Verticillium and Fusarium wilts, effect on, 457
cucumber mosaic virus infection by, 838, **839**
effect on peach canker, 1344
populations of Pratylenchus penetrans in roots of elm and maple affected by, 810
nitrous acid, inactivating and mutagenic action of, on tobacco mosaic virus, 830
Nordin, P., (827)
Normand, R. A., 824
Norton, D. C., 1305, 1390
Norway maple, toxicity of NaCl and $CaCl_2$, 835
Nour-Eldin, F., 108
Novacky, A., 463, 824
nuclei
fungi, motility of, 769, **770**
role of centrioles in fungi, 837
nucleic acid (see also **ribonucleic acid**)
RNA, wheat infected with Puccinia recondita, changes in, 632
synthesis, effect of phytoactin on, 367
synthesis in germinating bean rust uredospores, 826
tobacco mosaic virus, action of nitrous acid, 830
tobacco ringspot virus, changes in, 829
Wisconsin pea streak virus, content of, 551
nucleotides, isolation of, from Tilletia foetida chlamydospores, 827
nucleus
Fomes annosus, asexual behavior of, 1176
Phytophthora capsici, cytology of, 1011
Puccinia coronata avenae, reassociation, 803
tobacco mosaic virus, evidence for synthesis in, 818
nurseries, tree-, Pythium and Phytophthora spp., populations in, 457
Nusbaum, C. J., (18), (463)
nutrition
calcium
black shank of tobacco affected by, 647
cucumber mosaic virus infection affected by, 838, **839**
Phytophthora sp., sterol interaction, 461
C:N ratio
bean, influencing severity of root rot, 802
Phymatotrichum omnivorum, affecting sclerotial production, 1004
Phytophthora spp., relation to sexual reproduction in, 646
carbohydrates
Pythium ultimum, effect on, 1116
Sclerotinia sclerotiorum, effect on growth, 1010
carbon source
Diplodia spp., taxonomic stability of characters when grown on different C sources, 828
Sclerotium rolfsii, influence on oxalic acid accumulation, 821
cotton, effect on resistance and susceptibility to Fusarium oxysporum and Verticillium albo-atrum, 457
cucumber mosaic virus, affects infection, 838
fungal spores, relation to soil fungistasis, 894
magnesium, affects cucumber mosaic virus infection, 838, **839**
manganese, effect on Fusarium wilt development, 814
mannose, effect on red clover vein mosaic virus, 1292
nitrogen (see also **nitrogen**)
Botryosphaeria ribis, growth affected by, 645
Diplodia spp., effect on growth, pycnidial formation, and taxonomy, 828
Helminthosporium atrovirens, effect on growth, 803
Pythium ultimum, effect on, 374, 1116
phosphorus
affects cucumber mosaic virus infection, 838, **839**
effect of toxin from Helminthosporium of P^{32} uptake of germinating oat seeds, 828
potassium, affects cucumber mosaic virus infection, 838, **839**
Nyland, G., 101, (1008), (1010)
nystatin, sterols, relationship with, 246

oak
anthracnose, characteristics of causal agent, 1230, **1235**
Ceratocystis fagacearum (wilt)
cell degradation and penetration, 827
detection by serology, 32
epidemics, analysis of, 343, 822, 1206, [43]
incidence related to site productivity, 645
longevity in roots of girdled trees, 1012
tyloses development, 823
Erwinia quercina, causing drippy nut disease of, 250, **251**
powdery mildews of, 1009
oatgrass, resistance to crown rust, 805
oats
blue dwarf virus, leafhopper transmission, 802
Ca, suppression of victorin-induced symptoms, 458
effect of toxin from Helminthosporium on seed germination, enzyme secretion, and P-uptake, 828
necrotic mottle virus, 302, **304**
Pseudomonas coronafaciens
effect of light on symptomatology, **1000**
resistance to, 644
Rhizoctonia spp., occurrence in seed of, 808
seedling resistance to crown rust, 811
victorin activity, relationship with molecular structure of cytokinin, 820
O'Bannon, J. H., 414
obituaries
William Salisbury Ballard, 643

Nahum James Giddings, 95
Frank Arling Haasis, 1287
Leon K. Jones, 331
Rolland Carl Lorenz, 1008
O'Brien, L. M., (647)
Offerman, G. P., 1031
Ogawa, J. M., (807), 824, (835)
Ohman, J. H., (817)
okra (see **Hibiscus spp.**)
Olea welwitschii, Alternaria tenuissima and A. porri found on, 448
oleoresin, Pinus taeda, accumulation in response to Fomes annosus, 1034
oligogalacturonides, separation, method for, 344
olive knot, bioassay for causal organism, 1142
Olpidium brassicae, tobacco stunt virus, host specificity in transmission of, 815
Olsen, C. M., (591), 598
Olsen, O. A., (965)
omadine, Cytospora cincta controlled by, 442
onion
Botrytis spp. on, selective media to distinguish between spp., 795
decay, soft rot bacteria associated with, 341
Rhizoctonia spp., occurrence in seed of, 808
root rot of, 505
Trichodorus christiei, influence on population density of, 338
Urocystis colchici, control with Lanstan, 342
white rot, effect of soil temperature, 99
onion smut (see **Urocystis** colchici)
Oospora citri-aurantii, combined action of diphenyl and gamma radiation on, 696
oospores
Phytophthora cactorum, germination and isolation of, 454
Phytophthora capsici, germination of, 101
Phytophthora cinnamomi, production in roots and soil, 100
Pythium ultimum, oospore inducing factor in roots, 1007
orange (see also **Citrus spp.**)
entry of stem-end rot fungi, 805
phloem necrosis associated with greening disease of, 829
orchid
Cymbidium mosaic virus, 164
tobacco mosaic virus, strain of, 164, **165, 167, 168, 170**
O'Reilly, H. J., 1008
Orellana, R. G., 791
ortic acid, H^3- and C^{14}-labeled, incorporation into RNA of Uromyces phaseoli, 808
Ostazeski, S. A., 648, 824
oxalic acid, Sclerotium rolfsii, influence of C source and pH on accumulation of, 821
oxidases (see **enzymes,** specific)
oxygen
effect on aflatoxin production, 1086
Rhizopus stolonifer, growth and production of pectic and cellulolytic enzymes in atmosphere low in, 1010
ozone
amino acids, changes in leaves caused by, 972, [43]
effect of Lophodermium pinastri and Pullularia pullulans on injured needles of Pinus strobus, 807
effect on various plants, 834
exposure chamber for forestry air pollution studies, 804
ponderosa pine, effects of injury, 822
white pine, injury, development of symptoms, 339

Palmer, L. T., 825
Panagrellus redivivus
fecundity of flatworms reared on, 828
phosphate and carbamate inhibition of esterases in, 832
Panoupolos, N., 825
Papavizas, G. C., 648, (801), (816), 848, 1242
papaya, tomato spotted wilt virus in, 9
Pappelis, A. J., (1031)
Paratylenchus hamatus, susceptibility to subfreezing temperatures, 822
Parish, C. L., (1004)
Parker, K. G., (645)
Parmeter, J. R., Jr., 218, (922)
Paspalum dilatatum, Helminthosporium pedicellatum causing root rot of, 52
Pass, T., 825
pathogenesis
radish, respiratory response of Fusarium wilt-infected plants, 699
stored cranberries, in relation to injury and temperature, 98
pathogenic races (see **physiologic races**)
pathogenicity
Aphanomyces euteiches, variability in, 57
Armillaria mellea, variation in, 73, 826
bacteria, use of host and nonhost plants for identification, 815
Corynebacterium flaccumfaciens violaceum, 1064
Cylindrocladium spp., 464, 832
Cytospora, Phomopsis, and Hypomyces on Populus deltoides, 978
Erwinia chrysanthemi, 343
Fusarium oxysporum, role of fusaric acid, 808
Heterodera trifolii, on legumes, **1307**
nematodes, aging and starvation, effect on, 559
Piricularia oryzae, variation in, 460
Pseudomonas lachrymans, relationship of protease, 263
Puccinia graminis grown on artificial medium, 326
Pythium aphanidermatum, effect of mung bean exudates on, 866
Pythium vexans, 806
soybeans, Va. 2 isolate of Heterodera glycines, 647
Thielaviopsis basicola, 1007
Venturia inaequalis, inheritance of, 802
Verticicladiella wagnerii on Douglas fir, 998, **999**
Verticillium spp., of, 1009
Patil, S. S., 492, 825
Patrick, Z. A., (834)
Patterson, M. E., (497)
Paxton, J. D., 352
Payak, M. M., 394
pea
Aphanomyces euteiches, effect of cropping practices on root rot of, 667
cellular responses to extracts from nematodes, 815
changes in metabolism associated with phytoalexin production, 813
phenylalanine metabolism, changes during pisatin production, 1258
Rhizoctonia spp., occurrence in seed of, 808
root rot, importance of Pythium, 1149, 1394
root rot of, variability in Aphanomyces euteiches, 57
seed exudation, effect on survival of Fusarium solani, 178
survival of Typhula idahoensis sclerotia in rhizosphere of, 815
virus-infected, increases susceptibility to root rot, 804
wheat straw toxic to, 401
Wisconsin pea streak virus, electron microscopy of, 551, 555
pea early-browning virus, tobacco rattle virus, serological relationship between, 97
pea enation mosaic virus, properties of, 338
pea streak virus (see **Wisconsin pea streak virus**)
peach (see also **Prunus spp.**)
absorption, translocation, and persistence of radiolabeled dimethyl sulfoxide foliar spray, 646
Armillaria mellea, pathogenic variability in, 73, 826
Botran, control of fruit rot, 459

Cylindrocladium floridanum sp. n., associated with decline, 389, **390, 391, 392**
Cytospora cincta canker, chemotherapy for control of, 442
dormant season susceptibility to Pseudomonas syringae, 809
fumigation activity in relation to growth and control of decline and bacterial canker, 809
Fusicoccum canker control, 1344
pathogenicity of Cylindrocladium spp., 832
reaction of trees and viruses to dimethyl sulfoxide, 671
sour cherry yellows virus, associated with, 101
peach mosaic virus
apricot, 1268
reaction to dimethyl sulfoxide, 671
peanut
aflatoxin
influence of drying and harvesting, 462, 1270
production by Aspergillus flavus, 1086
relation of environment to production of, 458
crop rotation, relationship with disease, 461
fruit breakdown, causal agents of, 459
fungi isolated from, effect of moisture and time, 464
rotation with sorghum, effect on Meloidogyne arenaria, 464
Rhizoctonia spp., occurrence in seed of, 808
seed transmission of stunt virus, 1280
selective media for isolating Aspergillus flavus from, 939
soil-inhabiting fungi on axenic plants of, 644
peanut stunt virus
bean strain of, 1400
epidemiology of, 461
leguminous hosts of, 837
properties of, 834
seed transmission, 1280
pear
net and ring-like cracking of fruit, 801
relation of β-glucosidase to antibiotic activity against Erwinia amylovora, 826
seed transmission of tobacco mosaic virus in, 214
virus recovery from pollen, 1011
pear decline virus, anatomy, sensitive pear tissues, 102
pear leaf curl, transmission studies, 1008
pearl millet, effect of temperature on susceptibility to Helminthosporium setariae, 1002
pecan, fungicides for control of Capnodium, Cercospora, Elsinoe, 458, 460
pectic enzymes (see **enzymes,** specific)
pectin
banana root, vascular gel found in, 11, **12, 13**
breakdown of, at pH values found in Fusarium solani-infected squash hypocotyls, 813
effect on production of polygalacturonase in Fusarium oxysporum and Verticillium albo-atrum, 825
Peet, C. E., (647), (819)
Pelargonium spp., Xanthomonas pelargonii, resistance to, 1178
Pellicularia filamentosa, cotton boll rot, control by bract modification, 463
Pendery, W., (103)
penetration, cotton wilt, histology of early stages, 99
Penicillium spp.
degradation of methylmercuric dicyandiamide in soil, 823
effect of fumigation on colonization of spermosphere, 835
on peanut, effect of moisture and time, 464
synergism with Phytophthora parasitica nicotianae in causing black shank of tobacco, 649
digitatum
2-aminobutane, fungistatic properties of, 98
combined action of diphenyl and gamma radiation on, 696
conidia, neutral carbohydrates in, 1004
lemon, hot-water control of, 99
expansum
avirulence of a methionine-sensitive leucine mutant, 803
radiation and heat treatment, inactivation of, 428
funiculosum
interfruitlet corking in pineapple caused by, 814
Verticillium dahliae, antagonistic to, 363
italicum, combined action of diphenyl and gamma radiation on, 696
Pennisetum typhoides (see **pearl millet**)
pentachloronitrobenzene, suppression of actinomycetes in culture media, 811
Pepin, H. S., 782, 929
pepper
effect of Xanthomonas vesicatoria on permeability of resistant and susceptible leaves, 807
inhibition of Xanthomonas vesicatoria in extracts from inoculated leaves of bacterial spot-resistant, 832
Phytophthora
capsici, resistance to, 377
drechsleri, genetics of, 1300
potato virus Y
strains, 385
variety response, 385
Stemphylium spp. on, 338
Xanthomonas vesicatoria
differences between tomato isolate, 647
resistance to, 817
response to, 357
peppermint, Phoma menthae, 1007
Periconia circinata, multiple host-specific toxins from, 530
perithecium formation, in Hypomyces solani cucurbitae, 1138, 1140
Peronospora
parasitica, on Brassica oleracea physiologic races and resistance to, 144
tabacina, conidia, cryogenic storage of, 644, 1133
peroxidase (see **enzymes,** specific)
Perry, V. G., 9
Persian walnut, Erwinia sp. causing bacterial phloem canker of, 618, **619**
Pestalotia spp., in cacao, 7
pesticides
accumulation of, by soil microorganisms, 817
microbial ecological responses following use of, 801
Peterson, G. W., 437, 825
Peterson, J. L., (342), (363)
pH
cycloheximide, affecting toxicity of, 1191
pectin breakdown at values found in Fusarium solani-infected squash hypocotyls, 813
Pythium spp., effect on growth, 374
Sclerotium rolfsii
effect on growth, 425
influence on oxalic acid accumulation, 821
Wisconsin pea streak virus, purified, effect on stability, 551
Phacidiopycnis pseudotsugae, hemlock, associated with bleeding cankers in, 340
phase microscopy, Phytophthora capsici, nuclear cytology of, 1011
Phaseolus spp. (see also **bean**)
lunatus (see **lima bean**)
vulgaris
halo blight seed transmission, 28
increased cytokinin activity in leaves infected with Uromyces phaseoli, 93
powdery mildew, control with antisporulants, 342
Pseudomonas savastanoi, induction of leaf lesions, **1142**
Phelps, R. H., 1182
phenols
accumulation of, in soybeans inoculated with nonpathogenic fungi, 804
biosynthesis of an estrogenic metabolite by Fusarium graminearum, 822
oxidation, inhibition by Erwinia carotovora, 737

oxidation products, effect on Verticillium polygalacturonase, 492
phenylacetic, phenylbutyric, and phenylpropionic acids, phytotoxin from decomposing barley, 834
phenylalanine, changes in metabolism of, in phytoalexin production, 1258
Phillips, D. V., 916
Philodendron spp., nematodes, control of, with nematocides, 9
oxycardium, Xanthomonas infection of, 343
panduraeforme, Erwinia chrysanthemi, pathogenicity and symptom expression, 343
phloem
aster yellows virus, effect on, in Nicotiana rustica, 833
orange, necrosis associated with greening disease, 829
phloem canker, Persian walnut disease, Erwinia rubrifaciens cause of, 618, **619**
Phlyctaena spp., Fusarium roseum, in association with, on cacao, 10
Phoma menthae, disease of peppermint, 1007
Phomopsis
citri
2-aminobutane, fungistatic properties of, 98
entry into oranges, 805
gossypii, on cotton, 462
macrospora, cankers on cottonwood, 458
phosphorus
cotton, effect on Verticillium and Fusarium wilts, 457
effect on populations of Pratylenchus penetrans in roots of elm and maple, 810
phosphorus-32, Rhizoctonia solani sclerotia, accumulation of, 1053
photoreceptor, Hypomyces solani cucurbitae, 1140
photosynthesis
corn, effect of maize dwarf mosaic virus on, 459
effect of tobacco etch virus on, 815
reduced in curly top-infected tomatoes, 825
Phyllactinia corylea, on oak, 1009
Phymatotrichum omnivorum
on corn and cotton, influence of root age, 100
light, effect on, 228
pathogenesis, in monocotyledons, 380
sclerotia, factors affecting production of, 1004
spore germination, 833
sporulation on a defined medium, 228
Streptomyces spp. antagonistic to, 347
physiologic races
international races of Piricularia oryzae, 297
Tilletia controversa, revised classification of pathogenic races, 279
physiological injury
corn, leaf spot, 1282, **1283**
maple, sunscald canker, 817
pear, net and ring-like cracking of fruit, 801
physiology
bacteria, Erwinia quercina, 250
host, influence on nematode populations, 653
physiology of microorganisms
Alternaria japonica, lignin formation, 1339
basidiomycete, psychrophilic-, cyanide formation, 1009
Ceratocystis ulmi, in elm xylem vessels, 641
Cercospora beticola, effect of light on sporulation, 679
Cochliobolus carbonum, effect of sterols on, 824, 1081
Fusarium oxysporum, fusaric acid related to pathogenicity, 808
Helminthosporium atrovirens, vitamin requirements, 831
Helminthosporium dictyoides, light and temperature effects, 834
Hypomyces solani cucurbitae perithecia, affected by flavins, 1140
N sources, 1138
Lenzites trabea, arsenic tolerance of, 486
Phymatotrichum omnivorum, factors affecting sclerotium production, 1004
Pseudomonas solanacearum, IAA synthesis by, 1182
Puccinia graminis tritici
nutrition of, 326
urediospore germination, 1211
urediospore respiration, 656
Pythium vexans, 806
Rhizoctonia solani
anastomosis related to physiology, 830
sclerotia, P^{32} translocated into, 1053
virulence of, influenced by nutritional status of inoculum, 835
Rhizopus spp., sensitivity to chilling, 881
rust fungi, factors affecting infection structures, 855
Sclerotinia sclerotiorum, growth affected by carbohydrates, 1010
Sclerotinium rolfsii
cellulase system of, 803
oxalic acid accumulation by, 821
Septoria lycopersici, effect on tomatine, 1358
soil microorganisms
chlorinated hydrocarbons accumulated by, 817
oxathiin decomposed by, 810
pesticide effects on, 801
Streptomyces spp., antibiotics produced by, 347
Tilletia controversa, organic and inorganic nutrition, 315
Uromyces phaseoli, starch depletion by various infection types, 829
Verticillium albo-atrum
polygalacturonase synthesis affected by, 825
separated from V. dahliae by temperature, 821
phytoactin
Fusarium roseum, use in population studies, 102
Saccharomyces pastorianus, mechanism of action in, 367
western white pine, extraction and assay of, 99
phytoalexins
alfalfa, production in response to nonpathogens and pathogens, 340
bean, induction and distribution of, 344, 1154
gossypol, behavior as, 759
metabolism changes associated with, 813
Pinus taeda, production in response to Fomes annosus, 1034
pisatin, changes in phenylalanine metabolism associated with production of, 1258
soybean
against Phytophthora megasperma sojae, 352
comparison of, produced by two varieties differing by a single gene, 645
phytoferritin, citrus variegation virus, in preparation of, 137
Phytophthora spp.
C and N nutrition in relation to sexual reproduction, 646
differentiation of spp. by polyacrylamide gel electrophoresis, 812
indoleacetic acid synthesis from L-tryptophan, 818
life processes of, shown by cinephotomicrography, 98
preservation of, 816
sexual patterns in, 805
tree nurseries, populations in, 457
cactorum
isolation, from live water snails, 454
soybean
cross-protection against P. megasperma, 352
phytoalexin production in two varieties differing by a single gene, 645
capsici
host range, survival in soil, 510
mitotic apparatus in, 1011
nuclear cytology of, 1011
oospores, germination of, 101
peppers, resistance to, 377
tomato
on, 510
root and crown rot of, 101

cinnamomi
avocado, production of oospores and chlamydospores in roots and soil, 100
chlamydospores
concentration by sieving, 1134
germination of, 100
effect of saponins from alfalfa on, 1278
intracellular and extracellular enzymes from, 813
citricola, elderberry crown rot, 1005
citrophthora
combined action of diphenyl and gamma radiation on, 696
heterothallism in, 646
drechsleri
pepper, genetic studies, 1300, **1301, 1303**
safflower
effect of environment on disease reaction, 1006
influence of irrigation on root rot caused by, 1056
fragariae
laboratory method for studying, 837
physiologic races of, on strawberry, 173
on Rosaceae, susceptibility of, 782
infestans
potato, postinfection metabolism, 1272
resistance of potato to, 69
megasperma sojae
soybean
cross-protection against, 352
phytoalexin production in two varieties differing by a single gene, 645
palmivora
on cacao, fungicidal control of, 9
mating behavior of, 344
parasitica
soil temperature and moisture, effect on, 9
survival in soil, 510
tomato, root and crown rot of, 101
parasitica nicotianae
Ca-sterol interaction, growth, 461
effect of
Ca nutrition, 647
soil moisture and soil temperature on, 691
stem resistance to, in tobacco, 814
synergism with Penicillium sp. in black shank of tobacco, 649
phaseoli
lima beans, varieties resistant to strains of, 648
sporulation of, 341
phytotoxins
Corynebacterium spp., of, 1008
crop residues
in, 401, 834
predisposing cotton to Thielaviopsis root rot, 819
NaCl and $CaCl_2$ to Norway maple, 835
roots, effect on, 401, **403**
tulip, flower deformation caused by mercurials, 1202, **1204**
Pi, Chia-Ling, 344
Pierre, R. E., 344, 1154
pigment, Xanthomonas phaseoli fuscans, factors related to production of, 803
Pinckard, J. A., (462), (463)
Pine, T. S., 671, 1268
pineapple
interfruitlet corking caused by Penicillium funiculosum, 814
pink disease of, 806, [43]
pinosylvan
in Pinus taeda, production in response to fomannosin, 1046
Fomes annosus, 1034
Pinus spp.
fire for control of Fomes annosus, 811
Pythium vexans, pathogenicity of, 806
resin and turpentine effect on pathogens, 806
Verticicladiella wagnerii root disease of, 935, **937**
echinata, histology of Cronartium galls on, 545, **546, 548, 549**
lambertiana, Fusarium oxysporum, decline of population in roots of, 1265
monticola (see also **western white pine**)
blister rust, axenic culture of infected explants, 1005
nigra, Dothistroma pini, epidemiology and control, 437
ponderosa
Dothistroma pini, epidemiology and control, 437
dwarf mistletoe on, resistance to, 1008
Fomes annosus on, 1312
ozone injury to, 822
radiata
Armillaria mellea, pathogenic variability in, 73, 826
damping-off in South Australian nurseries, 765
strobus
blister rust spore release and dispersal, 1221
effects of Lophodermium pinastri and Pullularia pullulans on healthy and ozone-injured needles, 807
taeda
response to fomannosin, produced by Fomes annosus, 1046, **1049**
response of sapwood to infection by Fomes annosus, 1034, **1038**
Piricularia oryzae
environmental factors influencing infection, 237
fungicides for control of, 806
pathogenicity, variation in, 460
rice, chemical control of, 457
rice varieties for differentiating races of, 297
Pirone, T. P., 463, (804), (824)
Pisum sativum (see **pea**)
Plantago major, powdery mildew on, control with antisporulants, 342
plant disease losses, wheat streak mosaic virus, evaluation of, 188
Plasmodiophora brassicae
Chinese cabbage, inheritance of resistance to, 330
enzyme synthesis and degradation of starch and lipid in cabbage, 816
movement in soil, 835
ultrastructure, host-parasite relationship, 632, **683-686**
Platanus occidentalis (see **sycamore**)
Platt, W. D., (218), (998)
Pleurotus ostreatus, mating type factors in a limited area, 835
plum (see **Prunus spp.**)
Plurad, S. B., 1060
Poa pratensis, control of Ustilago striiformis with two derivatives of 1,4-oxathiin, 242
Podosphaera leucotricha, chemical control of, 833
Pollard, L. H., (102)
pollen, pear, virus recovery from, 1011
pollen-borne viruses, of raspberry, 95
polygalacturonase (see **enzymes,** specific)
polygalacturonate trans-eliminase (see **enzymes,** specific)
Polygonum aviculare, powdery mildew on, control with antisporulants, 342
Polymyxa graminis, transmission of wheat mosaic virus by, 905
Polyporus
dryophilus vulpinus, basidiospore germination, 823
tomentosus, on white spruce, analysis of epidemics, 822
versicolor, on oak, variation in sapwood decay with season of cutting, 818
polysaccharide, differential resistance to degrading enzymes of, in cell walls, 625
Polystichum adianteforme, pathogenicity of Cylindrocladium spp., 832
ponderosa pine (see **Pinus** ponderosa)
Pool, R. A. F., 1008
Populus (see also **aspen**)
deltoides (see also **cottonwood**)

Melampsora medusae on, 1361
pathogenicity of Cytospora, Phomopsis, and Hypomyces, 978
tremuloides, mating type factors of Pleurotus ostreatus in a limited area, 835
Poria monticola, effect of light on wood decay by, 1121
Porter, D. M., 282
postharvest treatment, radiation-heat treatment interaction
in stone fruits, 428
in strawberry, 832
potassium
cotton, Verticillium and Fusarium wilts, effect on, 457
effect on populations of Pratylenchus penetrans in roots of elm and maple, 810
influence on relationship of fungi to nematodes in alfalfa roots, 646
potato
Phytophthora infestans, resistance to, 69
post infectional metabolism and stress physiology, 1272
Pseudomonas fluorescens, pectic enzymes produced by in storage of, 341
resistance to
Erwinia carotovora, 737, **739**
Meloidogyne spp., 7
viruses, serological detection of, 61
potato spindle tuber virus
serology of, 533
on tomato, 1347, **1351**
potato virus M, serological detection of, 61
potato virus S
serological detection of, 61
thermostability of, 1009
potato virus X
effect of ethanol fixation on, 815
eradication by thermotherapy, 674
Gomphrena globosa, effect of light intensity on local lesion formation, 329
inhibition of, in immune potato variety, 345
serological detection of, 61
thermostability of, 1009
tobacco, cytology of mixed infection with potato virus Y, 816
potato virus Y
mutant strains, 385
pepper, variety response, 385
serological detection of, 61
strain isolation and maintenance, 385
tobacco, cytology of mixed infection with potato virus X, 816
potato yellow dwarf virus
infectivity dilution curve of, 836
sucrose-enhanced local infection in Nicotiana rustica, 808
Potentilla spp., Phytophthora fragariae on, 782
Powell, C. C., Jr., 826
Powell, D., (812)
Powell, G. M., (462)
Powell, N. T., (282), (286), 826
Powell, W. M., (827)
Powers, Ellen M., (828)
Pozsár, B. I., (93)
Pratylenchus
brachyurus
corn and soybeans, increase on, 118
genetic variability of tobacco response to, 18
Nicotiana spp., field inoculation trial, 460
soybeans, effect on yield, 463
coffeae, nematocide for control of, 9
penetrans
alfalfa, Fusarium oxysporum, movement to roots infected with, 468
ammonia effect on, 345
in crop residues, survival in amended soils, 346
effect of nutrition and inoculum potential of Verticillium dahliae on populations of, in elm and maple roots, 810
electron microscopy of, 646
grown on tissue culture, feasibility for screening nematocides, 820
relation between sample size and emergence from roots, 834
susceptibility to subfreezing temperatures, 822
tomato, host reaction, 344
scribneri, relation to Fusarium moniliforme, 825
zeae
corn and soybeans, population increase on, 118
reproductive cycle on sugarcane, 1005
predisposition
cowpea, heat-induced hypersensitivity to Erysiphe polygoni, 148
cranberries, to decay after bruising, 497
Presley, J. T., (47), (101), (1264)
Price, W. C., (151), 826
Pringle, R. B., 530, 1169
Pritchard, Nancy J., 648, 932
protease (see **enzymes,** specific)
proteins
disc electrophoresis of Ceratocystis spp. mycelia, 833
red clover infected with Erysiphe polygoni, electrophoretic comparisons of, 482
synthesis, cell-free system from Rhizopus arrhizus, 817
tobacco mosaic virus, removal after inoculation, 830
in virus tolerant and susceptible apple varieties, 853
prune dwarf virus
effect of temperature on symptoms, 823
role of cytochrome oxidase in loss of virulence, 797
Prunus spp.
prune dwarf on, effect of temperature on symptom, 823
serology of, 811
sour cherry yellows virus associated with, 101
viruses
graft transmission of, 1296
mechanical transmission from seeds of, 821
rose viruses compared with, 98
avium, Verticillium spp. on, pathogenicity of, 1009
besseyi, viruslike symptoms on peach trees propagated on, 159, **161, 162**
domestica, Cytospora on, resistance induced and translocated, 1094
persicae
Pseudomonas syringae, role of antibiotic produced by in bacterial canker of, 102
viruslike symptoms when propagated on P. tomentosa and P. besseyi, 159, **161, 162**
sclerotinia, Lambert mottle virus and Prunus ringspot virus on, separation of, 97
tomentosa
Prunus ringspot virus, transmission by grafting, 230
viruslike symptoms on peach trees propagated on, 159, **161, 162**
Prunus ringspot virus
Lambert mottle virus, separation from, 97
serological comparison with rose mosaic, 1197
temperature and grafts, effect on transmission, 230
Pseudomonas spp., mummy disease of cultivated mushrooms, 829
alliicola and cepacia, on onion, associated with decay of, 341
caryophylli, on carnation, factors affecting, 1353
coronafaciens, on oats
effect of light on symptomatology, **1000**
resistance to, 644
fluorescens, potato, pectic enzymes produced during storage of, 341
glycinea
alteration of starch and N in soybean, 831
factors affecting symptoms on soybean, 829
nutritional and biological factors affecting reaction on soybean, 801
lachrymans
histology of, 254, **255**

protease, characterization of, 257
protease of, in relation to cucumber angular leaf spot, 263, **269**
water congestion, relation to angular leaf spot, 1378, **1380-1382**
marginalis, on onion, associated with decay of, 341
phaseolicola
environmental conditions favoring survival, 830
seed transmission resulting from contamination, 28
serological comparison of races 1 and 2, 813
survival, overwinter, 343
savastanoi
determining water-soluble antigenic constituents of, 1011
Pinto bean leaves, induction of lesions, **1142**
solanacearum
Ageratum conyzoides and Solanum nodiflorum, hosts of, 97
biology and introduction of, in Hawaii, 97
cell-free system of, IAA synthesis by, 1182
detection in soils by serology and bioassay, compared, 25
scopolin and scopoletin accumulation in infected tobacco plants, 830
tryptophan metabolism, differences between strains, 1182
syringae
antibiotic, produced by, nature of, 102
autoxidizable cytochrome, 828
blight of raspberry, 929, **930**
dormant season susceptibility and fumigation for, in peach, 809
environmental conditions favoring survival, 830
tobacco, hypersensitive reaction induced by, 322
uronic acid dehydrogenase, purification from, 1004
tabaci
Erwinia amylovora, on apple, protection against, 22
tobacco, role of peroxidase in resistance to, 819
psorosis virus, citrus variegation, failure of protection between, 151
Puccinia spp., germination inhibitors found in urediospores, 932
carthami, seedling and foliage phases on safflower, 772
coronata, tall oatgrass resistant to, 805
coronata avenae
nuclear reassociation, 803
oat seedling resistance to, 811
urediospores, sequence of amino acid release upon germination, 832
cynodontis
effect of light and temperature on disease and spore germination, 405
pathogenic races, isolation of, 405
graminis
improved deposition of urediospores on glass slides and wheat leaves, 647
spore sampler for use in aircraft, 434
ultrastructure of septal pores, 810
graminis tritici
cytoplasmic carotenes of, 785
effect on wheat yield, 819
endogenous respiration of urediospores, 656
germination, effects of pre- and post-germination treatments, 1211
inoculation technique, 1396
mutation rates, 1091
sporulation on artificial medium, 326
time of appearance in relation to epidemics, 609
on wheat, effect of favorable periods for infection on development, 647
helianthi, inoculation technique, 1396
hordei, physiologic specialization, barley varieties for detection of, 66
recondita
spore sampler for use in aircraft, 434
ultrastructure of septal pores, 810
on wheat, changes in nucleotide composition of RNA induced in, 632
recondita tritici, teliospore formation on seedling wheat plants, 793
sorghi
on corn, inheritance of resistance to, 815, 828
genetics of, 1372
properties of a germination inhibitor from urediospores of, 648
striiformis
epidemiology of, 102
genes conditioning resistance in wheat, 1009
improved deposition of urediospores on glass slides and wheat leaves, 647
influence of light intensity on reaction of wheat and barley, 615, **616**
survival in wheat leaves, 1007
striiformis dactylidis, P. striiformis poae, and P. striiformis tritici, comparison of, on bluegrass, 418
Puhalla, J. E., 826
Pullularia pullulans, effects on healthy and ozone-injured needles of Pinus strobus, 807
Purdy, L. H., 324, (410)
pycnidia, Diplodia spp., effect of N source on formation of, 828
Pyrenochaeta terrestris, on onion, control with crop residues, 505
Pyrenophora teres, variability and inheritance of cultural characteristics, 747
pyridoxine
effect on mycoparasitism, 803
requirements of Helminthosporium atrovirens, 831
Pyrus variolosa, anatomy of tissues sensitive to pear decline virus, 103
Pythium spp.
on Bermuda grass, spring dead spot, association with, 462
cotton root necrosis, associated with, 827
effect of fumigation of colonization of spermosphere, 835
elderberry crown rot, 1005
isolation from soil with sweet corn, 813
life processes of, shown by cinephotomicrography, 98
on onion, 505
on peanut, fruit breakdown, 459
relation to Aphanomyces, 1394
soil fumigation activity in relation to control of, in peach, 809
tree nurseries, populations in, 457
aphanidermatum
on bentgrass, infection by zoospores, 86, **87, 88, 89**
on cotton, pathogenesis of, 1332
growth, effect of N source, buffer, and pH on, 374
nystatin, effect on, 246
soil temperature and moisture, effect on, 9
stimulation of, by exudates from mung bean seeds, 866
temperature, influence on zoospores of, 821
debaryanum
on cotton, pathogenesis of, 1332
causing stunting of soybeans, 833
peas, importance in root rot of, 1149
irregulare and mamillatum, causing damping-off of conifer seedlings, 765
myriotylum, temperature, influence on zoospores of, 821
sylvaticum, damping-off in sweetgum seedlings at low temperatures, 1284
ultimum
accumulation of chlorinated hydrocarbons, 817
Antirrhinum majus, changes in response to, 1007
control related to thiram persistence, 969
damping-off of conifer seedlings caused by, 765
growth, effect of N source, buffer, and pH on, 374
peas, importance in root rot of, 1149

soil fungistasis, factors affecting, 1116
stunting of soybeans caused by, 833
vexans, pathogenicity and physiology of, 806
Quercus
agrifolia and wislizenii, Erwinia quercina, causing drippy nut disease of, 250, **251**
falcata, sapwood decay, variation with season of cutting, 818

Raabe, R. D., 73, 101, 826, 1008
radiation
combined with diphenyl, effect on pathogenic fungi, 696
gamma-
inactivation of market disease fungi of stone fruits, 428
response of Rhizopus stolonifer to, 806
interaction with heat in postharvest treatment of strawberries, 832
radioautography, of cucumber, induced resistance to anthracnose, 1028
radish
aphid feeding inhibitors in extracts from, 1237
cauliflower mosaic virus inclusions, **1130**
crop residues, toxic to, 401
lignin production by Alternaria japonica, 1339
respiratory response of varieties resistant and susceptible to infection by Fusarium oxysporum conglutinans, 699
radish mosaic virus, transmission by beetles, 502
Radopholus similis
hot-water treatment for control, in anthurium, 1006
nematocide for control of, 9
Ragsdale, Nancy N., (648), (1191)
Rahm, M. L., (1004)
Rai, P. V., 1008
Ramakrishnan, L., 826
Rangarajan, M., (688)
Ranney, C. D., 1398
Rao, A. S., (990)
Rao, P. S., 827
Raphanus sativus (see **radish**)
raspberry
Phytophthora fragariae on, 782
Pseudomonas blight of, 929, **930**
viruses, pollen- and seed-borne, 95
Ravenscroft, A. V., (604)
red clover (see also **Trifolium**)
bean yellow mosaic virus, resistance to, 457
Cephalosporium gregatum on, 810
Erysiphe polygoni on
electrophoretic comparisons of clones, 482
genetics of resistance to, 198
Heterodera trifolii, clover cyst nematode reaction to, 576, 1305
peanut stunt virus on, 837
Pratylenchus on, sample size vs. emergence from roots, 834
Trichodorus christiei, influence on population density of, 338
viruses on
seed transmission of, 98
spread to bean, 476
Xiphinema americanum on, 1390
red clover vein mosaic virus
decline of clover plants infected with, and Fusarium spp., 808
effect of mannose on, 1292
Reddy, M. N., 827
red oak
Ceratocystis fagacearum
formation of pressure cushions in vitro, 822
survival, in roots of, 345
red pine, Tympanis canker of, analysis of epidemics, 822
Reiner, Karen I., (815)
relative humidity
effect on release and dispersal of Cercospora beticola conidia, 889
measurement of water emanation from underground plant parts, 829
Renfro, B. L., (394)
resistance (see also **genetics**)
apple
to Botryosphaeria ribis, 38
inheritance of, to Venturia inaequalis, 801
to bacteria, biochemical basis for hypersensitive reactions, 812
banana
to Sigatoka leaf spot, 9
to wilt, vascular gel caused by Fusarium oxysporum cubense, 11, **12, 13**
barley, to Puccinia hordei, 66
bean, induction and distribution of phytoalexins, 1154
cabbage, to Fusarium wilt, 1005
cell walls, to polysaccharide-degrading enzymes, 625
Chinese cabbage, to Plasmodiophora brassicae, 330
clover, to Erysiphe polygoni, biochemical studies of, 482
corn
to corn borer and stalk rot, 1031
inheritance of mature plant to rust, 815
to Phymatotrichum omnivorum, 380
to Puccinia sorghi, 828, 1372
cotton
to Fusarium oxysporum vasinfectum, effect of nutrition, 457
to root knot and Fusarium wilt, 1327
to Verticillium albo-atrum, 759
to Verticillium albo-atrum, effect of nutrition, 457
to Verticillium wilt, 836, 885
to Verticillium wilt, technique for evaluating, 1264
Xanthomonas malvacearum, breakdown caused by interactions of certain diurnal temperatures, 47, **49, 50**
cucumber, to anthracnose, 1028
Cytospora cincta, induced-, and translocated to in prune, 1094
elm
to Ceratocystis ulmi, 641, 1247
to Verticillium albo-atrum, 1247
Erwinia amylovora, on apple, by previous inoculation with bacteria, 22
to flax rust by previous inoculation, 819
lima beans
to Rhizoctonia solani, inheritance of, 102
to two strains of Phytophthora phaseoli, 648
loblolly pine, to Fomes annosus, 1034
maize dwarf mosaic virus, field observations, 346
oats
to Pseudomonas coronafaciens, 644
to Puccinia coronata, 811
Pelargonium spp., to Xanthomonas pelargonii, 1178
pepper
to Phytophthora capsici, 377
to Xanthomonas vesicatoria, related to saccharin, 817
Phaseolus lunatus, fungitoxin formation in wound sap, 1111
Phytophthora fragariae, laboratory method for studying, 837
ponderosa pine, to dwarf mistletoe, 1008
potato
to Meloidogyne spp., 7
to Phytophthora infestans, 69
potato tubers, to Erwinia carotovora, 737, **739**
raspberry, to Pseudomonas blight, 929
red clover
to bean yellow mosaic virus, 457
to Erysiphe polygoni, genetics, 193
root rot of corn, fungal populations associated with, 76
safflower
to Puccinia carthami, 772
to Rhizoctonia solani, 946, **948**
soybeans, to Phytophthora spp., 352

sweetpotato, to Ceratocystis fimbriata, enzymatic changes in, 421
tall oatgrass, to crown rust, 805
tobacco, to black shank, 814
tomato
to anthracnose, spore concentration related to, 802
to Fusarium wilt, 916, 1005
to Meloidogyne spp., 584
wheat
genes for upon development of Erysiphe graminis, 831
mature-plant, to powdery mildew, 812
to Puccinia striiformis, genes conditioning, 1009
to snow molds, 308
to Urocystis agropyri, 324
respiration
bean, relation to Rhizoctonia solani lesion maturation, 127
corn, effect of maize dwarf mosaic virus, 459
endogenous-, of wheat stem rust urediospores, 656
radish, response to infection by Fusarium oxysporum conglutinans, 699
Reynolds, H. W., (414)
Rhizoctonia spp.
Bermuda grass, spring dead spot associated with, 462
on cotton, influence of Streptomyces spp., 1008
cotton root necrosis associated with, 827
damping-off of conifer seedlings caused by, 765
occurrence in seeds of small grains and other plants, 808
on onions, 505
preservation of, 816
wheat foot rot, interaction of crop rotation and seeding date, 99
callae, endophytica, and fragariae, Ceratobasidium sp., similarity to, 218
fragariae and praticola, serology for differentiation of spp., 647
solani (see also **Thanatephorus cucumeris**)
accumulation of chlorinated hydrocarbons, 817
anastomosis, relation to morphology and physiology, 830
asexual nuclear division in, 43
on bean
distribution of enzymes in infected hypocotyls, 121, **123**
oxidase activity in relation to lesion maturation, 132
blight of safflower, 946, **948**
Ceratobasidium sp., similarity to, 218
colonization of soil organic matter, 591
cotton, seed protection against, 7
growth in different soils, 591
identification, problems of, 218
infection cushion, stimulation of, in soil, 342
influence of Meloidogyne incognita on tobacco root rot, 826
life processes of, shown by cinephotomicrography, 98
lima bean, inheritance of resistance to, 102
mycelium, anastomosis of, 598
phytoalexin, induction and distribution in bean hypocotyls, 1154
sclerotia, P^{32} accumulation in, 1053
sclerotial formation in relation to survival, 59.
seed exudate in relation to temperature and preemergence damping-off, 814
serology for differentiation of spp., 647
Streptomyces spp. antagonistic to, 347
suitability of granular diluents for pentachloronitrobenzene in control of, 942
systemic activity of Vitavax to, 805
virulence as influenced by nutritional status of inoculum, 835
Rhizopus spp., sweetpotato, ion effect on macerating action of infected tissue extracts, 648
arrhizus
in vitro protein synthesis in a cell-free system from, 817
sensitivity to chilling, 881
nigricans
cycloheximide, toxicity of, 1191
tomato, effect on growth, under gnotobiotic conditions, 1262
oryzae, sensitivity to chilling, 881
stolonifer
low O_2, growth, and enzyme production in, 1010
occurrence and behavior of variants tolerant to 2,6-dichloro-4-nitroaniline, 835
radiation and heat treatment, inactivation of, 428
responses of germinating sporangiospores to heating, chilling, gamma radiation, and anoxia, 806
sensitivity to chilling, 881
rhizosphere
Acer platanoides, antagonistic relationships, Verticillium dahliae and other fungi from, 363
corn, fungi associated with, 76, 869
desert plants, antibiotic production in, by Streptomyces spp., 347
Typhula idahoensis, survival of sclerotia in, 815
Rhodes, W. H., (459)
Rhododendron obtusum, pathogenicity of Cylindrocladium spp., 832
Rhopalosiphum maidis and padi, temperature alteration of barley yellow dwarf vector specificity, 344
Ribes spp., effect of eradication on white pine blister rust, 1010
ribonucleic acid (see also **nucleic acid**)
azauracil, inhibitor of RNA synthesis and effect on plant-nematode host-parasite relation, 576
of Uromyces phaseoli, incorporation of H^3- and C^{14}-labeled ortic acid, 808
wheat infected with Puccinia recondita, changes in, 632
rice
Cochliobolus miyabeanus, increased susceptibility of virus-infected leaves, 227
fatty acids in fields, 841
fungicides for control of blast, 806
Fusarium populations in field, 1152
pathogenic specialization in Piricularia oryzae, international races and differential varieties, 297
Piricularia oryzae
chemical control of, 457
environmental factors influencing infection, 237
seeds, Xanthomonas oryzae (Rajasthan strain) found in, 688
soil profile, concentrations of toxins in, 461
soil, soluble sulfide and iron, 461
rice blast, chemical control of, 457
Rich, A. E., (342), (345)
Rich, S., (834), (972)
Richardson, H. B., (950)
Richardson, L. T., 232
Riffle, J. W., 104, 541
Riggs, R. D., (801), 827
Roane, C. W., 66, (644)
Robert, Alice L., (297)
Roberts, B. R., 827
Roberts, D. A., (826)
Rochow, W. F., 344
Rodriguez-Kabana, R., (7), 463, 827, (841), 911
Rohde, R. A., (340), (344)
Rohrbach, K. G., (442)
Roistach, C. N., 101
Roncadori, R. W., 827
root disease, Verticicladiella wagenerii on pine, 935, **937**
root elongation, ryegrass, inhibition by sugars, 272
root exudates
cotton, supporting Streptomyces spp. antagonistic to Rhizoctonia, 1008
sugarcane, technique for studying, 8

root rot
avocado, Phytophthora cinnamomi, biological control of, 1278
of barnyard grass, caused by Helminthosporium pedicellatum, 52
bean
interaction of major factors influencing severity of, 802
red kidney-, phosphatidases associated with, 342
of corn
caused by Helminthosporium pedicellatum, 52, **53**
Diabrotica longicornis, a vector for Fusarium moniliforme, 825
fungi associated with rhizosphere, 76, 869
crop residues, materials in, predisposing plants to, 401
of Dallis grass, caused by Helminthosporium pedicellatum, 52
effect of
container characteristics on soil temperature and disease development, 824
cropping practices on pea root rot, 667
of elm cuttings, caused by Fusarium solani, 920, **921**
Fomes annosus, 1176
of Johnson grass, caused by Helminthosporium pedicellatum, 52
onion, control, with crop residues, 505
pea
importance of Pythium, 1149
increased susceptibility to, in virus-infected, 804
pathogenic variability in Aphanomyces euteiches, 57
Phymatotrichum omnivorum, physiologic responses of resistant and susceptible root tissues, 380
safflower, influence of irrigation, 1056
strawberry, races of red stele, 173
tobacco, influence of Meloidogyne incognita on Rhizoctonia solani, 826
tomato, Phytophthora capsici and P. parasitica, caused by, 101
of yellow foxtail, caused by Helminthosporium pedicellatum, 52
roots
Agrostis palustris, root hair infection by zoospores of Pythium aphanidermatum, 86, **87, 88, 89**
banana, vascular gel in, 11, **12, 13**
cotton, fungi associated with necrosis of, 827
phytotoxins, effect on, 401, **403**
relationship between sample size and emergence of Pratylenchus penetrans, 834
Rorie, F. G., (237)
Rosaceae, Phytophthora fragariae on members of, 782
rose
chemical control of powdery mildew, 833
viruses, of, comparison with stone fruits, 98
rose mosaic virus
heat therapy, 1010
purification and serology, 1197, **1199**
serology of, 811
Rosenkranz, E., 551
Ross, A. F., (38)
Ross, J. P., 463, 465
Roth, L. F., 1008
Rotylenchulus reniformis, survival in air-dried soil, 804
Rotylenchus robustus, susceptibility to subfreezing temperatures, 822
Rubio-Huertos, M., (1130)
Rubus spp. (see **raspberry**)
Runyan, A. C., (647)
Ruppel, E. G., 1077
Russell, T. E., 1008
russet crack virus, sweetpotato, heat therapy and symptomatology, 183, **184, 185, 186**
Russian-olive, Botryodiplodia disease of, 825
rust (see also under genera of)
germination inhibitors found in urediospores, 932
physical and chemical factors controlling development of infection structures from urediospore germ tubes, 855
safflower, relationship of seedlings and foliage, 772
sunflower, multiple inoculation method, 822
tall oatgrass resistant to Puccinia coronata, 805
rye, Rhizoctonia spp., occurrence in seed of, 808
ryegrass, sugars, causing inhibition of root elongation, 272

Saari, E. E., (405)
Saccardia spp., on oak, 1009
saccharin, Xanthomonas vesicatoria, related to resistance in pepper, 817
Saccharomyces pastorianus
metabolism of C^{14}- and S^{35}-labeled phaltan, 831
phytoactin, mechanism of action in, 367
toxicity of cycloheximide, 1191
Sachs, I. B., (823), 827
Sackston, W. E., (822), (1396)
Safargali (stubborn) disease, citrus trees, tumor-inducing agent associated with, 108, **111**
safflower
effect of environment on disease reaction to Phytophthora drechsleri, 1006
lettuce mosaic virus on, inheritance of reactions to, 789
Rhizoctonia blight of, 947, **948**
root rot as influenced by irrigation, 1056
seedling rust resistance, 772
Sagen, J. E., (836)
Salazar, L. G., (10)
Samaddar, K. R., 828
Samayoa, E., (805)
Samborski, D. J., (803)
Sands, D. C., 828
Sansevieria spp., nematode control of, with nematocides, 9
Santilli, V., (343), (345)
saponins, alfalfa, from, in relation to Phytophthora cinnamomi, 1278
Sasser, J. N., (458)
Satour, M. M., 101, 510, 828
Saxena, K. M. S., 828, (1372)
Sayre, R. M., 828, (1064)
Schaad, N. W., 1008
Schaeffer, G. W., (576)
Schafer, J. F., (810), (812)
Scheffer, R. P., (530), (817), (828), (1169), 1288
Schick, F. J., (813)
Schieber, E., 1003
Schipper, A. L., 829
Schippers, B., 328, (829)
Schisler, L. C., 519, 829
Schizophyllum commune, sexual development, inhibition of, 344
Schlegel, D. E., (818)
Schmitt, C. G., (644), (1133)
Schmitthenner, A. F., 829
Schnathorst, W. C., 101
Schneider, H., (103), 829, (1006)
Schneider, I. R., 829
Schoeneweiss, D. F., 1392
Schreiber, L. R., 920, 1269
Schroth, M. N., (250), (823), 829, (1260)
Schultz, H. G., (807)
Schuster, M. L., 830, 1064
Sclerophthora rayssiae zeae, corn, downy mildew, 394, **396**
Sclerospora sorghi, sorghum, of, 459
sclerotia
Rhizoctonia solani, P^{32} accumulation, 1053
Sclerotium cepivorum, recovery from field soil, 1007
Sclerotium rolfsii, effect of ammonia and pH, 425
Typhula idahoensis
in rhizosphere, 815
survival of laboratory-grown vs. field-grown, 1006
Verticillium dahliae, loss of drought resistance, 703

Sclerotinia
laxa
cycloheximide toxicity of, 1191
technique for studying germination of, 997
sclerotiorum
carbohydrates, effect on mycelial growth, 1010
life processes of, shown by cinephotomicrography, 98
on sunflower, hemicellulose degradation, 203
Sclerotium
cepivorum
on onion, effect of soil temperature, 99
recovery of sclerotia from field soil, 1007
coffeicola, cytology of, 8
rolfsii
ammonia and pH, effect on, 425
asexual nuclear division in, 43
characteristics of cellulase system produced by, 803
cytology of, 8
dipyridyl and toluidine, effect on, 7
effect of Paraquat on growth in culture and soil, 911
enzyme activity to measure growth in soil, 827
influence of C source and pH on oxalic acid accumulation, 821
life processes of, shown by cinephotomicrography, 98
wheat, effect of temperature on pathogenicity, 538, [43]
Scott, H. A., (61), (648)
Scott, K. J., (326)
seed
exudate, mung bean, stimulation of Pythium, 866
exudate in relation to temperature and preemergence damping-off, 814
seed-borne fungi, Curvularia leaf spot of bluestem grasses, 975, **976, 977**
seed-borne viruses
raspberry, 97
soybean, associated with seed coat mottling, 35
seeding date, wheat foot rot, interaction with crop rotation, 99
seed transmission, tobacco mosaic virus, in apple and pear, 214
seed treatment
control of Rhizoctonia solani and Fusarium spp. in cotton by, 7
Sclerotium rolfsii, effect of Panogen on controlling seedling disease of wheat, 538
Sehgal, O. P., 830
Septoria lycopersici, effect on tomatine, 1358
Sequeira, L., 830, (1182)
serology
aster ringspot and tobacco rattle viruses, relationship determined by, 198
Ceratobasidium and Rhizoctonia spp. differentiated by, 647
mechanically transmitted viruses, 811
oak wilt, detection of, 32
peanut stunt virus, 461
potato spindle tuber virus, 533
potato viruses M, S, X, and Y, detection of, 61
Pseudomonas phaseolicola, comparison of races 1 and 2, 813
Pseudomonas savastanoi, determining water-soluble antigenic constituents of, 1011
rose mosaic virus, 1197
sour cherry, NRSV found in and relationship with other virus isolates, 339
soybean mosaic virus, purification of, 465
tobacco mosaic virus antigen synthesis in nucleus, immunoradioautographic evidence for, 818
tobacco mosaic virus, purification of large quantities, 1285
tobacco rattle virus and pea early-browning virus, relationship between, 97
virus, antigen:antibody reactions in density gradient centrifugation and in electron microscopy, 802
western celery mosaic virus, 1104, 1136
Xanthomonas vesicatoria, differences between pepper and tomato isolates of, 647
sesame, Cylindrosporium sesami, importance of, 8
Setaria lutescens, root rot caused by Helminthosporium pedicellatum, 52
Seymour, C. P., (389)
Shain, L., 1034
Sherp, E. L., (1008), 1009
Shaw, C. G., 1161
Shaw, D. S., 454
Shaw, J. G., 830
Shay, J. R., (819)
Sheehy, J., 830
Shepard, J. F., 1104, 1136
Shepherd, R. J., 52, (102)
Sherrod, L., 14
Sherwood, R. T., 830, (1046)
shikimic acid pathway, Hypomyces solani cucurbitae, perithecial development, 1138
Shinde, B. G., 345
Shortle, W. C., Jr., (342)
shortleaf pine (see **Pinus** echinata)
Shrum, R., 345
Siegel, A., (814)
Siegel, M. R., (648), 831, (1191)
Siemer, S. R., (103)
Sigel, C. W., (833)
Sigel, Edith M., (519), (829)
Silbernagel, M. J., (1400)
Simbwa-Bunnya, M., (1009)
Sinclair, J. B., (458), (805)
Sinclair, W. A., (339), (807), (810)
Sinden, J. W., (519), (829)
Sinden, S. L., 102, (1000)
Singh, A., (803), 831
Singh, D., 831
Singh, H., (808)
Singh, J., 1009
Sinha, R. C., 831
Sisler, H. D., (367), 648, (831), 1191
Skelly, J. M., 345
Skotland, C. B., 1009
Slesinski, R. S., 831
Smale, B. C., (646)
Smalley, E. B., (802), (831)
Smith, M. A., 831
Smith, P. G., 377
Smith, R., (821)
Smith, R. S., Jr., 935, (1010), 1265
Smith, S. H., 832, (1011)
smut (see also under genera of)
germination inhibitors found in spores of, 932
Snell, J. F., (246)
Snow, J. P., 832
snow mold, alfalfa, inhibition of cyanogenesis in, with Borax, 863
Snyder, W. C., (99), (293), (328), (710), (1010), (1250)
Sobers, E. K., 234, 389, 464, 832
sodium chloride, toxicity to Norway maple, 835
soil
amendments, effect on growth and survival of Verticillium dahliae, 703
antagonism in, 598
bacteria, culture media, suppression of actinomycetes by PCNB, 811
buried filter for studying behavior of fungi in, 644
cherry rasp leaf virus, retention in, 103
clay, effect on fungicides, 572
Cochliobolus sativus, fungistatic differences in Saskatchewan, 224
dilution plates, origin of fungal colonies, 836
fumigation in
effect on colonization of spermosphere, 835
microbial ecological responses following, 801
fungicides
effect of clay and ammonium humate on, 572

methylmercuric dicyandiamide activity related to time, concentration, and Penicillium population, 823
fungistasis
Pythium ultimum, factors affecting, 1116
relation to spore nutrition, 894
sensitivity of fungus spores to, 833
Fusarium oxysporum, decline of, in forest, 1265
Fusarium populations, in rice fields, 1152
inhabitant concept, 591
method for studying fungi in, 602
moisture
Cephalosporium stripe of wheat, effect on, 1008
effect on
black shank development in tobacco, 691
Thielaviopsis basicola chlamydospore germination, 729
fatty acids in water-logged rice fields, 841
measurement of water emanation from underground plant parts, 829
tomato, effect on internal browning, 354
nematode survival in air-dried, 804
organic matter, origin of fungal colonies on soil-dilution plates, 836
Plasmodiophora brassicae, movement in, 835
profile, rice, concentration of toxicants in, 461
Pseudomonas solanacearum, detection of, in artificially infested, 25
Pythium, isolation from, 813
Rhizoctonia solani, differences in antagonistic effect, 591
rice, soluble sulfide and iron, 461
Sclerotium cepivorum, recovery of sclerotia from, 1007
selective media for isolating Aspergillus flavus from, 939
survival
Corynebacterium michiganense, 1067
Fusarium solani, 1242
Phytophthora spp., 510
Rhizoctonia solani, in different, 591
Thielaviopsis basicola endoconidia and chlamydospores, 821
temperature effect on
black shank development in tobacco, 691
container characteristics on, 824
spore survival and germination in Fusarium roseum, 825
translocation of tobacco mosaic virus, 464
thiram, persistence in, to control damping-off, 969
transmission of sugarcane mosaic virus in sorghum, 804
Verticillium albo-atrum
germination of microsclerotia in, 810
number of propagules in, 1004
soil-borne diseases, wheat mosaic virus, 905
soil-dilution plates, origin of fungal colonies, 836
soil microorganisms
accumulation of pesticides by, 817
antagonistic to Rhizoctonia solani, selective heat treatment of, 591
Bermuda grass, spring dead spot associated with, 462
crop residues, influenced by, 505
desert plants, in rhizosphere of, 347
fungi, strip bait method for growth studies and isolation, 1266
soil water, Fusarium solani pisi, effect on survival of, 178
Solanum nodiflorum, host for Pseudomonas solanacearum, 97
Solberg, R. A., (452)
Solheim, W. G., 1009
Sommer, N. F., 428, (806), 832, (881)
Sophora japonica, Fusarium canker, factors affecting development of, 342
sorbitol, effect on
pigment production in Xanthomonas phaseoli, 803
production of polygalacturonase in Fusarium oxysporum lycopersici, 825
Sordaria fimicola, sexual development, inhibition of, 344
Sorensen, E. L., (827)
sorghum
comparison of chloroplasts in healthy and maize dwarf-infected plants, 834
downy mildew of, 459
head smut, physiologic specialization in, 925, **926**
mosaic disease of, 464
Periconia circinata, host specific toxins from, 530
root rot of, by Helminthosporium pedicellatum, 52
rotation with peanut, effect on Meloidogyne arenaria, 464
soil transmission of sugarcane mosaic virus, 804
Verticillium albo-atrum, host for, 14
sour cherry yellows virus, cherry, peach, and plum, associated with disease symptoms, 101
Southards, C. J., 18
sowbane mosaic virus, identical to apple latent virus 2, 639
soybean
accumulation of phenols in plants inoculated with nonpathogenic fungi, 804
alteration of starch and N in Pseudomonas glycinea infected, 831
Cephalosporium gregatum, control with rotation, 114
cross-protection, Phytophthora cactorum against P. megasperma sojae, 352
Fusarium moniliforme, pathogenicity of, 462
Heterodera glycines, comparison of pathogenicity and development of Va. 2 isolate, 647
host for peanut stunt virus, 837
identification of phytotoxins in, 834
invasion of by storage fungi, 622
nematodes, yield reduction by, 463
nutritional and biological factors, affecting reaction to Pseudomonas glycinea, 801
penetration and colonization of resistant and susceptible pods by Diaporthe sojae, 649
phytoalexin, comparison of, produced in two varieties differing by a single gene, 645
Pratylenchus brachyurus and P. zeae, population increase on, 118
Pseudomonas glycinea, factors affecting symptom expression, 829
storage of, influence of temperature and moisture content on invasion by fungi and increase in fat acidity values, 622
stunting caused by Pythium spp., 833
virus, association with mottling of seed coat, 35
soybean mosaic virus, purification of, for antiserum production, 465
Spalding, D. H., 648
Specht, C. H., (346)
Speights, D. E., 902
Spencer, J. A., 1332
spermosphere
effect of soil fumigation on colonization of, 835
fungi, seasonal variation in inoculum potential of, 103
Sphacelotheca reiliana, physiologic specialization in, 925, **926**
Sphaerotheca
lanestris, on oak, 1009
pannosa rosae, chemical control of, 833
spinach
effect of ozone and sulfhydryl reagents on, 834
Rhizoctonia spp., occurrence in seed of, 808
sporangia
Pythium ultimum, germination in soil, 1116
Synchytrium endobioticum, staining with tetrazolium salts to indicate viability, 965
spore germination (see **germination**)
spore samplers and traps (see **techniques**)
spores
a collector for, 455
germinated, resistance to drying, 719
release and dispersal of Cercospora beticola conidia, 889

soil fungistasis
nutrition related to, 894
sensitivity of fungi to, 833
tomato anthracnose resistance related to concentration, 802
sporulation
Cercospora beticola, effect of light on, 679
Colletotrichum coccodes, light-induced, 1173
Curvularia robusta, 975
Fusarium roseum, influence of Ca and S on, 644
Helminthosporium dictyoides, effect of temperature and light on, 834
Helminthosporium stenospilum, effect of light on, 811
Helminthosporium vagans, effect of light on, 808
Leptosphaerulina australis, 1386
Phymatotrichum omnivorum, on defined medium, 228
Phytophthora phaseoli, 341
Puccinia graminis tritici, on artificial medium, 326
Verticillium dahliae, from sclerotia in soil, 703
Spurr, H. H., Jr., 832
squash
chemical control of powdery mildew of, 833
tissue homogenates, indirect role of cytochrome oxidase in loss of prune dwarf virus infectivity in, 797
Stace-Smith, R., 102, (674)
Stace-Smith, S. R., 1009
Stahmann, M. A., (421), (455), (737), (820)
Stakman, E. C., (609)
stalk rot of corn, fungi associated with rhizosphere, 76, 869
Stall, R. E., (457), (807), 832, 1276
Stallknecht, G. F., (679), (799)
Staples, R. C., (808), (826)
starch
alteration of, in soybean infected with Pseudomonas glycinea, 831
depletion in infection types of Uromyces phaseoli, 829
Starling, T. M., (66)
Stavely, J. R., 193, 482
stearic acid, apple blossom freezing, use in prevention of, 341
Steere, R. L., 648, 832
Steiner, G. W., 833
Steinswat, W., 102
Stelfox, D., (1005)
Stemphylium
botryosum
oxathiin toxicity to, 1256
S. solani compared with, 338
loti
alfalfa, production of phytoalexin in response to, 340
birdsfoot-trefoil, cyanogenesis in relation to infection, 343
sarcinaeforme, toxicity of imides, 876
stem pitting virus, apple, sap-transmissible, 819
stem rot, on lima bean, caused by Rhizoctonia solani, resistance to, 102
stem rust of wheat (see **Puccinia** graminis)
steroid alkaloids, potato, produced by tubers under stress, 1272
sterols
Cochliobolus carbonum
influence on sexual differentiation, 1081
utilization and synthesis among isolates, 824
cucumber anthracnose, control with digitonin, complexing agent, 818
nystatin, relationship with, 246
Phytophthora sp., Ca interaction, 461
Stevens, D. L., 1009
Stimmann, M. W., 1072
Stipes, R. J., (827), 833, (1269)
stone fruits (see **Prunus**)
Stoner, M. F., 102, 447
Stoner, W. N., 9
storage
corn, effect of moisture content and temperature, 588
cranberries, predisposition to decay, 497
cryogenic, conidia of Peronospora tabacina, 644, 1133
potato, pectic enzymes produced by Pseudomonas fluorescens, 341
preservation and pathogenicity of Colletotrichum, Rhizoctonia, and Phytophthora, 816
rots, oranges, entry of stem-end fungi, 805
Strandberg, J. O., 330, (816)
strawberry (see also **Fragaria chiloensis**)
Phytophthora fragariae on
method for laboratory study of, 837
physiologic races of, 173
radiation-heat interaction in postharvest treatment, 832
Verticillium dahliae, inoculum potential of, 345
Xanthomonas fragariae, systemic invasion of, 1260, **1261**
Streptomyces spp.
desert plants, antibiotic production in rhizosphere of, 347
Rhizoctonia in cotton, influence on, 1008
griseus, effect on axenic peanut plants, 644
Stretton, Helena M., (591)
Strider, D. L., 1067
stripe rust (see **Puccinia** striiformis)
Strissel, J. F., 833
Strobel, G. A., (1008), (1009)
Strobel, J. W., (7)
Stubbs, R. W., 615
Stuteville, D. L., (827)
Subbarayudu, S., 1292
sucrose, Ceratocystis ulmi, effect on spore germination, 338
sugar beet
beet western yellows virus, aphid feeding and plant inhibitors, 1237
Cercospora beticola, release and dispersal of conidia, 889
cucumber mosaic virus, delayed acquisition of infectivity, 837
curly top, appearance of yellow vein form after passage through Chenopodium murale, 99
extracts, inactivation and inhibition of cucumber mosaic virus, 1077
symptoms of Cercospora leaf spot influenced by light intensity, 799, **800**
virus yellows symptom suppression with mineral oil, 807
sugar beet mosaic virus, inclusion bodies associated with infection, 210, **211, 212**
sugar beet virus yellows, warning scheme for spraying to control, 1006
sugarcane
nematodes, reproductive cycles on, 1005
root exudates, technique for studying, 8
sugarcane mosaic virus, 9
effect of heat treatment of sugarcane on susceptibility to, 83
infected corn leaves, ultrastructure comparison with maize dwarf mosaic virus, 817
soil transmission in sorghum, 804
sugar pine (see **Pinus spp.**)
sugars
Rhizoctonia solani, stimulation of infection cushions in soil, 342
ryegrass, inhibition of root elongation, 272
Suillus granulatus, nematodes, effect on growth of, 541
sulfhydryl reagents, effect on plants, 834
sulfide, soluble-, related to rice in soils, 461
sulfur, influence on mycelial growth and sporulation of Fusarium roseum, 644
sulfur-35, metabolism of Saccharomyces pastorianus, 831
sulfur dioxide
effect of concentration on storage decay of grapes, 100, 950
exposure chamber for forestry air pollution studies, 804

Sumner, D. R., (990)
sunflower
multiple rust inoculations, 822
Sclerotinia sclerotiorum, degradation of hemicellulose, 203
survival
Ceratocystis ulmi in xylem vessels of elm, 641
Corynebacterium michiganense, 1067
Erwinia spp., media for studying in soil, 1008
Fusarium roseum, effect of low soil temperature on macroconidia, 825
Fusarium solani in soil, 1242
Helminthosporium turcicum, overwintering of conidia, 990, **994**
Pseudomonas phaseolicola, overwinter, 343
Puccinia striiformis, in wheat leaves, 1007
quantitative method of observation, 1242
Rhizoctonia solani, survival in different soils, 591
Rotylenchulus reniformis in air-dried soil, 804
single basidiospore isolates of Thanatephorus cucumeris, 598
soil fungi, influence of volatile substances of alfalfa on, 812
Thielaviopsis basicola, endoconidia and chlamydospores in soil, 729, 821
Typhula idahoensis, sclerotia, 815, 1006
Verticillium dahliae, sclerotia in soil, 703
susceptibility, maize dwarf mosaic virus, field observations, 346
sweet clover, host for peanut stunt virus, 837
sweet pea, Rhizoctonia spp., occurrence in seed of, 808
sweetpotato
Ceratocystis fimbriata, enzymatic changes in resistance to, 421
macerating action of extracts from Rhizopus-rotted tissues as affected by ions, 648
Meloidogyne incognita, effect of temperature on development in, 816
russet crack virus, heat therapy and symptomatology, 183, **184, 185, 186**
Swenson, K. G., (1072)
sycamore
anthracnose, characteristics of causal fungus, 1230
pressure cushion formation by Gnomonia platani, 824
symptomatology
Agaricus bisporus, virus in, 519, **522, 523**
Dutch elm disease, effect of spore concentration on foliage, 1269
Erwinia chrysanthemi, 343
greening disease of citrus, 829
prune dwarf virus, effect of temperature, 823
russet crack virus, 183
sugar beet virus yellows, suppression with mineral oil, 807
Synchytrium endobioticum, staining by tetrazolium salts as indicator of sporangia viability, 965
synergism
decline of red clover infected with vein mosaic virus and Fusarium spp., 808
Phytophthora parasitica nicotianae and Penicillium sp., 649
radiation-heat
inactivation of market disease fungi of stone fruits, 428
interaction in postharvest treatment of strawberries, 832
Thielaviopsis basicola and Verticillium wilt in cotton, 604
Szkolnik, M., (341)

Taft, R. H., 833
Tammen, J., (1178)
Taraxacum officinale, powdery mildew control with antisporulants, 342
taxonomy
bacteria, Erwinia quercina, 250
differentiation of Phytophthora spp. by electrophoresis, 812
Diplodia spp., effect of C and N sources on, 828
nematodes, numerical analysis of Trichodorus, 804
Phytophthora spp., on tomato, 510
Taylor, D. P., (1392)
Taylor, H. M., (805)
techniques
antibiotics, bioassay using Glomerella cingulata spores, 447
antigenic constituents, determined for Pseudomonas savastanoi, 1011
assay method, for propagules of root-infected fungi, 648, 1242
axenic culture, blister rust-infected explants, 1005
bacterial detection, in artificially infested soil, 25
Bauch test, for Ustilago hordei, 818
bentonite flocculation test, for potato viruses, 61
bioassay of Pseudomonas savastanoi, on bean leaves, 1142
buried filter, for soil fungus studies, 602, 644
chromatography
gas-, for cell wall sugars, 625
system for detecting Botran, 462
cryogenic storage of spores, Peronospora tabacina, 1133
deposition of urediospores, on slides and leaves, 647
electrophoresis, new zone-, apparatus, 648
enzyme activity, to measure fungal growth in soil, 827
exposure chamber for air pollution studies, 804
fumigation chamber, air pollution and toxicant studies, 806
gel filtration, for aster yellows virus, 832
germination (see also **germination**)
use of dry vs. wet spores, in Sclerotinia laxa, 997
gnotobiotic conditions for plant growth, 960
inoculation method, sunflower to rust, 822, 1396
isolation methods
Phytophthora cactorum from water snails, 454
Phytophthora spp., from tomato roots, 510
Pseudomonas glycinea, 829
Pythium from soil, 813
Tilletia caries, from wheat stems and ovaries, 1009
laboratory method for studying Phytophthora spores, 454, 837
leaf discs, for examination in controlled environments, 342
media for
actinomycete-suppression, use of PCNB, 811
Agrobacterium spp., physical and chemical, 922
Aspergillus flavus, from peanuts and soil, 939
bacteria and fungi, 447
Botrytis spp., 795
Erwinia in soil, survival time, 1008
Urocystis colchici, teliospore germination, 818
Verticillium albo-atrum, 1250
microtome, for fresh plant tissue, 1126
nematode-determining orientation mechanisms, 816
oligogalacturonides, separation of, 344
pathogenicity method for cotton boll rot, 1398
protein synthesis, in free-cell system for Rhizopus arrhizus, 817
root exudates, use of sugarcane for, 8
sclerotia
estimating production in Verticillium, 1004
recovery from soil, in Sclerotium cepivorum, 1007
soil sieving, to collect Phytophthora chlamydospores, 1134
spore collector, 455
spore sampler, use in aircraft, 434
staining, sporangia for viability, 965
strip bait method, for fungi in air and soil, 1266
surface disinfection, for Trichodorus christiei, 1216
testing for resistance (see also **resistance**)
cotton to Verticillium wilt, 836, 1264
geranium to Xanthomonas pelargonii, 1178
wheat to Sclerotium rolfsii, 538
tissue culture, to assay for Botran toxicity, 819

virus
method for obtaining high concentrations, 1004
method for purification in large amounts, 1285
water emanation from roots, measurement of, 829
teliospores
formation by Puccinia recondita tritici on seedling wheat plants, 793
germination inhibitors found in, 932
Urocystis colchici, germination on agar, 818
Temp, M. V., 667
temperature, effect on
barley yellow dwarf virus, vector specificity, 344
black shank of tobacco, 691
Botrytis convoluta, 1145
Cercospora beticola conidium release and dispersal, 889
Colletotrichum, leaf damage related to, 7
container characteristics, 824
cottonwood canker epidemic, 978
cranberry decay, after bruising, 98, 497
cucumber mosaic virus, aphid transmission of, 1072, 1074
Curvularia robusta, growth, 975
exudates, mung bean seeds, 866
fumigation chamber, 806
Fusarium graminearum
biosynthesis of estrogen from, 822
roseum, conidial germination and survival, 825
Glomerella cingulata, 1309
grape decay and bleaching, 100, 950
Helminthosporium dictyoides, sporulation, 834
Hypsoperine ottersoni, on canarygrass, 723
Meloidogyne incognita, effect on sweetpotato, 816
nematodes, affected by freezing, 822
Phytophthora
drechsleri, on safflower, 1006
parasitica, 9
prune dwarf virus, symptoms, 823
Prunus ringspot virus, transmission of, 230
Pseudomonas caryophylli in carnation, 1353
Puccinia cynodontis, spore germination and infection, 405
Pythium
aphanidermatum, 9, 821
myriotylum, 821
sylvaticum, on sweetgum, damping-off, 1284
ultimum, sporangial germination, 1116
vexans, pathogenicity, 806
resistance of cotton to Xanthomonas malvacearum, 47, **49, 50**
Rhizoctonia on cotton, damping-off related to seed exudate, 814
Rhizopus spp., sensitivity to chilling, 881
root rot
bean, 802
onion, epidemiology, 99
pea, by Pythium, 1149
Sclerotium rolfsii, pathogenicity, 538, [43]
soil flatworm, fecundity and hatch of, 828
storage fungi
aflatoxin production related to, 816
invasion in corn, 588
invasion in soybeans, 622
sugarcane mosaic virus, resistance to, 83
tobacco mosaic virus, translocation of, 464
tobacco streak virus, local lesions in tobacco, 809
Verticillium albo-atrum and V. dahliae, identification, 821
Verticillium wilt, on cotton, 805
water emanation, from underground plant parts, 829
Templeton, G. E., 516, 833
tetrazolium salts, staining of Synchytrium endobioticum for viability, 965
Thames, W. H., Jr., 464
Thanatephorus cucumeris (see also **Rhizoctonia** solani)
causing damping-off of conifer seedlings, 765
Ceratobasidium sp., similarity to, 218
identification, problems of, 218
survival of a single basidiospore isolate, 598
Thayer, P. L., 833
thermophilic bacteria and fungi, from tobacco, 458
thiamine, requirements of Helminthosporium atrovirens, 831
Thielaviopsis basicola
asexual nuclear division in, 43
assay method for observing and enumerating propagules of, 648
buried filter for studying behavior of, in soil, 644
chitinase, effect on spore germination, 1363, **1364**
germination in soil, 602, 729
pathogenicity of, 1007
peanuts, crop sequence, 461
phosphatidases associated with root rot of kidney bean, 342
phytotoxins in plant residues predisposing cotton to, 819
quantitative propagule assay for, 1242
survival of endoconidia and chlamydospores in soil, 729, 821
Verticillium wilt of cotton affected by, 604
Thistlethwayte, B., (820)
Thomas, C. A., (946), (1280)
Thomas, C. E., 1386
Thomason, I. J., (820)
Thompson, C. R., (1278)
Thorn, G. D., (232)
thrips, cultivation of pure lines, technique for, 1005
Thyr, B. D., 1009
ti (see **Cordyline terminalis**)
Tietz, Helga, (836)
Till, B. B., 102
Tilletia
caries, wheat, isolation from stems and ovaries, 1009
controversa
organic and inorganic nutrition, 315
pathogenic races, revised classification of, 279
wheat, effect of stage of development on infection, 410
foetida
isolation of an adenosine-peptide nucleotide from chlamydospores of, 827
wheat, reduction in by 2-chloroethyl trimethylammonium chloride, 339
Timian, R. G., 1375
Ting, Wen-Poh, 833
tissue culture, Botran, assaying toxicity to higher plants, 819
tobacco (see also **Nicotiana**)
accumulation of scopolin and scopoletin in Pseudomonas solanacearum-infected plants, 830
alfalfa mosaic virus found in, 460
black shank of
resistance to, 814
synergism between Phytophthora parasitica and Penicillium sp., 649
cryogenic storage of Peronospora tabacina conidia, 1133
cytology of mixed infection with potato viruses X and Y, 816
effect of
Ca nutrition on black shank of, 647
ozone and sulfhydryl reagents on, 834
phytotoxins from barley on, 834
Heterodera tabacum, function of lipids and chitin, 836
hypersensitive reaction induced by bacteria, 322
indexing for response to Pratylenchus brachyurus, 18
Meloidogyne sp.
Fusarium wilt-root knot complex, 282, 286
Rhizoctonia-root knot complex, 826
peanut stunt virus, symptoms, 460
Phytophthora parasitica on, effect of soil moisture and temperature, 691
Pratylenchus brachyurus

field inoculation trial, 460
genetic variability of tobacco in response to, 18
role of peroxidase in resistance to Pseudomonas tabaci, 819
thermophilic bacteria and fungi isolated from, 458
tobacco etch virus
effect on photosynthesis, 815
peroxidase isozymes in infected plants, 463
tobacco mosaic virus
actinomycin D, effect on, 345
antigen synthesis in nucleus, evidence for, 818
aphids, acquisition and release of, 463
on bean, stimulation of lesions by fluoride, 756
changes in virulence after passage through susceptible or semiresistant tomato, 837
dimethyl sulfoxide, action on, 97
effect of freezing on sensitivity to alkaline degradation, 809
Gomphrena globosa, effect of light intensity on local lesion formation, 329
Lychnis alba, new strain from, 452
new defective strain of, 814
Nicotiana glutinosa, phenolase activity in infected plants, 154
Nicotiana megalosiphon, host for cowpea strain, 464
nitrous acid, inactivating and mutagenic action on, 830
obtaining high concentrations of, 1004
orchid strain, 164, **165, 167, 168, 170**
characteristics of, 164
Cymbidium mosaic virus, separation from, 164
electron microscopy of, 164, **168, 170**
hosts of, 164
particle size of, 164
purification of, 164
serological relationship to tobacco mosaic virus, 164
peroxidase isozymes in, 824
Pinto bean, changes in ascorbate during local lesion formation, 343
protein removal from, after inoculation of tobacco, 830
purification in large quantities, 1285
seed transmission in apple and pear, 214
serology, antigen:antibody reactions in density gradient centrifugation and in electron microscopy, 802
tobacco, effect on glucose metabolism, 457
tomato, factors affecting incidence and severity of internal browning, 354, **359**
translocation of, affected by soil temperature, 464
tobacco rattle virus
aster ringspot virus as strain of, serological relation, 198, **200**
electron microscopy of, 198, **200**
pea early-browning virus, serological relationship between, 97
tobacco ringspot virus
cowpea, peroxidase isozymes in, 824
nucleic acid and infectivity changes, 829
reaction of guar to strains of, 791
sucrose-enhanced local infection, 808
tobacco streak virus
effect of temperature on local lesion development, 809
peroxidase isozymes in, 824
tobacco stunt virus, host specificity in fungus transmission of, 815
Toko, E. V., 1010
Toler, P. W., 464
tolerance (see **resistance**)
Tolin, A., (639), 834
Tollenaar, H., 102, 418
tomato
anthracnose resistance in, related to spore concentration, 802
bacterial stem-end rot, in greenhouses, 902
biological control of Fusarium wilt by Cephalosporium sp., 916
Colletotrichum coccodes on, sporulation light induced, 1173
Corynebacterium michiganense
importance of foliar trichomes as infection sites, 981, **983**
survival, 1067
cross-protection in Fusarium wilt diseases, 311
curly top virus
alterations in auxin levels, 832
metabolism changes induced by, 825
Fusarium oxysporum, determination of fusaric acid in, 339
gall cells of, affected by aromatic hydrocarbons, 823
gnotobiotic conditions, effect of fungi on, 1262
graywall symptoms of, affected by extracts, 1276
growth under gnotobiotic conditions, 960
internal browning, factors affecting, 354, **359**
manganese nutrition and Fusarium wilt development, 814
Meloidogyne spp., resistance to, 584
phenolic compounds and host reaction in, to root knot and lesion nematodes, 344
Phytophthora spp., pathogenicity on, 510
Phytophthora capsici and P. parasitica, causing root and crown rot of, 101
potato spindle tuber virus on, 1347
relationship of root knot nematodes to pathogenic variability in Fusarium oxysporum lycopersici, 812
resistance to bacterial canker, evaluation for, 1009
resistance to Fusarium wilt, 1005
root and crown rot of, 510, **512**
tobacco mosaic virus
factors affecting incidence and severity of internal browning, 354, **359**
virulence changed by passage through susceptible varieties, 837
vein enation and leaf drop caused by an airborne factor, 823
Verticillium dahliae, penetration and distribution in, 1007
Xanthomonas vesicatoria
differences between pepper isolate, 647
importance of wounds, 1099, **1100, 1102**
tomato leaf drop, caused by an airborne factor, 823
tomato ringspot virus
nematode dual transmission with tomato ringspot and tobacco ringspot viruses, 535
properties of, purified, 102
serological comparison with rose mosaic, 1197
tomato spotted wilt virus, in papaya, 9
Tomlinson, H., 834, 972
Toole, E. R., 1361
Toussoun, T. A., (729), (819), 834, (1007)
toxins
from Alternaria tenuis
factors affecting, 516
identification of, causing chlorosis, 833
comparative effects of Helminthosporium carbonum and H. victoriae in susceptible host tissue, 817
fatty acids to rice, 841
Fomes annosus, produced by, effect on Pinus taeda, 1046, **1049**
Fusarium graminearum, biosynthesis of an estrogenic metabolite, 822
Helminthosporium carbonum, host-specific and nonspecific, isolated from, 1169, 1288
Periconia circinata, from, 530
rice, soil profile, concentration of, 461
victorin, relationship with molecular structure of cytokinin, 820
translocation
in Rhizoctonia solani sclerotia, P^{32} into, 1053
tobacco mosaic virus, affected by soil temperature, 464
transmission (see also **aphid(s)** and **insects as vectors**)
aphid-
cucumber mosaic virus, factors affecting, 1074
fireblight of apples, factors affecting, 1060
beetle-, radish mosaic virus, 502

fungus-
tobacco stunt virus, 815
wheat mosaic virus, 905
graft-
grapevine fanleaf virus, 8
mosaic virus on blackberry, 459
pear leaf curl, 1008
Prunus viruses, 1296
leafhopper-
aster yellows virus, strain interactions, 1016
blue dwarf virus, 802
mechanical-
grapevine fanleaf virus, to Chenopodium, 8
lethal yellowing in coconut palm, 826
Prunus spp., 821
nematode-
citrus exocortis virus, nontransmission, 100
tobacco and ringspot viruses, 535
sap-, stem-pitting virus of apple, 819
seed-
barley stripe mosaic virus, 1375
chlorotic leaf spot virus in apple, nontransmission, 924
halo blight of bean, 28
peanut stunt virus, 1280
Prunus spp., 821
red clover viruses, 98
soil-, sugarcane mosaic virus, in sorghum, 804
spore-, X-disease of cultivated mushroom, 519
thrip-, tomato spotted wilt virus, to papaya, 9
Traylor, J. A., (103), 1010
Treshow, M., 756
Trichoderma spp.
in buried wheat straw, antagonism with other fungi, 1006
effect on axenic peanut plants, 644
effect of fumigation on colonization of spermosphere, 835
lignorum, Verticillium dahliae, antagonistic to, 363
viride
combined action of diphenyl and gamma radiation on, 696
tomato, effect on growth, under gnotobiotic conditions, 1262
Trichodorus spp., numerical analysis of, 804
christiei
population density, influence of host sequence on, 338, 1368
reproductive cycle on sugarcane, 1005
surface disinfestation of, 1216
trichome, tomato, importance as infection site for Corynebacterium michiganense, 981, **983**
Trifolium
hybridum, incarnatum, and procumbens on, Heterodera glycines, development on, 647
pratense (see **red clover**)
repens (see **white clover**)
Trione, E. J., (315), (1009)
Trioza erythreae, citrus, vector for greening disease, 829
Tristeza virus, Citrus spp., strain comparisons, 807
Triticum aestivum (see **wheat**)
Tropics
diseases, relative abundance of, 10
rusts, natural enemies of, found in the, 645
Troutman, J. L., 1280
Troyer, A. F., (1282)
True, R. P., (645), (806), (1012)
Trujillo, E. E., 9, (811), (1134)
tryptophan
Phytophthora spp., indolelactic acid synthesis from, 818
Pseudomonas solanacearum, metabolism, differences between strains, 1182
Tsao, Pamela W., 103
Tschabold, E., 1140
Tsou, Phyllis, 345
Tsuga canadensis (see **hemlock**)
Tu, J. C., 834
Tuberculina maxima, white pine blister rust cankers, mode and time of infection by, 1010
Tuite, J. F., (816)
tulip
flower deformation by fungicides, 1202, **1204**
Fusarium basal rot, control of, 1202
tulip mosaic virus, symptom expression and multiplication in tulip petals, 91
turf disease, α-cyclohexyl-α-phenyl-3-pyridinemethanol for control of, 836
Tylenchorhynchus sp., turf, hot-water treatment for control of, 460
claytoni
soybeans, effect on yield, 463
susceptibility to subfreezing temperatures, 822
martini, determining orientation mechanisms, 816
Tylenchulus semipenetrans
aging and starvation, effect on pathogenicity of, 559, **564**
Fusarium spp., interaction on lemon, 414
tyloses, formation on oak wilt, 823
Typhula
idahoensis
resistance to, in wheat, 308
sclerotia, survival of laboratory-grown vs. field-grown, 1006
survival of sclerotia in rhizosphere, 815
incarnata, resistance to, in wheat, 308
Typhulachaeta spp., oak, on, 1009

Ullstrup, A. J., (76), (869), 1282, (1288)
Ulmus americana (see **elm**)
ultrastructure (see also **electron microscopy**)
Brassica juncea chloroplasts in Albugo- and kinetin-induced "green islands," 814
maize dwarf- and sugarcane mosaic virus-infected leaf cells, comparison of, 817
Meloidogyne hapla, intestine, 462
Phytophthora capsici, mitotic apparatus in, 1011
Plasmodiophora brassicae, host-parasite relations, 682, **683-686**
septal pores of Puccinia graminis and P. recondita, 810
ultraviolet radiation, Meloidogyne hapla, effect on hatching, 346
Uncinula necator, chemical control of, 833
urediospores
germination inhibitors in, 932
Melampsora lini, preservation of, 320
physical and chemical factors controlling development of infection structures, 855
Puccinia coronata, germinating, sequence of amino acid release, 832
Puccinia graminis and P. striiformis, improved deposition on glass slides and wheat leaves, 647
Puccinia graminis tritici
carotenes found in, 785
color mutations, 1091
endogenous respiration of, 656
Puccinia recondita, RNA nucleotide composition of, 632
Puccinia sorghi, properties of germination inhibitor from, 648
Uromyces phaseoli, RNA synthesis in germinating, 826
Urie, A. L., (772), (1056)
Urocystis
agropyri, wheat, heritability of resistance to, 324
colchici
onion, control of smut with Lanstan, 342
teliospore germination on agar, 818
Uromyces spp., germination inhibitors in urediospores, 932
fabae, increased cytokinin activity in infected broad bean leaves, 93
phaseoli
bean, starch depletion and accumulation patterns in different infection types, 829

cytokinin activity in infected Pinto beans, 93
incorporation of H^3- and C^{14}-labeled ortic acid into ribonucleic acid of, 808
ribonucleic acid synthesis in germinating uredospores, 826
phaseoli phaseoli, chemical therapeutants for control of, 103
phaseoli typica
bean, chemical control of, 646
bean, effect of gravity on development, 1025
Ustilago
hordei, differential media for Bauch test, 818
maydis, mating between strains on agar media, 826
striiformis, 1,4-oxathiin, control with, 242

Vaartaja, O., 765
Vaccinium macrocarpon (see **cranberries**)
Vakili, N. G., 9, 1099
Van Arsdel, E. P., 1221
Van Etten, H. D., 121
Van Gundy, S. D., 559
Van Heyningen, E. M., (805)
Vargas, J. M., Jr., 405, 834
Varney, E. H., 345
vascular gel, in banana, origin and composition of, 11, **12, 13**
Vaughan, E. K., 103, (835)
Vavra, J. P., (1031)
vein enation, in tomato, caused by an airborne factor, 823
Venketeswaran, S., (819)
Venturia inaequalis, on apple, inheritance of resistance to, 802
Verticicladiella wageneriі
on Douglas fir, 998, **999**
root disease of pine, 935, **937**
Verticillium spp.
on cotton
wilt resistant, 836
zinc deficiency after fumigation with chloropicrin-methylbromide, 103
method for estimating microsclerotium production, 1004
pathogenicity of, 1009
albo-atrum
asexual nuclear division in, 43
barley, effect of rotations on, 1250
control of, in calcareous soil, 7
on cotton
control by rotation, 14
determination of internal inoculum potential in, 101
effect of nutrition on resistance, 457
nature of resistance to, 885
technique for evaluating resistance to, 1264
cotton wilt reactions as affected by postinoculation temperatures, 805
culture media for isolating propagules from soil, 1250
elm, resistance to, 1247
field soil, number of propagules in, 1004
germination of microsclerotia in soil, 810
gossypol formation in cotton induced by, 759
high temperature to distinguish from V. dahliae, 821
induction and repression of polygalacturonase synthesis, 825
life processes of, shown by cinephotomicrography, 98
microsclerotia, from plants at harvest, 1250
oligogalacturonides, method for separation, 344
peanuts, crop rotation, 461
polygalacturonase, inhibition of, by oxidized phenols, 492
sorghum, host for, 14
Streptomyces spp. antagonistic to, 347
Thielaviopsis basicola, effect on incidence and severity of wilt in cotton, 604
dahliae
direct assay in soil, 703
effect of inoculum potential on nematode populations in elm and maple roots, 810
high temperature to distinguish from V. albo-atrum, 821
strawberry, inoculum potential of, 345
survival and multiplication in uncropped soil, 703
tomato, penetration and distribution, 1007
vetch
bean yellow mosaic virus, identification of, 463
increased cytokinin activity in leaves infected by Uromyces fabae, 93
victorin, oats, suppression of symptoms with Ca, 458
Vigna sinensis (see **cowpea**)
Villalon, B., 464
Vincent, M. M., (61)
virulence
Aphanomyces euteiches, variation in, 57
Armillaria mellea, variation in, 73
Rhizoctonia solani, influenced by nutritional status of inoculum, 835
viruses
Anthurium andraeanum, found in, 8
aphid transmission of maize dwarf mosaic virus, 956
apple latent virus 2 is sowbane mosaic, 639
apricot, in, 1268
aster yellows
distribution in vector and sequence of infection sites, 831
effects of strains on vascular structure and function in Nicotiana rustica, 833
gel filtration of, 832
strain interactions, 1016
barley stripe mosaic, cytology of, infected tissues at different stages of maturity, 811
barley yellow dwarf, transmission by five aphid spp., 713
cauliflower mosaic, inclusions, **1130, 1131**
characterization of
soybean mosaic, 645
Wisconsin pea streak virus, 551
chlorotic leaf spot, lack of seed transmission in apple, 924
citrus
greening disease of, 829
introduced in budwood, 101
citrus variegation and psorosis, failure of protection between, 151
citrus vein-enation, anatomy of infected leaves, 1006
corn, mosaic from, 836
cowpea chlorotic mottle virus, source host, effect on infectivity, 459
cucumber mosaic virus
effect of temperature and light on transmission of, 1072
metabolite changes induced by, 472
natural occurrence in crownvetch, 648
inactivation by sugar beet extracts, 1077
nutrition affects infection, 838, **839**
in sugar beet, 1077
time after inoculation a factor in aphid transmission, 824
curly top
alteration in auxin levels in resistant and susceptible hosts, 832
metabolic changes in infected tomato plants, 825
delayed acquisition of infectivity, 837
elderberry, found in, 813
electron microscopy, Wisconsin pea streak virus, 551, **555**
guar, reaction to strains of tobacco ringspot, 791
host nutrition, effect of, on infection, 98
infected peas, increased susceptibility to root rot, 804

interaction of alfalfa mosaic and bean yellow mosaic, 1274
local lesions, enhanced by sucrose, 808
maize dwarf mosaic
comparison of chloroplasts in healthy and infected plants, 834
occurrence and distribution in Pa., 820
maize viruses in the Americas, 9
multiplication and symptom expression of tulip mosaic virus in tulip petals, 91
natural spread, red clover to bean, 476
nematode transmission of, 535
oat blue dwarf, leafhopper transmission, 802
oat necrotic mottle virus, 302, **304**
peach, reaction to dimethyl sulfoxide, 671
peanut stunt
leguminous hosts of, 837
properties of, 834
seed transmission of, 1280
pear, recovery from pollen, 1011
symptoms on peach when propagated on Prunus tomentosa and P. besseyi, 159, **161, 162**
peroxidase isozymes in infected tobacco and cowpea, 824
pollen- and seed-borne, of raspberry, 97
potato spindle tuber, serological tests for, 533
potato virus X
effect of ethanol fixation on, 815
eradication by thermotherapy, 674
potato virus Y
mutant strains, 385
strain isolation and maintenance, 385
potato viruses X and S, thermostability of, 1009
potato yellow dwarf, infectivity dilution curve, 836
properties of leaf proteins from virus tolerant and susceptible apple varieties, 853
prune dwarf, role of cytochrome oxidase in loss of infectivity, 797
Prunus spp., mechanical transmission of, from seeds of, 821
radish mosaic virus, transmission of, 502
rice, increased susceptibility of infected leaves to Cochliobolus miyabeanus, 227
rose mosaic, heat therapy of, 1010
roses and stone fruits, comparison of, 98
safflower, reactions to lettuce mosaic, 789
serology
antigen:antibody reactions in density gradient centrifugation and in electron microscopy, 802
of mechanically transmitted, 811
soil-borne wheat mosaic virus, 905
soil transmission of sugarcane mosaic in sorghum, 804
sorghum, mosaic disease of, 464
sour cherry, NRSV, found in and serological relationship with other isolates, 339
soybean, association with mottling of seed coat, 35
soybean mosaic virus, purification of, 465
spore transmission of, in cultivated mushrooms, 519
symptom expression and multiplication of tulip mosaic virus in tulip petals, 91
temperature, effect on prune dwarf symptom expression, 823
tobacco etch virus, effect on photosynthesis, 815
tobacco mosaic virus
changes in virulence after passage through susceptible or semiresistant tomato, 837
effect of freezing on sensitivity to alkaline degradation, 809
new defective strain of, 814
new strain of, 452
nitrous acid, inactivating and mutagenic action on, 830
obtaining high concentrations of, 1004
protein removal, after inoculating tobacco, 830
purification of, 1285
tobacco ringspot virus, nucleic acid and infectivity changes, 829
tobacco stunt virus, host specificity in transmission of, 815
western celery mosaic virus
purification, characterization, and serology of, 1104, **1107, 1109**
serological detection of, 1136
wheat mosaic virus, fungus transmission of, 905
virus yellows, sugar beet, symptom suppression with mineral oil, 807
Vitanza, V. Betty, (815)
Vlitos, A. J., (8)
Vojtik, F. J., (823)

Wagnon, H. K., (103)
Waite, B. H., 10
Walker, J. C., (257), (263)
Walker, J. T., 345, 346
Walker, Nely M., (545)
Wall, Diana H., 834
Wallace, H. R., (559)
Wallace, J. M., (101)
Walton, G. S., 835
Wang, S. C., 1010
Wang, S. S., 835
Ward, W. W., (340)
Watanabe, T., 1010
watermelon
cross-protection in Fusarium wilt diseases, 311
Fusarium oxysporum, determination of fusaric acid in, 339
watermelon mosaic virus, cucurbit latent virus, close association with, 100
Watson, A. G., 103, 835
Watson, R. D., (401), (505)
weather, stem rust of wheat, effect of favorable periods for infection on development of, 647
Weathers, L. G., 1388
Weaver, L. O., (646)
Webb, R. E., (580)
Webber, A. J., Jr., 723
Weber, C. R., (114)
Weber, D. J., 421, (462), (817), (819)
Webster, R. K., (344), (824), (828), 835, (1011), (1081)
Weidensaul, T. C., (340)
Weinhold, A. R., (834), 835
Weintraub, M., (154)
Welkie, G. W., 472
Wellman, F. L., 10
Wells, H. D., (460), 1002, 1309
Wells, J. M., 1010
Welty, R. E., (458), 464
Wernham, C. C., 346, (820)
Wester, R. E., 648
western celery mosaic virus, 1104, **1107, 1109**
serological detection, 1136
western white pine (see also **Pinus** monticola)
phytoactin, from, extraction and assay of, 99
western yellows virus, sugar beets, relationship of aphids and feeding inhibitors, 1237
Whaley, J. W., 347, (805), 836
wheat
cell wall polysaccharides, effect of enzymes on, 625
Cephalosporium gramineum, effect of soil moisture on, 1008
crop residues toxic to, 401
cytoplasmic carotenes of Puccinia graminis tritici, 785
Erysiphe graminis, effect of genes for resistance on development of, 831
Erysiphe graminis tritici, effect of ultraviolet radiation on early development, 823
foot rot, interaction of crop rotation and date of seeding, 99
Gibberella avenacea sp. n., perfect stage of Fusarium roseum cerealis, 732, **733**
improved deposition of airborne urediospores of Puccinia graminis and P. striiformis on glass slides and leaves, 647

mature-plant resistance to powdery mildew, 812
Puccinia graminis, pathogenicity of, grown on artificial medium, 326
Puccinia recondita on
changes in RNA composition in leaves induced by, 632
teliospore formation, 793
Puccinia striiformis
genes conditioning resistance, 1009
influence of light intensity on reaction, 615, **616**
survival in leaves, 1007
resistance to snow mold, 308
Rhizoctonia spp., occurrence in seed of, 808
Sclerotium rolfsii, symptoms on, 538, [43]
stem rust
effect of favorable periods for infection on development of, 647
effect on yield, 819
endogenous respiration of urediospores, 656
time of appearance in relation to epidemics, 609
straw, buried, antagonism among fungal spp., 1006
survival of Typhula idahoensis sclerotia in rhizosphere of, 815
systemic oxathiin fungicide for control of loose smut, 814
Tilletia caries, isolation from stem and ovaries, 1009
Tilletia controversa
effect of stage of development on infection, 410
organic and inorganic nutrition, 315
revised classification of pathogenic races, 279
Tilletia foetida, reduction of 2-chloroethyl trimethylammonium chloride, 339
Urocystis agropyri, heritability of resistance to, 324
wheat curl mite (see also **Aceria tulipae**)
relation to kernel red streak of corn, 986, **987**
wheat leaf rust (see **Puccinia** recondita)
wheat mosaic virus, transmission of Polymyxa graminis, 905
wheat streak mosaic virus, evaluation of losses, 188
Whitcomb, R. F., (808), 836
white clover
cyst nematode on, 1305
peanut stunt virus, found in, 461
white lupine, host for peanut stunt virus, 837
white pine
blister rust, analysis of epidemics, 822
eastern-, ozone injury, development of symptoms, 339
histochemical analysis of Cronartium ribicola, 820
recovery following reduced air pollution, 810
Ribes, effect of eradication on blister rust of, 1010
root decline caused by Leptographium sp., 809
western-, mode and time of infection of blister rust cankers by Tuberculina maxima, 1010
white spruce, Cytospora spp. and Polyporus tomentosus, analysis of epidemics, 822
Whitney, H. S., (218)
Wicker, E. F., 1010, 1161, 1164
Wiese, M., 1211
Wihrheim, S. E., 836
Wilcox, W. W., (1312)
Wilcoxson, R. D., (834), (1292)
Wilhelm, S., 103, 836, (1250), (1260)
Wilks, J. M., (214)
Williams, E. B., (38), (804)
Williams, H. E., 103, (1010), 1011
Williams, L. E., 836, (986)
Williams, P. G., 326, 656
Williams, P. H., 254, (257), (263), (330), 682, (814), (816), 1378
Williams, W. T., 1011
Williges, G. A., (975)
Wills, W. H., 647, 649
Wilson, C. L., (43), 769, (801), 837, (1176)
Wilson, E. E., 618, (1008), 1011
Wilson, R. A., (646)
Wilson, W. C., (805)
wilt
banana, caused by vascular gel, 11, **12, 13**
Fusarium spp., sequential determination of fusaric acid, 339
oak, detection of, by serology, 32
papaya, tomato spotted wilt virus in, 9
wind, effect on release and dispersal of Cercospora beticola conidia, 889
Wisconsin pea streak virus, purification of, 551
Woltz, S. S., (463)
Wood, F. A., (345), (810)
Woodbury, W., 455
wood decay
effect of light on fungi causing, 1121
resistance, loblolly pine to Fomes annosus, 1034, **1038**
wood deterioration, Lenzites trabea, monokaryon vs. dikaryon, 486
Woods, Rae, 228
wounds
effect on zoospore infection of Pythium aphanidermatum in bentgrass, 86, **88**
Phaseolus lunatus, fungitoxin formation in sap, 1111
tomato bacterial leaf spot, importance of, 1099
Wright, W. L., (836)
Wuest, P. J., 346
Wynn, W. K., 837

Xanthomonas spp., Philodendron oxycardium, infection by, 343
alfalfae, cellulolytic enzyme activity of, 827
fragariae, strawberry, systemic invasion of, 1260, **1261**
fuscans, environmental conditions favoring survival, 830
malvacearum, pathogenicity influenced by diurnal temperatures, 47, **49, 50**
oryzae, Rajasthan strain, isolated from rice seeds in India, 688
pelargonii, Pelargonium spp., resistance to, 1178
phaseoli, environmental conditions favoring survival, 830
phaseoli fuscans, factors related to pigment formation, 803
vesicatoria
effect on permeability in resistant and susceptible pepper leaves, 807
inhibition of, in extracts from inoculated leaves of bacterial spot-resistant pepper, 832
pepper resistance related to sodium saccharin, 817
pepper, response to, 457
serological differences between tomato and pepper isolates, 647
tomato, importance of wounds, 1099, **1100, 1102**
Xiphinema americanum
maple, associated with decline, 340
on red clover, 1390
susceptibility to subfreezing temperatures, 822
tobacco and tomato ringspot viruses, dual transmission of, 535
xylem
aster yellows virus, effect on in Nicotiana rustica, 833
banana, vascular gel in, 11, **12, 13**
Ceratocystis ulmi, translocation, survival, and effect on, 641

Yamada, M., (297)
Yamaguchi, A., 91, (210), (1130)
Yanagida, R., (297)
Yang, S. F., (472)
Yarwood, C. E., (148), 937
yeast, Saccharomyces pastorianus, metabolism of C^{14}- and S^{35}-labeled phaltan, 831
Yelen, F. A., 649
Young, H. C., Jr., (405), (793)
Yount, W. L., (339)
Yucca aloifolia and smalliana, Coniothyrium concentricum, perfect stage found on, 234, **235**

Yukawa, Y. B., (682)

Zaitlin, M., (452)
Zaroogian, G. E., (11)
Zathureczky, P. G. Mary, (719)
Zaumeyer, W. J., 837
Zavarin, E., (806)
Zea mays (see **corn**)
Zeitoun, F. M., (618)
Zentmyer, G. A., (100), (813), 1278, (1300)
Zettler, F. W., 398
Zimmer, D. E., 772, 946, 1056
Zinada, A. A., 801
zinc deficiency, in cotton after fumigation with chloropicrin-methylbromide, 103
zinnia, Rhizoctonia spp., occurrence in seed of, 808
Zittler, T. A., 837
zoospores, Pythium spp., effect of temperature on, 821
Zscheile, F. P., Jr., (632)
Zummo, Natale, 83, 464

ERRATUM, VOLUME 56

Page 1258, column 2, line 29, *read* with the shortest *for* were the shortest.

ERRATA, VOLUME 57

Page 539, Table 2, temperature column, second entry, *read* 21 *for* 1.

Page 806, column 1, second abstract, line 18, *read* They do not liquefy gelatin, do not produce fluorescent pigments or indole, and do not utilize lactose or litmus milk *for* They produce fluorescent pigments or indole, hydrolyze starch, utilize lactose or litmus milk, but do not liquefy gelatin.

Page 871, column 2, line 5, *read* $n-1$ degrees of freedom *for* $n=1$ degrees of freedom.

Page 973, Table 1, body of table, and footnote, line 1, *read* μmoles × 2/g of tissue *for* mmoles/g of tissue.

Page 1077, column 2, last line, *read* Effect of phenol on infectivity of buffer extracts *for* Effect of phenol on infectivity or buffer extracts.

Page 1207, Table 1, body of table, last column, *read* −7.98 *for* −12.59.

Phytopathology

An International Journal

Official Organ of

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 57

JANUARY-DECEMBER 1967

Editor-in-Chief
THOR KOMMEDAHL

Assistant Editor
G. W. BRUEHL

Editors

J. B. BANCROFT
D. F. BATEMAN
E. A. CURL
V. H. DROPKIN
A. H. ELLINGBOE
A. W. FELDMAN
R. E. FORD
D. W. FRENCH
J. W. GERDEMANN
C. R. JACKSON
J. B. KENDRICK, JR.
R. A. KILPATRICK
T. KOSUGE
W. A. KREUTZER
J. R. MCGREW
D. S. MEREDITH
I. R. SCHNEIDER
L. SEQUEIRA

Business Manager
D. H. MARSDEN

PUBLISHED FOR THE SOCIETY
The Heffernan Press Inc.
Worcester, Massachusetts

CONTENTS OF VOLUME 57, 1967

No. 1—JANUARY

REPORT OF THE 58TH ANNUAL MEETING OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 1

REPORT AND ABSTRACTS OF THE 1966 ANNUAL MEETING OF THE CARIBBEAN DIVISION OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY ... 7

Origin and composition of vascular gel in infected banana roots ..... C. H. BECKMAN AND G. E. ZAROOGIAN 11

Grain sorghum as a host for Verticillium albo-atrum ..... L. LYNN SHERROD AND ARTHUR M. ELLIOT 14

Genetic variability of tobacco response to Pratylenchus brachyurus ..... C. J. SOUTHARDS AND C. J. NUSBAUM 18

Protection of apple stem tissue against Erwinia amylovora infection by avirulent strains and three other bacterial species
ROBERT N. GOODMAN 22

Comparison of techniques for detection of Pseudomonas solanacearum in artificially infested soils
S. F. JENKINS, JR., D. J. MORTON, AND P. D. DUKES 25

The role of seed contamination in the transmission of Pseudomonas phaseolicola in Phaseolus vulgaris
R. G. GROGAN AND K. A. KIMBLE 28

Serological differentiation in Ceratocystis ..... RAYMOND E. AMOS AND ROBERT G. BURRELL 32

Association of virus infection with mottling of soybean seed coats ..... B. W. KENNEDY AND R. L. COOPER 35

Factors in the resistance of apple to Botryosphaeria ribis
J. KUĆ, E. B. WILLIAMS, M. A. MACONKIN, J. GINZEL, A. F. ROSS, AND LESLY J. FREEDMAN 38

Asexual nuclear behavior of some plant-pathogenic fungi ..... JOHN A. BRUSHABER, CHARLES L. WILSON, AND JAMES R. AIST 43

Effect of four day and night temperature regimes on bacterial blight reactions of immune, resistant, and susceptible strains of upland cotton ..... L. A. BRINKERHOFF AND J. T. PRESLEY 47

Occurrence of a root rot disease of corn caused by Helminthosporium pedicellatum ... R. J. SHEPHERD, E. E. BUTLER, AND D. H. HALL 52

Pathogenic variability in Aphanomyces euteiches ..... M. K. BEUTE AND J. L. LOCKWOOD 57

Detection of potato viruses X, M, and S in dormant potato tubers by the bentonite flocculation test
ROBERT P. KAHN, HOWARD A. SCOTT, J. BOZICEVICH, AND M. M. VINCENT 61

Inheritance of reaction to Puccinia hordei in barley. II. Gene symbols for loci in differential cultivars
C. W. ROANE AND T. M. STARLING 66

Peroxidase activity and Phytophthora resistance in different organs of the potato plant ..... H. FEHRMANN AND A. E. DIMOND 69

Variation in pathogenicity and virulence in Armillaria mellea ..... ROBERT D. RAABE 73

Fungal populations associated with maize roots. Quantitative rhizosphere data for genotypes differing in root rot resistance
D. HORNBY AND A. J. ULLSTRUP 76

Effect of treatment of seedcane on susceptibility of sugarcane to sugarcane mosaic virus ..... NATALE ZUMMO 83

Infection of primary roots of bentgrass by zoospores of Pythium aphanidermatum .... J. M. KRAFT, R. M. ENDO, AND D. C. ERWIN 86

PHYTOPATHOLOGICAL NOTES

Symptom expression and virus multiplication in tulip petals ..... A. YAMAGUCHI AND T. HIRAI 91

Increased cytokinin activity of rust-infected bean and broad bean leaves ..... Z. KIRÁLY, M. EL HAMMADY, AND B. I. POZSÁR 93

No. 2—FEBRUARY

Nahum James Giddings, 1883-1966 ..... EUBANKS CARSNER AND C. W. BENNETT 95

REPORT AND ABSTRACTS OF THE 1966 ANNUAL MEETING OF THE PACIFIC DIVISION OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 97

Pathogenicity and host range of Meloidogyne ovalis ..... JERRY W. RIFFLE AND JAMES E. KUNTZ 104

A tumor-inducing agent associated with citrus trees infected with safargali (stubborn) disease ..... FARID NOUR-ELDIN 108

Control of brown stem rot of soybeans with corn-soybean rotations ..... J. M. DUNLEAVY AND C. R. WEBER 114

Comparative population increase of Pratylenchus brachyurus and P. zeae in corn and in soybean varieties Lee and Peking
BURTON Y. ENDO 118

Lesion maturation, fungal development, and distribution of endopolygalacturonase and cellulase in Rhizoctonia-infected bean hypocotyl tissues ..... H. D. VAN ETTEN, D. P. MAXWELL, AND D. F. BATEMAN 121

The respiratory pattern of Rhizoctonia-infected bean hypocotyls in relation to lesion maturation ... D. F. BATEMAN AND J. M. DALY 127

Changes in the activities of some oxidases in extracts of Rhizoctonia-infected bean hypocotyls in relation to lesion maturation
D. P. MAXWELL AND D. F. BATEMAN 132

Purification of citrus variegation virus ..... M. K. CORBETT AND T. J. GRANT 137

Resistance of Brassica oleracea varieties to downy mildew ..... J. J. Natti, M. H. Dickson, and J. D. Atkin 144
Heat-induced hypersensitivity in cowpea to Erysiphe polygoni ..... J. S. Jhooty and C. E. Yarwood 148
Failure of psorosis virus to protect against citrus variegation virus ..... M. K. Corbett and W. C. Price 151
Phenolase activity in Nicotiana glutinosa infected with tobacco mosaic virus ..... V. T. John and M. Weintraub 154
Viruslike symptoms on year-old peach trees propagated on Prunus tomentosa and P. besseyi .. W. F. Buchholtz and G. N. Agrios 159
Some distinguishing characteristics of the orchid strain of tobacco mosaic virus ..... M. K. Corbett 164
Physiologic races of Phytophthora fragariae on strawberry in California, Oregon, and Washington ..... Richard H. Converse 173
Chlamydospore germination and germling survival of Fusarium solani f. pisi in soil as affected by soil water and pea seed exudation
R. James Cook and N. T. Flentje 178
Russet crack—a menace to the sweetpotato industry. I. Heat therapy and symptomatology ..... E. M. Hildebrand 183
An evaluation of streak mosaic losses in winter wheat ..... T. G. Atkinson and M. N. Grant 188
Genetics of resistance to Erysiphe polygoni in Trifolium pratense ..... J. R. Stavely and E. W. Hanson 193
Aster ringspot virus as a strain of tobacco rattle virus ..... M. K. Corbett 198
Hemicellulose degradation in sunflower hypocotyls infected with Sclerotinia sclerotiorum ..... Joseph G. Hancock 203
Apparent absence of cross-protection between strains of the curly top virus in the beet leafhopper, Circulifer tenellus
C. W. Bennett 207
Inclusion bodies associated with sugar beet mosaic ..... I. Fujisawa, C. Matsui, and A. Yamaguchi 210
Seed transmission of tobacco mosaic virus in apple and pear ..... R. M. Gilmer and J. M. Wilks 214
Affinities of some Rhizoctonia species that resemble mycelium of Thanatephorus cucumeris
J. R. Parmeter, Jr., H. S. Whitney, and W. D. Platt 218
Differences in fungistasis in some Saskatchewan soils with special reference to Cochliobolus sativus ..... S. H. F. Chinn 224

Phytopathological Notes

Increased susceptibility of hoja blanca virus-infected rice leaves to Cochliobolus miyabeanus .. H. A. Lamey and T. R. Everett 227
Induction of sporulation of Phymatotrichum omnivorum on a defined medium .. Rae Woods, H. E. Bloss, and George A. Gries 228
Effects of time and temperature on rate of graft transmission of the Prunus ringspot virus ..... Paul R. Fridlund 230
Bimodality of dosage response of Glomerella cingulata to thiram ..... Lloyd T. Richardson and G. Denis Thorn 232
The perfect stage of Coniothyrium concentricum on leaves of Yucca aloifolia ..... E. K. Sobers 234
Etiology of the grapevine yellow vein disease ..... G. V. Gooding, Jr., William B. Hewitt, and Leon Cory 236

No. 3—MARCH

Influence of certain environmental factors in the field on infection of rice by Piricularia oryzae
G. N. Asai, Marian W. Jones, and F. G. Rorie 237
Chemotherapeutic control of stripe smut (Ustilago striiformis) in grasses by two derivatives of 1,4-oxathiin .... John R. Hardison 242
Sterols in relation to the influence of nystatin on Pythium aphanidermatum and Colletotrichum lagenarium
Edison R. Fowlks, Curt Leben, and J. F. Snell 246
A new species of Erwinia causing the drippy nut disease of live oaks ..... D. C. Hildebrand and M. N. Schroth 250
Histology of infection by Pseudomonas lachrymans ..... Paul H. Williams and Noel T. Keen 254
Characterization of a protease produced by Pseudomonas lachrymans ..... N. T. Keen, P. H. Williams, and J. C. Walker 257
Protease of Pseudomonas lachrymans in relation to cucumber angular leaf spot ... N. T. Keen, P. H. Williams, and J. C. Walker 263
Mechanism of glucose counteraction of inhibition of root elongation by galactose, mannose, and glucosamine
I. Malca, Robert M. Endo, and Margaret R. Long 272
A revised classification of pathogenic races of Tilletia controversa ..... J. A. Hoffmann, E. L. Kendrick, and R. J. Metzger 279
Influence of certain Meloidogyne species on Fusarium wilt development in flue-cured tobacco .... D. M. Porter and N. T. Powell 282
Histological aspects of the Fusarium wilt-root knot complex in flue-cured tobacco ..... Pedro L. Melendéz and N. T. Powell 286
Comparative ability of pathogenic and saprophytic fusaria to colonize primary lesions .. Shirley M. Nash and William C. Snyder 293
An international set of rice varieties for differentiating races of Piricularia oryzae ... United States and Japan Cooperative Study 297
Oat necrotic mottle, a new virus disease in Manitoba ..... C. C. Gill 302
Correlation of resistance to Typhula idahoensis, T. incarnata, and Fusarium nivale in certain varieties of winter wheat
G. W. Bruehl 308

Cross-protection in Fusarium wilt diseases ..... David Davis 311
Organic and inorganic nutrition of Tilletia controversa ..... Chuen-Shang Chung and E. J. Trione 315

Phytopathological Notes

Preservation of urediospores of Melampsora lini ..... H. H. Flor 320
The role of the living bacterial cell and induction time in the hypersensitive reaction of the tobacco plant ..... Z. Klement and R. N. Goodman 322
Heritability of flag smut resistance in three wheat crosses ..... Laurence H. Purdy and R. E. Allan 324
Sporulation and pathogenicity of Puccinia graminis f. sp. tritici grown on an artificial medium ..... P. G. Williams, K. J. Scott, Joy L. Kuhl, and D. J. Maclean 326
Mating type and sex of Fusarium solani f. cucurbitae race 1 in The Netherlands ..... B. Schippers and W. C. Snyder 328
Effect of high light intensities on spontaneous and virus-induced local lesions in Gomphrena globosa ..... R. I. B. Francki 329
Inheritance of clubroot resistance in Chinese cabbage ..... J. O. Strandberg and P. H. Williams 330

No. 4—APRIL

Leon K. Jones, 1895-1966 ..... Folke Johnson 331
Fellows of The American Phytopathological Society 332
Ruth Allen Award 337
Report and Abstracts of the 1966 Annual Meeting of the Northeastern Division of The American Phytopathological Society 338
Antibiotic production by Streptomyces species from the rhizosphere of desert plants .... Julian W. Whaley and Alice M. Boyle 347
Acquired local resistance of soybean plants to Phytophthora spp. ..... J. D. Paxton and D. W. Chamberlain 352
Factors affecting incidence and severity of internal browning of tomato induced by tobacco mosaic virus ..... John S. Boyle and Ernest L. Bergman 354
Antagonistic relationships between Verticillium dahliae and fungi isolated from the rhizosphere of Acer platanoides ..... S. C. Catani and J. L. Peterson 363
Mechanism of action of phytoactin in Saccharomyces pastorianus ..... James P. Lynch and Hugh D. Sisler 367
Effects of nitrogen sources on growth of Pythium aphanidermatum and Pythium ultimum ..... J. M. Kraft and D. C. Erwin 374
Inheritance of resistance in peppers to Phytophthora root rot ... Paul G. Smith, K. A. Kimble, R. G. Grogan, and A. H. Millett 377
Physiologic responses of resistant and susceptible root tissues infected with Phymatotrichum omnivorum ..... H. E. Bloss and George A. Gries 380
Isolation and maintenance of potato virus Y strains virulent on selected pepper varieties ..... A. A. Cook 385
Cylindrocladium floridanum sp. n. associated with decline of peach trees in Florida ..... E. K. Sobers and C. P. Seymour 389
A new downy mildew disease of maize ..... M. M. Payak and B. L. Renfro 394
A comparison of species of Aphididae with species of three other aphid families regarding virus transmission and probe behavior ..... F. W. Zettler 398
Plant phytotoxins as possible predisposing agents to root rots ..... H. E. Carley and R. D. Watson 401
Effect of light and temperature on urediospore germination, infection, and disease development of Puccinia cynodontis, and isolation of pathogenic races ..... J. M. Vargas, Jr., H. C. Young, Jr., and E. E. Saari 405
Effect of stage of development of winter wheat on infection by Tilletia controversa ..... J. A. Hoffmann and L. H. Purdy 410
Interactions of Tylenchulus semipenetrans and Fusarium species on rough lemon (Citrus limon) ..... John H. O'Bannon, Chester R. Leathers, and Harold W. Reynolds 414
A comparison of Puccinia striiformis f. sp. poae on bluegrass with P. striiformis f. sp. tritici and f. sp. dactylidis ... H. Tollenaar 418
Enzymic changes associated with induced and natural resistance of sweetpotato to Ceratocystis fimbriata ..... Darrell J. Weber, Bruce Clare, and Mark A. Stahmann 421
Mode of action of ammonia on Sclerotium rolfsii ..... Y. Henis and I. Chet 425
Radiation-heat synergism for inactivation of market disease fungi of stone fruits ..... N. F. Sommer, R. J. Fortlage, Patricia M. Buckley, and E. C. Maxie 428
A spore sampler for use in aircraft ..... J. R. Burleigh, C. L. Kramer, and T. I. Collins 434
Dothistroma needle blight of Austrian and ponderosa pines: Epidemiology and control ..... Glenn W. Peterson 437
Chemotherapy of Cytospora canker disease in peach trees ..... A. W. Helton and K. G. Rohrbach 442

PHYTOPATHOLOGICAL NOTES

Diet-food media for the culture of phytopathogenic fungi and bacteria ..... MARTIN F. STONER 447
Two Alternaria leaf spots of Olea welwitschii ..... D. HOCKING 448
Maize dwarf mosaic virus susceptibility of Iowa native perennial grasses ..... RICHARD E. FORD 450
A new strain of tobacco mosaic virus from Lychnis alba ..... M. CHESSIN, M. ZAITLIN, AND R. A. SOLBERG 452
A method of obtaining single-oospore cultures of Phytophthora cactorum using live water snails ..... DAVID S. SHAW 454
A collector for fungal spores ..... W. WOODBURY, V. MACKO, AND M. A. STAHMANN 455

LETTER TO THE EDITOR 456

No. 5—MAY

REPORT AND ABSTRACTS OF THE 1967 ANNUAL MEETING OF THE SOUTHERN DIVISION OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 457

Purification of soybean mosaic virus for antiserum production ..... J. P. ROSS 465
Effect of Fusarium oxysporum on movement of Pratylenchus penetrans toward alfalfa roots ..... J. E. EDMUNDS AND W. F. MAI 468
Metabolite changes induced by cucumber mosaic virus in resistant and susceptible strains of cowpea G. W. WELKIE, S. F. YANG, AND G. W. MILLER 472
Natural spread of viruses infectious to beans ..... R. O. HAMPTON 476
Electrophoretic comparisons of resistant and susceptible Trifolium pratense noninoculated and inoculated with Erysiphe polygoni J. R. STAVELY AND E. W. HANSON 482
Decay capacities of monokaryotic and dikaryotic isolates of Lenzites trabea ..... TERRY L. AMBURGEY 486
Inhibition of Verticillium polygalacturonase by oxidation products of polyphenols ..... SURESH S. PATIL AND A. E. DIMOND 492
Bruising as a predisposing factor in the decay of stored cranberries ... SHIRL O. GRAHAM, MAX E. PATTERSON, AND BARBARA ALLEN 497
Transmission of radish mosaic virus ..... R. N. CAMPBELL AND W. M. COLT 502
Effect of crop residues on soil fungi and onion growth in naturally infested soil ..... A. J. LATHAM AND R. D. WATSON 505
A root and crown rot of tomato caused by Phytophthora capsici and P. parasitica ... MOKHTAR M. SATOUR AND EDWARD E. BUTLER 510
Factors affecting the amount and pattern of chlorosis caused by a metabolite of Alternaria tenuis G. E. TEMPLETON, C. I. GRABLE, N. D. FULTON, AND KATHARINA BOLLENBACHER 516
Etiology, symptomatology, and epidemiology of a virus disease of cultivated mushrooms L. C. SCHISLER, J. W. SINDEN, AND EDITH M. SIGEL 519
Epiphytic bacteria and the germination of Colletotrichum lagenarium conidia on cucumber leaves .. CURT LEBEN AND GILBERT C. DAFT 527
Multiple host-specific toxins from Periconia circinata ..... R. B. PRINGLE AND R. P. SCHEFFER 530

PHYTOPATHOLOGICAL NOTE

Serology of the potato spindle tuber virus ..... R. H. BAGNALL 533

No. 6—JUNE

Dual transmission of tobacco ringspot virus and tomato ringspot virus by Xiphinema americanum ..... J. P. FULTON 535
Seedling disease of wheat caused by Sclerotium rolfsii ..... R. A. KILPATRICK AND O. G. MERKLE 538
Effect of an Aphelenchoides species on the growth of a mycorrhizal and a pseudomycorrhizal fungus ..... J. W. RIFFLE 541
Histology of Cronartium quercuum galls on shortleaf pine ..... F. F. JEWELL AND NELY M. WALKER 545
Purification and physicochemical properties of the Wisconsin pea streak virus ..... E. ROSENKRANZ AND D. J. HAGEDORN 551
Aging and starvation in larvae of Meloidogyne javanica and Tylenchulus semipenetrans S. D. VAN GUNDY, ALAN F. BIRD, AND H. R. WALLACE 559
Effect of ammonium humate and clay preparations on release of methylisothiocyanate from soil treated with fungicides DONALD E. MUNNECKE, J. P. MARTIN, AND B. MOORE 572
Response of Heterodera trifolii in red clover roots to azauracil and other inhibitors .. BURTON Y. ENDO AND GIDEON W. SCHAEFFER 576
Influence of substances and soil treatments on the germination of spores of Cochliobolus sativus S. H. F. CHINN AND R. J. LEDINGHAM 580
Resistance of axenic tomato seedlings to Meloidogyne incognita acrita and to M. hapla ..... V. H. DROPKIN AND R. E. WEBB 584

Effect of moisture content and temperature on invasion of stored corn by Aspergillus flavus ... L. C. López and C. M. Christensen 588

Effect of antagonists on growth and survival of Rhizoctonia solani in soil
Kenneth F. Baker, N. T. Flentje, Carl M. Olsen, and Helena M. Stretton 591

Comparative survival of monobasidial cultures of Thanatephorus cucumeris in soil
Carl M. Olsen, N. T. Flentje, and Kenneth F. Baker 598

A buried membrane filter method for studying behavior of soil fungi ..... P. B. Adams 602

Effect of Thielaviopsis basicola root rot of cotton on incidence and severity of Verticillium wilt
D. E. Mathre, R. H. Garber, and A. V. Ravenscroft 604

Time of stem rust appearance on wheat in the western Mississippi basin in relation to the development of epidemics from 1921 to 1962 ..... Laura M. Hamilton and E. C. Stakman 609

Influence of light intensity on the reactions of wheat and barley seedlings to Puccinia striiformis ..... R. W. Stubbs 615

Bacterial phloem canker, a new disease of Persian walnut trees .... E. E. Wilson, Fakhery M. Zeitoun, and D. L. Fredrickson 618

Increase in invasion by storage fungi and in fat acidity values of commercial lots of soybeans stored at moisture contents of 13.0-14.0% ..... C. M. Christensen 622

Differential resistance of cell walls of Acer pseudoplatanus, Triticum vulgare, Hordeum vulgare, and Zea mays to polysaccharide-degrading enzymes ..... James M. McNab, Donald J. Nevins, and Peter Albersheim 625

Effect of Puccinia recondita infection on the RNA composition of wheat leaves
Lowell B. Johnson, F. P. Zscheile, Jr., and B. L. Brannaman 632

Phytopathological Notes

Apple latent virus 2 is sowbane mosaic virus ..... J. B. Bancroft and Sue A. Tolin 639

Factors determining resistance of elms to Ceratocystis ulmi ..... D. M. Elgersma 641

No. 7—JULY

William Salisbury Ballard, 1881-1966 ..... John M. Harvey 643

Report and Abstracts of the 1967 Annual Meeting of the Potomac Division of The American Phytopathological Society .. 644

Symposium on Population Dynamics of Plant-Parasitic Nematodes 650

Influence of nematocidal treatments on nematode populations ..... Martin B. Harrison 650

Influence of host physiology on nematode populations ..... L. R. Krusberg 653

Endogenous respiration of wheat stem rust uredospores ..... P. G. Williams and Paul J. Allen 656

Ecology of plant pathogens in soil. VII. Mathematical models and inoculum density
Ralph Baker, Charles L. Maurer, and Ruth A. Maurer 662

Influence of cropping practices on Aphanomyces root rot potential of Wisconsin pea fields .... M. V. Temp and D. J. Hagedorn 667

Reactions of peach trees and peach tree viruses to treatment with dimethyl sulfoxide and other chemicals ..... T. S. Pine 671

Eradication of potato virus X by thermotherapy ..... Frances C. Mellor and Richard Stace-Smith 674

Effects of light on sporulation of Cercospora beticola ..... L. Calpouzos and G. F. Stallknecht 679

Ultrastructural studies on the host-parasite relations of Plasmodiophora brassicae ..... P. H. Williams and Y. B. Yukawa 682

A virulent strain of Xanthomonas oryzae isolated from rice seeds in India ..... B. P. Chakravarti and M. Rangarajan 688

Effect of soil moisture and soil temperature on black shank disease development in tobacco ..... S. M. McCarter 691

Combined action of diphenyl and gamma radiation on the in vitro development of fungi pathogenic to citrus fruits
Rivka Barkai-Golan and R. S. Kahan 696

Respiratory response of radish varieties resistant and susceptible to vascular infection by Fusarium oxysporum f. conglutinans
C. H. Beckman 699

Survival and saprophytic growth of Verticillium dahliae in uncropped soil ..... J. D. Menzies and G. E. Griebel 703

Biologic specialization in Calonectria (Fusarium) rigidiuscula in relation to green point gall of cocoa
E. J. Ford, J. A. Bourret, and William C. Snyder 710

Transmission of barley yellow dwarf virus isolates from Manitoba by five species of aphids ..... C. C. Gill 713

Effects of drying on the viability of germinated spores of Botrytis cinerea, Cercospora musae, and Monilinia fructicola
H. M. Good and P. G. Mary Zathureczky 719

Biology of the pseudo root knot nematode Hypsoperine ottersoni ..... A. J. Webber, Jr. and K. R. Barker 723

Behavior of chlamydospores and endoconidia of Thielaviopsis basicola in nonsterilized soil ... R. G. Linderman and T. A. Toussoun 729

Gibberella avenacea sp. n., perfect stage of Fusarium roseum f. sp. cerealis 'Avenaceum' ..... R. James Cook 732
Inhibition of phenol oxidation by Erwinia carotovora in potato tuber tissue and its significance in disease resistance
L. Lovrekovich, H. Lovrekovich, and Mark A. Stahmann 737
Germination and infection of citrus by ascospores of Guignardia citricarpa in relation to control of black spot .... K. C. McOnie 743
Variability and the inheritance of morphological mutants in Pyrenophora teres ..... W. C. McDonald 747
Stimulation of tobacco mosaic virus-induced lesions on bean by fluoride ... Michael Treshow, Gerald Dean, and Frances M. Harner 756
Formation of gossypol in infected or chemically irritated tissues of Gossypium species ..... A. A. Bell 759
Damping-off pathogens in South Australian nurseries ..... O. Vaartaja 765
Motility of fungal nuclei ..... Charles L. Wilson and James R. Aist 769
Significance of seedling rust resistance of safflower and its relationship to foliage rust resistance ..... D. E. Zimmer and A. L. Urie 772
Fungicidal activity and phytotoxicity of certain mercurials used to control Fusarium basal rot of Narcissus bulbs
V. L. Miller and Charles J. Gould 777
Susceptibility of members of the Rosaceae to races of Phytophthora fragariae ..... H. S. Pepin 782
Cytoplasmic carotenes of race 15B and race 56 of Puccinia graminis f. sp. tritici ..... Lowell Bush 785
Inheritance of reactions in safflower to lettuce mosaic virus ..... J. M. Klisiewicz 789

Phytopathological Notes

Reaction of guar to strains of tobacco ringspot virus ..... R. G. Orellana 791
Teliospore formation by Puccinia recondita f. sp. tritici on seedling wheat plants ... Andrew O. Jackson and H. C. Young, Jr. 793
Selective media to distinguish between two Botrytis species on onion ..... D. Netzer and Irene Dishon 795
An indirect role of cytochrome oxidase in loss of prune dwarf virus infectivity in squash tissue homogenates ..... G. I. Mink 797
Symptoms of Cercospora leaf spot of sugar beets influenced by light intensity ..... L. Calpouzos and G. F. Stallknecht 799

No. 8—AUGUST

Abstracts of Papers Accepted for Presentation at the Fifty-Ninth Annual Meeting of The American Phytopathological Society, Washington, D.C., 20-24 August 1967 801
Chenopodium amaranticolor nutrition affects cucumber mosaic virus infection ..... Robert E. Foster 838
Fatty acids in Louisiana rice fields ..... John P. Hollis and R. Rodriguez-Kabana 841
Evaluation of various media and antimicrobial agents for isolation of Fusarium from soil ..... George C. Papavizas 848
Some properties of leaf proteins from virus-tolerant and virus-susceptible varieties of apple
Sankar Mukhopadhyay and D. F. Millikan 853
Physical and chemical factors controlling the development of infection structures from urediospore germ tubes of rust fungi
Ramesh Maheshwari, Paul J. Allen, and A. C. Hildebrandt 855
Borax inhibition of cyanogenesis in snow mold of alfalfa ..... J. B. Lebeau and T. G. Atkinson 863
Stimulation of Pythium aphanidermatum by exudates from mung bean seeds ..... J. M. Kraft and D. C. Erwin 866
Fungal populations associated with maize roots. Composition and comparison of mycofloras from genotypes differing in root rot resistance ..... D. Hornby and A. J. Ullstrup 869
Chemical constitution and fungitoxicity of imides and their imide-$SCCl_3$ compounds ..... R. J. Lukens and J. G. Horsfall 876
Sensitivity of Rhizopus stolonifer to chilling ..... T. T. Matsumoto and N. F. Sommer 881
Nature of Verticillium wilt resistance in cotton ..... R. H. Garber and Byron R. Houston 885
Conidium release and dispersal in Cercospora beticola ..... Donald S. Meredith 889
Soil fungistasis: Relation to fungal spore nutrition ..... Wen-hsiung Ko and John L. Lockwood 894
A bacterial stem rot of greenhouse-grown tomato plants
D. E. Speights, Robert S. Halliwell, C. Wendell Horne, and A. Bruce Hughes 902
Some factors affecting vector transmission of soil-borne wheat mosaic virus from root washings and soil debris
Myron K. Brakke and Alice P. Estes 905
Effect of paraquat on growth of Sclerotium rolfsii in liquid culture and soil
R. Rodriguez-Kabana, E. A. Curl, and H. H. Funderburk, Jr. 911
A mechanism for the reduction of Fusarium wilt by a Cephalosporium species ..... D. V. Phillips, Curt Leben, and C. C. Allison 916

PHYTOPATHOLOGICAL NOTES

A soft rot of elm root cuttings caused by Fusarium solani ..... LAWRENCE R. SCHREIBER 920

Physical and physiological methods for differentiating among Agrobacterium rhizogenes, A. tumefaciens, and A. radiobacter D. HUISINGH AND R. D. DURBIN 922

Lack of transmittal of chlorotic leaf spot virus in Columbia crab to its seedlings ..... R. J. BAUSKE AND W. F. BUCHHOLTZ 924

No. 9—SEPTEMBER

Evaluation of physiologic specialization in Sphacelotheca reiliana B. K. MEHTA, R. A. FREDERIKSEN, J. COLLIER, AND M. C. FUTRELL 925

Pseudomonas blight of raspberry ..... H. S. PEPIN, HUGH A. DAUBENY, AND I. C. CARNE 929

Relative activity of germination inhibitors from spores of rust and smut fungi ..... NANCY J. PRITCHARD AND ALOIS A. BELL 932

Verticicladiella root disease of pines ..... RICHARD S. SMITH, JR. 935

A Botran-amended medium for isolating Aspergillus flavus from peanuts and soil ..... D. K. BELL AND J. L. CRAWFORD 939

Suitability of granular diluents as carriers for pentachloronitrobenzene in Rhizoctonia solani control ..... C. R. MAIER 942

Rhizoctonia blight of safflower and varietal resistance ..... D. E. ZIMMER AND C. A. THOMAS 946

Storage temperature and sulfur dioxide treatment in relation to decay and bleaching of stored table grapes K. E. NELSON AND H. B. RICHARDSON 950

Aphid transmission of maize dwarf mosaic virus ..... MIMI MESSIEHA 956

Growth of beans, tomatoes, and corn under gnotobiotic conditions ..... DONALD L. LINDSEY 960

Staining reactions of resting sporangia of Synchytrium endobioticum with a tetrazolium compound .. G. A. NELSON AND O. A. OLSEN 965

Thiram persistence in soil and control of damping-off caused by Pythium ultimum DONALD E. MUNNECKE AND KAMEL Y. MICKAIL 969

Metabolic changes in free amino acids of bean leaves exposed to ozone ..... HARLEY TOMLINSON AND SAUL RICH 972

Curvularia leaf spot, a new disease of bluestem grasses ..... R. A. KILPATRICK, CAROLE L. MOBLEY, AND G. G. WILLIGES 975

Pathogenicity of Cytospora, Phomopsis, and Hypomyces on Populus deltoides ..... T. H. FILER, JR. 978

Foliar trichomes and their importance as infection sites for Corynebacterium michiganense on tomato ..... R. E. C. LAYNE 981

Relation of the wheat curl mite to kernel red streak of corn ..... L. R. NAULT, M. L. BRIONES, L. E. WILLIAMS, AND B. D. BARRY 986

Overwintering of conidia of Helminthosporium turcicum on corn residue and in soil in Nebraska M. G. BOOSALIS, D. R. SUMNER, AND A. S. RAO 990

PHYTOPATHOLOGICAL NOTES

An improved technique for studying spore germination of Sclerotinia laxa ..... SHAWKI S. MASRI 997

Pathogenicity of Verticicladiella wagenerii to Douglas fir ..... FIELDS W. COBB, JR., AND WILLIAM D. PLATT 998

The effect of light on the symptomatology of oat halo blight ..... R. D. DURBIN AND S. L. SINDEN 1000

Effects of temperature on pathogenicity of Helminthosporium setariae on seedlings of pearl millet, Pennisetum typhoides HOMER D. WELLS 1002

No. 10—OCTOBER

Rolland Carl Lorenz, 1907-1965 ..... EUGENIO SCHIEBER AND BOWEN S. CRANDALL 1003

ABSTRACTS OF THE 1967 ANNUAL MEETING OF THE PACIFIC DIVISION OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 1004

Longevity of Ceratocystis fagacearum in roots of deep-girdled oak-wilt trees in West Virginia .... R. E. AMOS AND R. P. TRUE 1012

Interaction between strains of aster yellows virus in the six-spotted leafhopper Macrosteles fascifrons ..... J. H. FREITAG 1016

Bean rust development in relation to gravity ..... CHARLES R. CURTIS 1025

Radioautographic evidence for induced resistance to anthracnose in cucumber ..... MONROE J. GOODE 1028

Effects of mulching and nitrogen on corn borer susceptibility in corn ..... GENE P. OFFERMAN, A. J. PAPPELIS, AND J. P. VAVRA 1031

Resistance of sapwood in stems of loblolly pine to infection by Fomes annosus ..... LOUIS SHAIN 1034

Production and biological activity of fomannosin, a toxic sesquiterpene metabolite of Fomes annosus COLIN BASSETT, R. T. SHERWOOD, J. A. KEPLER, AND P. B. HAMILTON 1046

Phosphorus-32 accumulation in Rhizoctonia solani sclerotia ..... LARRY J. LITTLEFIELD 1053

Influence of irrigation and soil infestation with strains of Phytophthora drechsleri on root rot resistance of safflower
D. E. Zimmer and A. L. Urie 1056

Factors influencing the efficacy of Aphis pomi as a potential vector for Erwinia amylovora
S. B. Plurad, R. N. Goodman, and W. R. Enns 1060

A coryneform bacterium induces purple-colored seed and leaf hypertrophy of Phaseolus vulgaris and other leguminosae
M. L. Schuster and R. M. Sayre 1064

Survival studies with the tomato bacterial canker organism ..... D. L. Strider 1067

Effects of temperature and light on plant susceptibility to cucumber mosaic virus by aphid transmission
M. W. Stimmann and K. G. Swenson 1072

Aphid transmission of cucumber mosaic virus affected by temperature and age of infection in diseased plants
M. W. Stimmann and K. G. Swenson 1074

Inactivation and inhibition of cucumber mosaic virus by sugar beet extracts ..... E. G. Ruppel 1077

Sexual differentiation in Cochliobolus carbonum as influenced by inhibition and repair of steroid biosynthesis
R. R. Nelson, D. Huisingh, and R. K. Webster 1081

Influence of atmospheric gases on aflatoxin production by Aspergillus flavus in peanuts
Kenneth E. Landers, Norman D. Davis, and Urban L. Diener 1086

A high reversion rate for yellow urediospore color in Puccinia graminis f. sp. tritici ..... N. H. Luig 1091

A translocated resistance phenomenon in Prunus domestica induced by initial infection with Cytospora cincta
J. J. Hubert and A. W. Helton 1094

Importance of wounds in bacterial spot (Xanthomonas vesicatoria) of tomatoes in the field ..... Nader G. Vakili 1099

Partial purification, properties, and serology of western celery mosaic virus ..... J. F. Shepard and R. G. Grogan 1104

Formation of fungitoxins in wound sap of Phaseolus lunatus ..... A. A. Bell 1111

Effects of amendments, soil moisture contents, and temperatures on germination of Pythium sporangia under the influence of soil mycostasis ..... V. P. Agnihotri and O. Vaartaja 1116

Effect of light on the rate of decay of three wood-destroying fungi ..... Catherine G. Duncan 1121

A microtome for rapid preparation of fresh sections of plant tissue ..... W. J. Hooker 1126

Intracellular appearance of cauliflower mosaic virus particles .. I. Fujisawa, M. Rubio-Huertos, C. Matsui, and A. Yamaguchi 1130

Phytopathological Notes

Cryogenic storage of conidia of Peronospora tabacina ..... K. R. Bromfield and C. G. Schmitt 1133

Concentration of Phytophthora cinnamomi chlamydospores by soil sieving
Arthur H. McCain, O. V. Holtzmann, and E. E. Trujillo 1134

Serodiagnosis of western celery mosaic virus by double-diffusion tests in agar ..... J. F. Shepard and R. G. Grogan 1136

Physiology of sexual reproduction in Hypomyces solani f. cucurbitae. III. Perithecium formation on media containing compounds involved in the shikimic acid pathway ..... Gary E. Harman 1138

Physiology of sexual reproduction in Hypomyces solani f. cucurbitae. IV. Influence of flavin inhibitors on perithecium formation ..... Edward Tschabold 1140

The induction of necrotic lesions on primary Pinto bean leaves by Pseudomonas savastanoi
James A. Lippincott and Barbara B. Lippincott 1142

No. 11—NOVEMBER

Effect of temperature and saprophytic soil fungi on infection and pathogenesis by Botrytis convoluta on iris ... H. S. MacWithey 1145

Possible importance of Pythium in root rot of peas ..... Cesar Escobar, M. K. Beute, and J. L. Lockwood 1149

Fusarium populations in rice field soils ..... G. Lim 1152

Induction and distribution of phytoalexins in Rhizoctonia-infected bean hypocotyls ..... R. E. Pierre and D. F. Bateman 1154

Target area as a klendusic factor in dwarf mistletoe infections ..... Ed F. Wicker and C. Gardner Shaw 1161

Seed destiny as a klendusic factor of infection and its impact upon propagation of Arceuthobium spp. ..... Ed F. Wicker 1164

Isolation of the host-specific toxin and a related substance with nonspecific toxicity from Helminthosporium carbonum
R. B. Pringle and R. P. Scheffer 1169

Light-induced in vitro sporulation of Colletotrichum coccodes causing tomato anthracnose ..... T. H. Barksdale 1173

Asexual nuclear behavior and formation of conidia in Fomes annosus ..... Billy R. Griffin and Charles L. Wilson 1176

Resistance of Pelargonium to Xanthomonas pelargonii ..... James F. Knauss and James Tammen 1178

Synthesis of indoleacetic acid by cell-free systems from virulent and avirulent strains of Pseudomonas solanacearum
Ralph H. Phelps and Luis Sequeira 1183

Factors regulating toxicity of cycloheximide derivatives ..... H. D. Sisler, M. R. Siegel, and Nancy N. Ragsdale 1191

Purification and serology of rose mosaic virus ..... Robert W. Fulton 1197
Fungicidal and phytotoxic effects of certain mercurials used to control Fusarium basal rot of Tulipa bulbs
V. L. Miller and Charles J. Gould 1202
The oak wilt epidemics in Pennsylvania and West Virginia: an analysis ..... W. Merrill 1206
Some effects of pre- and postgermination treatments on germination and differentiation of uredospores of Puccinia graminis f. sp. tritici ..... M. Wiese and J. M. Daly 1211
Two methods for surface disinfestation of Trichodorus christiei ..... Robert M. Goodman and T. A. Chen 1216
The nocturnal diffusion and transport of spores ..... E. P. Van Arsdel 1221
Characteristics and nomenclature of the oak anthracnose fungus ..... Dan Neely and E. B. Himelick 1230
Relationship of tracer-measured aphid feeding to acquisition of beet western yellows virus and to feeding inhibitors in plant extracts ..... James E. Duffus and A. H. Gold 1237
Survival of root-infecting fungi in soil. I. A quantitative propagule assay method of observation ..... George C. Papavizas 1242
Resistance of certain elm clones to Ceratocystis ulmi and Verticillium albo-atrum ..... Francis W. Holmes 1247
Quantitative studies by plate counts of propagules of the Verticillium wilt fungus in cotton field soils
G. Evans, S. Wilhelm, and W. C. Snyder 1250

Phytopathological Notes
Fungitoxic spectrum of oxathiin compounds ..... L. V. Edgington and G. L. Barron 1256
Changes in phenylalanine metabolism associated with pisatin production ..... Lee A. Hadwiger 1258
Systemic invasion of strawberry by Xanthomonas fragariae causing vascular collapse
D. C. Hildebrand, Milton N. Schroth, and Stephen Wilhelm 1260
Effect of certain fungi on dwarf tomatoes grown under gnotobiotic conditions ..... Donald L. Lindsey and Ralph Baker 1262
A rapid inoculation technique to evaluate the resistance of cotton to Verticillium albo-atrum
William M. Bugbee and J. T. Presley 1264
Decline of Fusarium oxysporum in the roots of Pinus lambertiana seedlings transplanted into forest soils .. Richard S. Smith, Jr. 1265
A strip bait for studying the growth of fungi in soil and aerial habitats ..... E. S. Luttrell 1266
Apricot ring pox and peach mosaic viruses in apricot trees ..... T. S. Pine 1268
The effect of inoculum spore concentration on the development of foliar symptoms of Dutch elm disease
Lawrence R. Schreiber and R. Jay Stipes 1269
Some effects of harvesting methods and drying conditions on development of aflatoxins in peanut .... Curtis R. Jackson 1270
Steroid alkaloids as compounds produced by potato tubers under stress ..... Romano Locci and Joseph Kuć 1272
Number and size of local lesions of alfalfa mosaic virus reduced by interaction with bean yellow mosaic virus .. Richard E. Ford 1274
Graywall symptom development in tomato fruit after injection of extracts of graywall-affected tissue
R. E. Stall and C. B. Hall 1276
The effect of saponins from alfalfa on Phytophthora cinnamomi in relation to control of root rot of avocado
G. A. Zentmyer and C. R. Thompson 1278
Seed transmission of peanut stunt virus ..... J. L. Troutman, W. K. Bailey, and C. A. Thomas 1280
A lethal leaf spot of maize ..... A. J. Ullstrup and A. Forrest Troyer 1282
Damping-off of sweetgum by Pythium sylvaticum ..... T. H. Filer, Jr. 1284
A simple technique for purification of tobacco mosaic virus in large quantities ..... G. V. Gooding, Jr., and T. T. Hebert 1285

No. 12—DECEMBER

Frank Arling Haasis, 1908-1965 ..... D. E. Ellis 1287
Inheritance of toxin production and pathogenicity in Cochliobolus carbonum and Cochliobolus victoriae
R. P. Scheffer, R. R. Nelson, and A. J. Ullstrup 1288
Effect of mannose on infection of Gomphrena globosa by red clover vein mosaic virus .... S. Subbarayudu and Roy D. Wilcoxson 1292
The relationship of inoculum-receptor contact period to the rate of graft transmission of twelve Prunus viruses .... P. R. Fridlund 1296
Genetical and cytological studies of Phytophthora strains pathogenic to pepper plants
Jorge Galindo A. and George A. Zentmyer 1300
Relationships of Heterodera trifolii to some forage legumes ..... Don C. Norton 1305
Effects of temperature on growth of Glomerella cingulata in vitro and on its pathogenicity to Lupinus angustifolius genotypes an an and An An ..... Homer D. Wells and Ian Forbes, Jr. 1309

Comparison of susceptibility of Abies concolor and Pinus ponderosa wood to decay by Fomes annosus
FIELDS W. COBB, JR., AND W. WAYNE WILCOX 1312

Electron microscopy of barley stripe mosaic virus: Comparative cytology of tissues infected during different stages of maturity
WAYNE S. GARDNER 1315

Resistance of the experimental cotton variety, Bayou, and related strains to root knot nematode and Fusarium wilt
JACK E. JONES AND W. BIRCHFIELD 1327

Pathogenesis of cotton (Gossypium hirsutum) by Pythium species: Zoospore and mycelium attraction and infectivity
JAMES A. SPENCER AND W. E. COOPER 1332

Formation of lignin in the root tissues of Japanese radish affected by Alternaria japonica ..... Y. ASADA AND I. MATSUMOTO 1339

Effect of nitrogen and chloride nutrition on susceptibility and effect of fungicide applications on control of Fusicoccum canker of peach ..... ROBERT H. DAINES 1344

Tomato as a test plant for detecting mild strains of potato spindle tuber virus ..... K. H. FERNOW 1347

Pseudomonas caryophylli in carnation. III. Effect of certain environmental factors on development of the pathogen in the host
ROBERT S. DICKEY AND PAUL E. NELSON 1353

Hydrolysis of tomatine by Septoria lycopersici: A detoxification mechanism ..... P. A. ARNESON AND R. D. DURBIN 1358

Melampsora medusae causes cottonwood rust in Lower Mississippi Valley ..... E. RICHARD TOOLE 1361

Chitinase as a factor in the germination of chlamydospores of Thielaviopsis basicola .... CHRISTOS CHRISTIAS AND KENNETH F. BAKER 1363

Factors influencing population densities of Trichodorus christiei ..... G. W. BIRD AND W. F. MAI 1368

Apparent reversal of dominance of a gene in corn for resistance to Puccinia sorghi ..... A. L. HOOKER AND K. M. S. SAXENA 1372

Barley stripe mosaic virus seed transmission and barley yield as influenced by time of infection ..... ROLAND G. TIMIAN 1375

Relation of cell permeability alterations to water congestion in cucumber angular leaf spot ..... P. H. WILLIAMS AND N. T. KEEN 1378

PHYTOPATHOLOGICAL NOTES

Some observations on ascocarp formation and sporulation by species of Leptosphaerulina
CLAUDE E. THOMAS AND J. E. HALPIN 1386

The use of synergy to demonstrate variants of citrus woody gall virus ..... L. G. WEATHERS AND F. C. GREER, JR. 1388

Xiphinema americanum as a factor in unthriftiness of red clover ..... DON C. NORTON 1390

Occurrence and reproduction of a stylet-bearing mycophagous nematode in pycnidia of Cytosporina acharii
D. F. SCHOENEWEISS, D. P. TAYLOR, AND D. I. EDWARDS 1392

Pythium relationships to Aphanomyces root rot of peas ..... RODRIGO ALCONERO AND D. J. HAGEDORN 1394

A simple method for inoculating individual leaves of sunflowers and wheat with several races of rust
M. A. JABBAR MIAH AND W. E. SACKSTON 1396

An in vitro method of determining pathogenicity of organisms involved in the cotton boll rot complex
H. S. BAGGA AND C. D. RANNEY 1398

A strain of peanut stunt virus isolated from beans in Washington ..... G. I. MINK, T. T. HEBERT, AND M. J. SILBERNAGEL 1400

INDEX FOR 1967 ..... *1*

ERRATA *43*

TABLES OF CONTENTS FOR 1967 iii

ol. 57

1312

1315

1327

1332
1339

1344
1347

1353
1358
1361
1363
1368
1372
1375
1378

1386
1388
1390

1392
1394

1396

1398
1400
1
43
iii